

Non-Designated Local Historic Assets Register

National Grid Reference	SK5368259055
Building Name	High Oakham House
Number	
Street	High Oakham Drive
Town	Mansfield
Date Listed	01/06/2005
Description	Building is pebble dashed, with ashlar dressings and slate roof. Three stories, and three bays wide, windows are modern 'sash effect' in projecting ashlar surrounds, with similar smaller windows on upper floors. Ground floor has a canted ashlar bay window to left and a canted conservatory with ashlar plinth. C20 extension to left. Stable court and yard at rear has original limestone sett paving.

National Grid Reference	SK5396461233
Building Name	
Number	8
Street	Toothill Lane
Town	Mansfield
Date Listed	01/07/2005
Description	Coursed local limestone, painted white, ashlar dressings and slate roof. Gothick garden front now largely obscured by later additions; heads of pointed arches are present but hidden from view. Gabled return to Toothill Lane has three large mullion-and-transom cross casements with modern shopfront below. Rear elevation has three mullioned windows.

National Grid Reference	SK5575059830
Building Name	Thompsons Grave
Number	
Street	Berry Hill Lane
Town	Mansfield
Date Listed	01/05/2004
Description	A low wall in local stone with iron gates, within the wall are several trees surrounding the monument, The ground was specially consecrated for the burial of Thompson who had been a local philanthropist, his burial arrangements were stipulated in his will along with several charitable donations. The plaque was replaced during the 1990's by Mansfield District Council.

National Grid Reference	SK5397360705
Building Name	Methodist Church Hall
Number	
Street	Bath Street
Town	Mansfield
Date Listed	01/05/2004
Description	Red brick with stone dressings and slate roof, lantern with gothic blind tracery in lead. Front porch with three cusped overlights in rounded recessed doorway. Flanked by two cusped lancets. Above the door is a three light pointed window with tracery and cusping. All lights leaded. Also a stone boundary wall.

National Grid Reference	SK5418061095
Building Name	Stanhope Centre (Former Sunday School)
Number	
Street	Rock Valley
Town	Mansfield
Date Listed	01/05/2004
Description	Two storey, 5 bays, Mansfield stone with restored six over six sash windows. Gutted by fire but sensitively restored. South east elevation has door to left with three paned overlight, to right are two six over six sashes, right again a similar door and further right a similar sash. First floor has four six over six sashes. North east elevation has central door with four paned overlight flanked by six over six sashes. Again the first floor has 4 six over six sashes each with a six pane overlight. North west elevation has 4 six over six sashes on both the ground and first floors.

National Grid Reference	SK5322662383
Building Name	Queen Elizabeth Grammar School
Number	
Street	Chesterfield Road South
Town	Mansfield
Date Listed	01/05/2004
Description	<p>Of Mansfield stone with plain tile roof. Two and a half stories in Mock Tudor style, mullion and transom windows with metal glazing units with swivel opening sections. Some buildings on the main façade are entirely of stone, some have their rear walls built in brick while the fronts and gables are of stone. Further classrooms added at rear in 1929 to form a 'quad' These rear additions are executed in brick, the quad has arcades running around 3 sides with arches, clock set above a large entrance archway that opens out of the quad to the West. Exterior walls of the quad buildings have a decorated doorway with a 1561 royal coat of arms, along with the dates 1561 (date the school was created by royal charter) and 1929 (date the new buildings were constructed) The windows to these ranges have large timber surrounds - mirroring the mullion and transom work on the main building - with more metal glazing units with swivel openings mounted within. There has been a new addition to the rear of the main building, it is a full height round turret with conical slate roof. To rear of quad are new buildings of stone, built on a low profile with pitched roofs. Also flat roofed prefabricated classrooms with sectional concrete pebble dashed external walls. A sports pavilion - mock timber framed with brick pillars supporting a jettied upper floor - red clay pantile roof, some vandalised glazing. Caretakers house on the driveway / approach of rusticated limestone, has bay windows with stone mullions housing narrow 1 over 1 sashes, the sides have 2 over 2 sashes in timber. Slate roof and 4 stone stacks</p>

National Grid Reference	SK5930060740
Building Name	
Number	42 and 44
Street	Nottingham Road
Town	Mansfield
Date Listed	01/05/2004
Description	Stucco, coursed rubble exposed to rear. Hipped welsh slated roof. 2 storeys, 1st floor sill band. Glazing bar sash windows have been replaced with uPVC since 1994. Rear additions in rendered brick with flat roofs. Timber casement bay to rear. Front elevation ground floor windows have heavy projecting sills held on brackets.

National Grid Reference	SK5210065050
Building Name	Upper Mill (Mill Three)
Number	
Street	Pleasley Vale
Town	Mansfield
Date Listed	
Description	Textile mill located in a river valley West of Pleasley vale, part of a series of 3 mills. Of local limestone ashlar, slate roofs. Now in use as multiple office units and industrial workshops. Rambling building at rear with several lower extensions expansive ranges of 9 light sashes, iron rainwater goods, The building appears grand and dominates the short portion of the valley from which it can be seen

National Grid Reference	SK5210065050
Building Name	Middle Mill (Mill Two)
Number	
Street	Pleasley Vale
Town	Mansfield
Date Listed	
Description	Textile mill located in a river valley West of Pleasley Vale, part of a series of 3 mills. Of local limestone in various hues, concertinaed roof lights for internal illumination and large entrance arches on the lower floor - 1 of which bears the date stone with the inscription 1913. Iron rainwater goods with slate and glass roof.

National Grid Reference	SK5379060980
Building Name	
Number	12
Street	Queen Street
Town	Mansfield
Date Listed	01/05/2004
Description	Red brick (previously stuccoed) Welsh slate roof with modillioned cornice and pediment. 3 stories, 2 bays, 2 sash windows on 1st floor (six over six) and a further 2 on the 2nd floor (3 over 3). Edwardian shop front with canted fascia and shopfront window with leaded overlights.

National Grid Reference	SK5422361256
Building Name	Metal Box Co. Factory - clock tower
Number	
Street	Rock Valley
Town	Mansfield
Date Listed	
Description	<p>Clock tower, four storeys, contains open fronted staircase with decorative metal railings at each floor. Staircase is topped by a semi-circular arch with scroll keystone, beneath an open-bed pediment. Above which is the clock tower, build of stone with clasping Doric pilasters. Above, a copper fish scale dome and weathervane. Located at the southern end of the site the Tower Block was erected in stages between 1919 and 1927. This is a steel-framed, brick-clad factory building of four storeys with a prominent domed clock tower at the head of a staircase bay to its principal, seven-bay east elevation. It is otherwise of functional pier and panel form, with wide, multi-pane metal-framed windows lighting the spacious workshop floors within. The interiors are open plan with widely-spaced concrete piers supporting substantial floor beams.</p>

National Grid Reference	SK5356461351
Building Name	Former National School
Number	
Street	St. John Street
Town	Mansfield
Date Listed	
Description	School buildings of local limestone, some stone faced with brick to rear, with timber casement windows in stone surrounds, School buildings of local stone with timber casement windows in stone surrounds, Date stone inscribed 1861 and cast iron hoppers on down pipes inscribed 1935, slate roofs with roof windows. The building is entirely at ground floor level and is now in use as the St. Johns Centre, being located next to St. Johns Church. The girls and infants schoolrooms still stand, but the boy's schoolroom and master's house have been lost to later alterations.

National Grid Reference	SK5380061160
Building Name	
Number	9 and 11
Street	West Gate
Town	Mansfield
Date Listed	01/05/2004
Description	Painted ashlar, concrete tiled steep roof, lower pitch towards the eaves. 3 stories, 4 bays with 4 sash windows (1 over 1) in protruding ashlar surrounds on each of the top two floors. Quoins and cornice, 2 plastered cross wings. One gable end had a mullioned window, indicating a possible earlier date, which was visible until recent works saw it blocked and rendered over

National Grid Reference	SK5371061260
Building Name	
Number	42
Street	West Gate
Town	Mansfield
Date Listed	01/05/2004
Description	Painted ashlar with welsh slate roof, cornice and small frieze. 3 stories, 3 two over two sash windows in plain surrounds on each floor, 3 bays wide. Modern shop front with metal framed glazing and door. Gable stack to right, brick construction to sides and rear.

National Grid Reference	SK5365361302
Building Name	
Number	59
Street	West Gate
Town	Mansfield
Date Listed	
Description	Of coursed local stone, concrete tile roof. Three stories, eaves raised from a level similar to No. 57. Two ashlar window surrounds on each floor, each with timber sash 6 over 6 glazing bar windows (reinstated 2006) Modern brick shopfront, much interior alteration. Ashlar quoins on right end similar to those on left end of number 57. Brick gable stack

National Grid Reference	SK5375561488
Building Name	Ashfield House
Number	
Street	Chesterfield Road South
Town	Mansfield
Date Listed	01/10/2007
Description	<p>It is rectangular in plan, two storeys with a single storey service wing attached to the rear. The principle façade faces west and is of squared coursed ashlar, hipped slate roof, and 5 bays wide on front façade. On front façade are 9x 12 pane sashes, two groups of four at either end and a single sash above the main entrance doors. Door surround is a simple band of dressed stone, doors are C.20 glazed examples. To east side are two 12 pane sashes on the upper floor and a flat roofed projecting bay set back on the ground floor. To west is a tall external chimney stack of rendered brick positioned off centre slightly toward the rear of the building, 4 more 12-pane sashes occupy this façade. To rear a lower addition again of coursed squared stone and with a hipped slate roof. Interior: The hall staircase has an ornate, cantilevered half-turn stone stair with cast-iron balustrade. The original cornicing with egg and dart and water-leaf and dart mouldings survives on the ground floor.</p>

National Grid Reference	SK5437860931
Building Name	Kings Arms Public House
Number	
Street	Ratcliffe Gate
Town	Mansfield
Date Listed	
Description	Doorway is flanked by half height columns with carved capitals and topped by a semi-circular arch with pediment containing a royal coat of arms. The building wraps around the corner of the street. Executed in rusticated ashlar with slate roof and timber doors / windows. Mullioned windows and decorated gables. Off of the main elevation the building is of brick, some of which is rendered

National Grid Reference	SK5369061650
Building Name	Heatherdene
Number	
Street	Crow Hill Drive
Town	Mansfield
Date Listed	04/03/2005
Description	Of local magnesian limestone with sandstone dressings and plain tile roof. Irregular plan form with gabled cross wing to north and canted tower to south-east corner. Interior retains a fine columned staircase and one ornate dogtooth cornice. Matching former coach house to rear. A date stone above a window reads 1880, a pair of decorated gothic revival staircase windows next to the entrance, all with hood moulds. A dormer window is of UPVC others are of timber.

National Grid Reference	SK5388660674
Building Name	
Number	54
Street	Nottingham Road
Town	Mansfield
Date Listed	04/03/2004
Description	Of local magnesian limestone with painted sandstone dressings, roof of welsh slate. Façade near symmetrical, with gabled bay to south. Three glazing bar sashes with, below, a modern porch, glazed with a flat roof, flanked by windows with columnar mullions. Small two mullion window in gable and small mullioned dormer in roof. Single storey extension in brick and concrete to right.

National Grid Reference	SK5350861288
Building Name	
Number	27, 28 and 29
Street	St. John Street
Town	Mansfield
Date Listed	01/05/2004
Description	Six bays, two stories ground floor is of local Mansfield White stone, first floor is red brick with blue brick banding. Slate roof and two ridge stacks. Front garden has been lost and is now open parking area. Three timber doors with overlights set in rounded arches of alternating white and red stone with projecting capitals, above two top hung casements, 8 panes under stone lintels. Decorative timbre framing under gables modern shop windows with timber fascias and two light casement windows with four paned overlights above.

National Grid Reference	SK5364861479
Building Name	Former Technical College
Number	
Street	Chesterfield Road South
Town	Mansfield
Date Listed	01/10/2007
Description	<p>Building of brick with ashlar dressings and classical decoration. Window arrangement on the front façade is of 2,3,7,2,7,3,2. From either end there is a single bay of windows, 4 15-pane sashes with 6 pane overlights. Following this is a projecting bay in ashlar with two vertically arranged groups of three sashes separated by mullions, these groups are flanked by giant order columns in angular Corinthian style and topped by a triangular broken pediment . Following from this comes a row of 14 sashes arranged 7 on the upper and 7 on the lower floor. The central most of the lower sashes is of half width and is a 12 pane sash with a 4 pane overlight. Next comes the central doorway, with a porch supported by 4 Doric columns, the outer two squared the inner pair round. The doors are glazed with 12 panes in glazing bars, and the doors surmounted by two 16 pane overlights. The doorcase is topped by a curving Dutch pediment. The windows are immediately topped by a decorative ashlar lintel course. Two ridge stacks of ashlar can be seen topping the front façade. The ashlar decoration disappears around the sides of the building leaving a hard brick exterior to these faces. Again 16 pane sashes with their 8 light overlights. On the west side there is more decoration than the bland east. Here there is a large arched window incorporating casement openings. A brick arched overlight tops the stone doorcase of the west entrance doors. Brick voussoirs take over above the windows. To the rear is a later extension with all round arched windows with opening casements 6 bays long with hipped slate roof. Behind the main building lies an in-filled courtyard occupied by a large glazed roof and another brick building with a slate roof and round arched windows.</p>

National Grid Reference	SK5410760679
Building Name	Mansfield Brewery
Number	
Street	Great Central Road
Town	Mansfield
Date Listed	01/01/2007
Description	<p>Part with curved frontage executed in brick to follow the entrance road to the brewery site is dated 1854 with the initials of the Brewery MBC (Mansfield Brewing Company) Metal framed crittal windows to this range. The oldest central section is of red brick and 5 stories, 3 bays wide, the lower level has round arched openings now windows and doorways. The next 3 floors have large metal framed windows (1st floor 5x4 lights, 2nd floor 5x5 lights, 3rd floor 3x4 flanked by columns of 3 lights spaced vertically. To the left is a later 2 bay extension with similar windows on the upper levels except the 3rd floor has 5x4 lights. Chimney, tapering circular shaft which rises from a square base. The shaft is enmeshed in a grid of metal banding, and has been extended with a metal tube secured by means of a metal harness. Application to list was refused July 2008.</p>

National Grid Reference	SK5370160501
Building Name	Elizabeth Heath Alms Houses
Number	43-53
Street	Portland Street
Town	Mansfield
Date Listed	
Description	<p>The almshouses are constructed of coursed local limestone, slate roof and six brick ridge chimney shafts each topped with a single clay pot.. 6 bays with 3 to either side of a central passageway topped by a Dutch gable which carries two inscribed panels, the higher dated 1844 and the lower 1960. The front entrances to the 6 dwellings are simple flush stone surrounds with recesses for boot-scrapers to one side - one of these still holds its iron scraper. Gutting and rainwater goods in cast iron (absent on rear elevation 2007) The doorway to the central passage is of perpendicular style with hood-mould above. The passage way has a flagstone floor (removed 2007) the passage opens to the rear through a simple undecorated doorway. The rear elevation has 5 gabled brick additions from the 1960 improvements. Rear access is through the 60's additions and these doorways have bulkhead lights to one side. A lean-to style outbuilding backs onto the boundary wall and is also of local coursed limestone roofed in slate - the outbuilding has 4 doorways topped with stone lintels.</p>

National Grid Reference	SK5420663484
Building Name	
Number	41
Street	High Street
Town	Mansfield Woodhouse
Date Listed	11/08/2005
Description	The front range - to High Street - is built of coursed local limestone with ashlar dressings and a slate roof. The rear range, facing a courtyard, is rendered and partly limewashed, with ashlar dressings and a clay pantile roof. The elevation to High Street is almost entirely occupied by a good quality traditional shopfront. The return elevation has a single small casement in a chamfered surround. The elevation facing the courtyard contains a C17 chamfered mullioned window and, to its right, a nineteenth century horizontally sliding sash. Various modern additions largely obscure the ground floor. The rear elevation features various C18 plain mullioned windows.

National Grid Reference	SK5420663484
Building Name	
Number	41a
Street	High Street
Town	Mansfield Woodhouse
Date Listed	11/08/2005
Description	Coursed local limestone, lime washed; with ashlar dressings and a clay pantile roof with a single brick stack with one chimney pot. Front elevation, facing a courtyard/yard, contains 2 no. mullion 1/1 casement windows and 6 pane casements. Below, 3 no. 1/1 mullion casement windows and 2 no. modern doors.

National Grid Reference	SK5446663405
Building Name	The Star Public House
Number	
Street	Warsop Road
Town	Mansfield Woodhouse
Date Listed	12/08/2005
Description	Of coursed rubble with steeply pitched pantile roof, central ridge stack, 2-storey with lower 2-storey range to east. Central gabled C20 porch with door to South side flanked by 3 light stone mullion casements and 2, 2 light stone mullion casements above. To the left is a lean-to outbuilding containing a blocked, chamfered doorway, C20 addition to far left with mono pitch pantile roof and blocked door to south side. C19 lower 2 storey part to east with pantile roof; row of windows to ground floor with stone mullions irregularly spaced and stone surrounds; first floor door to west gable.

National Grid Reference	SK5443263392
Building Name	
Number	36-39
Street	Portland Street
Town	Mansfield Woodhouse
Date Listed	
Description	Of local limestone, Slate roof with plastic rainwater goods. Twin stone stacks, one dormer window, fenestrations with painted stone lintels. Windows boarded, probably sashes. Two round headed sash windows in gable ends, 2 over 2. Several rear extensions, the largest lean-to with felt roof.

National Grid Reference	SK5420663465
Building Name	
Number	52, 74, 76 and 78
Street	High Street
Town	Mansfield Woodhouse
Date Listed	01/05/2004
Description	<p>78 Stone with plain tiles, garret window in gable, gable with stone kneeler, first floor with two modern windows in raised stone surround, traditional style late C19 / early C20 shopfront. To rear are remnants of stone mullioned windows. Internal inspection showed hafted rather than sawn timbers. 76: Painted stone with slate roof. Two and a half storeys, dormers with leaded casement, two over two sash on the first floor, traditional style late C19 / early C20 shopfront 74: Painted stone with slate roof. Two storeys. First floor has modern C20 casement, to the right is a two over two sash window with stone sill. Ground floor has traditional style late C19 / early C20 shopfront. Brick ridge stack. Carriage way with hafted timber arch, visible reed and plaster on underside of arch. Above arch is painted stone work with slate roof. To first floor is stone mullioned window with 4 panes per window, another 4 paned window to right. Dormer in roof with horizontal Yorkshire sliding with 4 panes in each sash. 52: Stone with slate roof, two and a half storeys, brick ridge stack. Dormer in roof with horizontal Yorkshire sliding sash with 4 panes in each sash. Traditional shop window and door. Two casements above in raised stone surround, each window of two panes.</p>

National Grid Reference	SK5210065050
Building Name	Lower Mill (Mill One)
Number	
Street	Pleasley Vale
Town	Mansfield Woodhouse
Date Listed	01/05/2004
Description	Textile mill located in a river valley West of Pleasley vale, part of a series of 3 mills. Of local limestone ashlar, slate roofs. Rambling building at rear with several lower extensions expansive ranges of 9 light sashes, iron rainwater goods, the building appears grand and dominates the short portion of the valley from which it can be seen. Some blocked windows, some half blocked in concrete blocks windows are of timber and casements steel fire escape to rear and one side stonework is in good condition, as is pointing.

National Grid Reference	SK5347964453
Building Name	Sunnydale Farm
Number	
Street	Northfield Lane
Town	Mansfield Woodhouse
Date Listed	27/02/2006
Description	Rendered/white washed, 2-storey building, slate roofed, gable end building, with further side gable end structure, variation on an 'L' plan.

National Grid Reference	SK5624164305
Building Name	Peafield Farm
Number	
Street	Peafield Lane
Town	Mansfield Woodhouse
Date Listed	
Description	Building of coursed local limestone with brick gable stacks and concrete tile roof. Modern timber double glazed casement windows in mullioned openings with protruding ashlar surrounds. Timber doors with small glazed openings. Built on an 'L' shaped plan. More casements in mullioned windows to rear, also a 4 light run of French windows. Building is built on 2 slightly different levels, the roof being around 200mm higher on the right side with a step two bays in. The ground floor windows are all of similar height, but the windows on the upper floor step down at the same point as does the roof.

National Grid Reference	SK5498065750
Building Name	Former Service Wing at Nettleworth Manor
Number	
Street	Sookholme lane
Town	Warsop
Date Listed	07/07/2005
Description	Of coursed local limestone with ashlar dressings and a graduated slate roof. South gable rendered. Long two storey range with lucarnes; all windows are plain sashes in projecting ashlar surrounds. Building features a reset datestone reading '1566 WW'. The associated Manor House was willingly destroyed by its owner, Mr. Neville, in 1940, only the service wing was left standing, which has now been restored and converted to dwellings.

National Grid Reference	SK5668768083
Building Name	A B Cars Garage
Number	50
Street	Church Street
Town	Warsop
Date Listed	08/08/2005
Description	Of coursed local limestone, now painted, with slate roofs. The original building is arranged in a 'T' plan under hipped roofs. The front wing has been much altered to form the entrance to the showroom. The site is bounded by a low stone boundary wall with triangular coping.

National Grid Reference	SK5681068820
Building Name	Gateway and Walls - Former Rectory
Number	
Street	Church Road
Town	Warsop
Date Listed	05/08/2005
Description	Coursed local limestone walls with half round coping with an ashlar gateway. The gateway contains a modern timber board door.

National Grid Reference	SK5338968412
Building Name	Warsop Cottage Farm
Number	
Street	Carter Lane
Town	Warsop
Date Listed	27/02/2006
Description	Coursed local limestone with stone slate roof. Three storeys, two bays square, with outshut rear extension. The principal (south) elevation features blocked windows beneath splayed lintels; there is a large modern conservatory on a reconstituted stone plinth attached. The west elevation features modern windows beneath painted splayed lintels.

National Grid Reference	SK5748168829
Building Name	Burns Farm
Number	
Street	Burns Lane
Town	Warsop
Date Listed	27/02/2006
Description	<p>Farmhouse is of local coursed limestone with ashlar gable kneelers, there is a concrete tile roof with mock stone slate verge and 2 brick gable stacks. Principal block is two bays wide. There are modern windows beneath shallow segmental arches. To the right, lower two storey block, with a third brick gable stack, with altered windows above a projecting porch and to the left a board door beneath a shallow segmental arch. Subsidiary features: the farmhouse is fronted by a limestone wall with flat copings. A machine threshing barn, building local limestone with ashlar gable kneelers and a slate roof. East elevation has central threshing doors beneath a segmental arch. To either side, loft openings beneath segmental arches. West elevation, largely obscured by modern covered crew yard, contains smaller machine threshing door. South gable end contains symmetrical arrangement and seven slit breathers.</p>

National Grid Reference	SK5440968480
Building Name	William Wood Farm
Number	
Street	William Wood Lane
Town	Warsop
Date Listed	27/02/2006
Description	Built from local coursed limestone with concrete tile roofs. "U" shaped arrangement around a central courtyard. The farmhouse is two storeys tall, with a central door and three bays of modern windows beneath flat arches with keystones. To the left is a lower two storey wing with two similar windows above a single blocked opening. The western farm building range comprises a threshing barn with animal house and hay loft to the left. Barn has central threshing door with steel lintel beneath a flat arch with keystone. Slit breathers. The eastern farm building comprises animal houses beneath hay lofts, accessed via an external stair on the southern end wall. Western façade features stable doors and glazed pitching holes beneath flat arches with lintels.

National Grid Reference	SK5837569537
Building Name	Barn, Cart Shed and Stables at Assarts Farm
Number	
Street	Burns Lane
Town	Warsop
Date Listed	08/06/2006
Description	Of coursed local limestone. Barn has slate roof - NE elevation contains central threshing door, flanked on first floor by loft openings. Narrow slit breathers. SW elevation is obscured by modern covered crewyard. Attached to SE, cart shed has concrete tile roof and . SW elevation has two ashlar pillars, with openings infilled with brick. Blank NE elevation. Stable range is attached at right angles to enclose the crewyard and has a roof of half concrete tile and half slate - the concrete tile side is in good order but the slate section of the rood features some very crude repairs.

National Grid Reference	SK5617565503
Building Name	Westfield House Farm
Number	
Street	Mansfield Road
Town	Warsop
Date Listed	13/06/2006
Description	<p>Built of local coursed limestone with ashlar dressings and a stone slate roof. Gable parapets with kneelers. "L" shaped plan with lean-to rear outshut. Elevation to front garden not surveyed. Side (entrance side) elevation has lean-to projection with central gabled porch. To the first floor are three windows with hood moulds. Projecting to the right is the side gable of the front wing, featuring an external ashlar chimney breast with a garden seat at ground floor. Barn and stables in a courtyard arrangement, of coursed local limestone with concrete tile roofs. Third side of courtyard has been demolished leaving an 'L' shaped arrangement. Barn front elevation has two threshing openings beneath segmental arches. The left hand opening has been partly bricked up but the right opening retains timber double doors on hinge stones. Rear elevation is obscured by a modern building. Attached to left stables have doors and windows with segmental heads. The end gable contains a central door with a segmental head, flanked by windows with concrete lintels. To left an ashlar gate pier with cap.</p>

National Grid Reference	SK5925370081
Building Name	Gleadthorpe Grange - dovecote and barn buildings
Number	
Street	Netherfield Lane
Town	Warsop
Date Listed	01/12/2008
Description	Barn range and Dovecote range - Dovecote is of coursed local stone with timber windows to ground floor and timber door. Above is a triangular feature containing small recesses or openings. Roof is of pantiles. Barn is of mixed brick and stone construction with roofing materials of concrete tile, pantile and corrugated concrete sheets. Many small windows pierce the stone sections; these windows are arranged almost at random and at differing heights. Brick sections have more regular fenestrations and much residual lime-wash indicating the presence of ancillary buildings now lost.

National Grid Reference	SK5425661982
Building Name	Lochbuie
Number	
Street	The Park
Town	Mansfield
Date Listed	
Description	Two storeys plus attic. Red brick with stone dressing, areas of timber framing, plain tile roof. Windows with stone mullions and stone surrounds. The tall red brick chimneys have Shavian decorated brick corbelling. Recessed central porch with Mansfield Stone columns, the capitals carved with classical motifs, and above it carved stone volutes, brackets and swags, with a naturalistic face of a young girl in the centre. To left of entrance is a two light window, above entrance is a four light window in stone surround. To left again is a cross wing of two storeys plus attic with decorated mock-Tudor timber framing. To the right of the entrance is a canted bay that projects through the roof line. Further right is black and white close studding on the first floor, with a canted bay on the ground floor. To the rear is a double gable with stone ball finials. There is a two storey canted bay with veranda with stone columns to the right and two windows above. To the right is a further two and half storey section of brick and timber framing.

National Grid Reference

Building Name The Ridge

Number

Street The Park

Town Mansfield

Date Listed

Description Predominantly red brick, with areas of tile hanging, diaper work and close stud timber framing, with Mansfield Stone for window surrounds and entrance porch. The roof is plain tiled with an elaborate variety of roof designs. The building is of a complex planform and design, using a variety of projecting gables and bays with conical roofs, with the first storey over sailing the ground floor in places in a jettied structure. The front elevation has a gable to the left, which overhangs a first floor canted, oriel window on timber brackets. To the right is the front entrance, making use of classical detailing around the door in stone with balustrading above. Above this is a part canted bay with stone Tudor Gothic tracery in the windows and crenellated parapet. To the right is a two storey canted bay forming the corner of the building, with stone mullions at ground floor level, timber framing at first floor with polygonal roof and finial. An imposing feature is the double height entrance hall seen on the side elevation, with two turreted bay windows linked at first floor level by a wooden veranda. The adjacent coach house/stable block has steeply pitched, red tiled roof.

National Grid Reference	SK5391560895
Building Name	Black Swan Public House
Number	
Street	Albert Street/Midworth Street
Town	Mansfield
Date Listed	01/12/2008
Description	<p>Main building 2-storeys, ground floor brown glazed brick with larger green glazed detailing and plinth. Windows are canted topped plain wooden pull down top opening casements. Double doors are five panelled wooden, with cantered overhead. Wooden box fascia separates ground from first where advertisement appears. First floor is red brick with stone detailing to windows, part gable, stepped out large various sized chimneys with brick detailing, windows are straight 8/8 wooden side opening casements in various sizes, metal stone mullioned single glazed casements and stone mullion/transom single 6 paned. Rear is staggered gabled with straight topped and cantered brick arched single paned wooden sash windows. Later C20 extension to rear and Midworth Steet is 2-storey red brick with continuous straight sandstone detailing above lintels and carved sandstone cills, stepped chimney with brick detailing. Guttering is cast and plastic, downpipes are cast.</p>

National Grid Reference

Building Name High Oakham Central School

Number

Street Atkins Lane

Town

Date Listed 16/01/2008

Description Brick built school with stone embellishment. Multiple bays of narrow sashes. Main entrance is set back on the corner with a stone classical door case with 'High Oakham School' inscribed within the arched pediment, above a large 7x5 pane casement window and a gable. The building is built on an almost arrowhead plan, behind the main façade a wing runs back perpendicular as well as two others at either end at angles. Ventilated as an Open Air School

National Grid Reference

Building Name The Old Vicarage

Number

Street Leeming Park

Town Mansfield
Woodhouse

Date Listed 01/12/2008

Description 3/2-storey stone building, now functioning as flats. Elizabethian style cross windows with stone mullions and transoms and straight flush lintels and raised cills (windows are stained wood). Front gable end, with stone kneelers and gothic porch, side elevation part pyramidal corner bay, steep pitched slate roof with prominent stone chimney stacks.

National Grid Reference

Building Name Northfield House

Number

Street Northfield Drive

Town Mansfield

Date Listed 01/12/2008

Description 2-storey brick building with roughcast and Mock Tudor detailing, gable end with connecting sloping roof, timber dormer windows, timber 3 light top opening casement windows. Curved brick arch to entrance with recessed door. Building orinally situated in open land. The owner built all surrounding properties on Northfield Drive.

National Grid Reference	SK5322662383
Building Name	Pavilion at Queen Elizabeth Grammar School
Number	
Street	Chesterfield Road South
Town	Mansfield
Date Listed	01/12/2008
Description	2-storey, 2-gable Mock Tudor black and white timberwork, tiled roof. It is reputed that a fire destroyed park of this building and it was built.

National Grid Reference	SK5377659708
Building Name	Inglenook
Number	4 & 5
Street	High Oakham Road
Town	Mansfield
Date Listed	01/12/2008
Description	Rough cast exterior on brick building, mullioned windows, timber, with stained glass smaller panes, stained glass central dormers to connecting sloped roof, tiled roof. Cruciform plan.

National Grid Reference

Building Name William Singleton Alms Houses

Number 6, 8 & 20 / 10 & 12

Street Waverley
Road/Alexandra Avenue

Town Mansfield

Date Listed 01/12/2008

Description 5 single storey buildings appearing as tow sets of pivotal semi's connected by roof height stone wall to central detached almshouse, built in a triangular plan form. Buildings are constructed from stone with hipped slate roof, central chimney, stone projecting canopy to door, door timber vertical panelled with decorative glass top panels, with windows being timber 1/2 hexagon bays. To the front of the properties there is a low stone wall with flat copings, with hedge above, these connect to a central stone where the date of construction and name of almshouses appears.

National Grid Reference

Building Name Mansfield Sand Company Ltd

Number

Street Sandhurst Avenue

Town Mansfield

Date Listed 01/12/2008

Description Single storey 1930's buff coloured stretcher bond brick building with horizontal string course detailing, dark grey footings and built in a straight fronted shallow 'U' plan form. The entrance is formed by a Dutch gable which at its apex has three staggered stained glass filled breathers, the centre one reading MSS?, these have flush terracotta tiled lintels and raised dark brown brick cills. Details of the Dutch gable are it is edged in darker brown bricks with terracotta tile details at ground floor height; the door surround is semi-circular arch and is formed from terracotta tiles. Stepped in buff bricks following the semi-circular pattern of the surround lead to timber panelled semi-circular arched double doors. Either side of the Dutch gable on the front façade are two thin patterned windows. To the right elevation three timber eight paned top opening casements appear in a continuous line and at each end is a decorative timber shutter. To the left elevation, spaced, are two timber eight paned top opening casements each with decorative timber shutters. The roof is constructed from green pantiles and green semi-circular ridge tiles with drainage being by black metal gutters and white hoppers leading to white downpipes.

National Grid Reference

Building Name Old bowls pavilion

Number

Street Leeming Street

Town Mansfield

Date Listed 01/12/2008

Description Triangular, gabled single timber framed building painted black and white with lower rendered panels, 2 side by side 28 panes top, boarded up bottoms, timber sash windows with raised timber mullions and frames, positioned either side of the Edwardian panelled and glazed timber door with rectangular small paned overlight. Assess to the bowling green is by semi-circular red brick built steps.

National Grid Reference	SK5451065300
Building Name	Ruins of Park Hall
Number	
Street	Park Hall Road
Town	Mansfield Woodhouse
Date Listed	01/12/2008
Description	Location is overgrown which restricts the visibility of the ruins. Park Hall has now completely collapsed with only small sections of red brick construction, rendered construction and blue brick construction visible within the undergrowth.

National Grid Reference	SK5679065410
Building Name	Forest Hill Lodge Farm
Number	
Street	Oakfield Lane
Town	Warsop
Date Listed	01/12/2008
Description	Farmhouse now functioning as a restaurant. 3-storeys with attic windows, 'T' shaped building with hipped roof to front façade. Dormer windows to the side elevation and brick chimneys and clay pantile roof. Stone lintel and cills. Windows are positioned symmetrically on the front and prinple side elevation (facing the raised garden). Windows decrease in height as floors increase, and are uPVC top opening casement windows with small panes. Various single storey extensions appear to the side and rear elevations, with various outbuilding to the rear of the site.

National Grid Reference

Building Name Barn and granary at Gleadthorpe Grange

Number

Street Netherfield Lane

Town Warsop

Date Listed 01/12/2008

Description Coursed local stone and pantiled roof building with various timber painted windows positioned slightly flush but with the majority being 15 paned. Some with straight flush stone lintels, other with flush cambered stone lintels (stone positioned vertically), but all have protruding stone cills. The rear and side of the building are not visible

National Grid Reference

Building Name Round Building at Gleadthorpe Grange

Number

Street Netherfield Lane

Town Warsop

Date Listed 01/12/2008

Description Round single storey building constructed from stone with slate roof, lead flashing and stone finials. Windows are cambered 4 paned timber and painted and recessed, they have protruding stone cills and flush cambered stone lintels (stones positioned vertically). A straight brick section has been constructed protruding outwards, north of the original opening, which has been bricked up and a timber panelled door inserted.

National Grid Reference

Building Name Gleadthorpe Lodge

Number

Street Netherfield Lane

Town Warsop

Date Listed 01/12/2008

Description 2-storey stone building with stone, details, chamfered mullioned windows with stone surrounds and hoodmoulds. Timber door with stone hoodmoulds. Kneelers to decorative tiled roofs, all roofs have stone finials . Main building roof has centrally placed decorative stone multi-chimney.

National Grid Reference

Building Name Budby Pumping Station

Number

Street Netherfield Lane

Town Warsop

Date Listed 01/12/2008

Description 2/3 storey red brick building, with slate roof, stone surround windows with keystone detail, sash windows.

National Grid Reference

Building Name Rock Houses

Number

Street Ratcliffe Gate

Town Mansfield

Date Listed

Description Houses formed out of the cave system, one remaining cave was lit inside, a window put in and a plaque over the door, paid for by the Old Mansfield Society in 1977. Sealed up because of vandalism.

National Grid Reference**Building Name** Mill Farm**Number****Street** Church Road**Town** Warsop**Date Listed**

Description Two farm buildings forming a 'U', building separated by double gate with single stone curved top gate piers. Buildings are coursed rubble stone with pantile roofs, timber eaves, stone cills and wooden lintels to openings. Building to south, L-plan, parallel with grass verge, road, and kicks back into enclosed space, building could originally have been the farmhouse, now used for storage. 1½ - 2 storey with single storey lean-to. Building to north, outbuilding, 1½ storey, gable end to grass verge, road. Aperture to gable end timber panelled hatch, metal rod above, side elevation has barn doors one altered to single entrance. Boundary wall coursed rubble stone wall ½ round copings connects outbuilding with boundary wall of adjacent mill.

National Grid Reference

Building Name Churchside Cottage

Number 5

Street Church Road

Town Warsop

Date Listed 06/03/2012

Description House, approx 3m high boundary wall, house coursed rubble, pantile roof, stone kneelers and protruding stone brackets. 2 storey 3 bays. Segemental headed casements, individual stone arched lintel. Positioned parallel to the road to the edge of the pavement. Boudnary wall, coursed rubble with flat copings, south section has door with segmental head, stone arched lintel and timber panelled door.

National Grid Reference**Building Name****Number** 18**Street** Eastlands Lane**Town** Warsop**Date Listed** 06/03/2012**Description** Now functions as a house. Coursed rubble stone with slate roof, 2 storey, metal ties, and door with segmental head, individual stone arched lintels, altered fenestration, stone single ridge stack and part stone/brick gable stack, stone kneelers and protruding stone brackets.

National Grid Reference**Building Name****Number** 20**Street** Eastlands Lane**Town** Warsop**Date Listed** 06/03/2012

Description House, coursed rubble stone with pantile roof, 2-storey 3 bays, casements have segmental heads, individual stone arched lintels, single storey lean to extensions, single gable brick stack, stone kneeler with protruding stone brackets. Building parallel to road, rear of pavement.

National Grid Reference**Building Name****Number** 24**Street** Eastlands Lane**Town** Warsop**Date Listed** 06/03/2012

Description House, coursed rubble stone with pantile roof, 2 storey 3 bays, casements with straight stone lintels, 2 gable and 1 ridge stone stacks, stone kneelers with protruding stone brackets, side lean-to extension with pantile roof, rear extension partly rendered, both with stone kneelers with protruding stone brackets.

National Grid Reference**Building Name****Number** 23**Street** Eastlands Lane**Town** Warsop**Date Listed** 06/03/2012

Description House, coursed stone with pantile roof, L plan 2 storeys with 2 storey rear extension part rendered, stone kneelers with protruding stone brackets, casements and door segmental heads, individual stone arched lintels. Coursed rubble stone boundary wall, section constructed from Ashlar blocks, flat copings.

National Grid Reference**Building Name****Number** 1**Street** Manor Court**Town** Warsop**Date Listed** 06/03/2012**Description** House, coursed rubble stone with pantile roof, 2 storey 3 bays, connected to no. 2 Manor Court, brick ridge stack, stone kneelers and protruding stone brackets, segmental headed casements with individual arched stone lintels, protruding straight stone cills.

National Grid Reference**Building Name****Number** 2**Street** Manor Court**Town** Warsop**Date Listed** 06/03/2012

Description House, coursed stone rubble with pantile roof, 2 storey 2 bays, brick ridge stack, single stone kneeler and protruding stone bracket to gable, casements with segmental heads, individual stone arched lintels, flat stone cills, elliptical stone double entrance, recessed rubble stone and 5 sectional arched overlght infill. Building positioned parallel to road, no pavement.

National Grid Reference**Building Name****Number** 3-4**Street** Manor Court**Town** Warsop**Date Listed** 06/03/2012

Description One building 2 houses, coursed stone rubble with pantile roof, with skylights, 2 storeys, flush straight stone lintels protruding straight stone cills, stone kneelers with protruding stone brackets at gables. Parallel with road but set back in grounds behind coursed stone rubble boundary wall with curved copings.

National Grid Reference

Building Name Woodleigh Christian Nursing Home

Number

Street Norfolk Drive

Town Mansfield

Date Listed 06/04/2009

Description 3/2 storey Mansfield White stone building with Mansfield white detailing and Mansfield red string courses, a decorative door surround appears on the elevation facing Norfolk Road adjacent to this is a canted bay window with timber plain sashes, another similar canted bay window appears on the elevation facing Chesterfield Road South. Other windows stone surround and mullioned double windows, roof is plain tiled. To the left side appears a 1½ storey brick chapel building with Mansfield White stone detailing, stone mullioned triple gothic window to the front facade, and slate roof. This building was added to the main building in the early C20 when the building functioned as a 'convent', later modern stained French doors and windows were added to the front façade of this chapel under the church style window.

National Grid Reference**Building Name** Overstrand**Number****Street** Norfolk Drive**Town** Mansfield**Date Listed** 06/04/2009

Description Both Overstrand and Norfolk House are mirror identical detached residential properties. These two properties are of red brick with stone drip mould, sills, lintels and mullion details. 2-storey with stepped attic appearing on the projecting gable. The roof is constructed from plain tiles and is supported at the eaves on the main portion, and the stepped attic level, by projecting timber brackets, running from the projecting gable, on the front façade, is a metal decorative, covered roof, walkway. Windows are painted timber 6 and 12 over plain bottom sash. Properties are positioned to the middle of long plots with the front boundary wall consisting of a small stone wall, above which is positioned a fence, connected to red brick gate pillars with pyramidal coping stones. Unfortunately due to theft Norfolk House is missing its pyramidal coping stones.

National Grid Reference

Building Name Oak Bank Manor

Number

Street Crow Hill Drive

Town Mansfield

Date Listed 06/04/2009

Description Rendered variation on the 'H' plan building which has altered to accommodate is separate residential units, rendered façade with raised rendered window and door surrounds, small parapet and slate hipped roof, window to first floor have smaller sized 6/6 window panes than those on the ground floor, also window to French doors alterations have occurred with all windows and doors being uPVC

National Grid Reference

Building Name Fullarton Lodge

Number

Street Crow Hill Drive

Town Mansfield

Date Listed 06/04/2009

Description 2-storey stone building with carved stone detailing and a pyramidal tower. Brick and timber extension attached possibly a result of its change of use.

National Grid Reference

Building Name Crow Hill Lodge

Number

Street Crow Hill Drive

Town Mansfield

Date Listed 06/04/2009

Description 2-storey residential property with double full height bays with smaller pyramidal slate roofs, windows are plain sashes with stone detailing, slate hipped roof with decorative ridge tiles and stone chimneys. To the rear of this building there appears a connecting stone wall which would have originally been attached to the outbuildings but these have been demolished.

National Grid Reference

Building Name Edenbank and Edenwood

Number

Street Crow Hill Drive

Town Mansfield

Date Listed 06/04/2009

Description A pair of semi-detached houses 2-storey with attic. Access to properties is via porch to side elevation above which appears the hipped dormer to attic, front façade has hexagon ground floor bay window to the outside edge, these buildings are constructed from local white stone, with dressings of purple stone from Matlock.

National Grid Reference**Building Name****Number** 6, 6a and 6b**Street** Wood Street**Town** Mansfield**Date Listed** 01/07/2008

Description 6 and 6a represent a very rare survival of back-to-back houses, 6b adjoining, is similar but much altered. 2 storey stone property, positioned gable end to road, straight and cantered lintels and protruding in-line sills to front façade windows, altered window, pantile roof, brick chimney stacks, arched stone surround windows and single and altered window, and entrance doors with blank fanlight to gable end to road.

National Grid Reference

Building Name Thorn Terrace

Number

Street Wood Street

Town Mansfield

Date Listed 01/07/2008

Description The terrace is a very rare survival of back-to-back houses, 2½ storey stone gable end property positioned gable end to road, with through eaves gables, poscantered flush lintels to front and rear facades, altered windows and roofing materials, brick chimneys. The end gable dates to the early C20, when the end property was demolished for road widening.

National Grid Reference**Building Name****Number** 2**Street** Wood Street**Town** Mansfield**Date Listed** 01/07/2008

Description DESCRIPTION: A Victorian warehouse, linked at first floor to a smaller office building of similar age. Both are of two storeys, positioned gable end to road, with overhanging eaves and plain bargeboards, constructed from red brick with slate roofs, brick chimneys on office. The warehouse has an arcade of seven windows with semi-circular heads and keystones and linking band, with oval window to gable, and protruding continuous lower band. Office has point double windows at 1st floor with brick lintels and protruding double hood mould, continuous band incorporating window ills. Roof has outer console brackets extending from band. Ground floor windows and doors are cantered with brick lintels and double/triple hood moulds. Single storey similarly designed structure continuous to west.

National Grid Reference**Building Name****Number** 76-80**Street** West Gate**Town** Mansfield**Date Listed** 01/07/2008

Description The datestone on this building reads '1880' and is in the same style as the stone on the White Hart Chambers. It is an early work by prolific local architect Frank Vallance and occupies a highly visible corner plot. 3-storey, red brick with stone mullion windows, oriels mullion window with slate roof, semi-circular detail above mullion window, stone bands, slate roof, with brick chimney.

National Grid Reference

Building Name Fourways

Number

Street Woodhouse Road

Town Mansfield

Date Listed 19/12/2011

Description Fourways is a two-storey building of stone construction and has a number of different connecting elevations. It has a pitched, tiled roof and large decorative chimneys. There is a substantial bay window on the Butt Lane elevation, and a gable-end and porch facing Leeming Lane South. The window openings have stone surrounds, cills, lintels and mullions, but are currently boarded up.

National Grid Reference

Building Name Hermitage House

Number

Street Kings Lodge Drive

Town Mansfield

Date Listed

Description 2-storey residential house, triple gable end building, stone, pantile roof with tall brick chimney stacks. Range of windows, single/double/triple windows all small paned casements, with semi- circular bays to ground floor, and timber pediment open porch with columned supports. To the rear windows are 9 and 12 paned casements, with decorative barge board single entrance with timber supports and full span entrance gabled bracketed open porches.

National Grid Reference

Building Name Norfolk House

Number

Street Norfolk Drive

Town Mansfield

Date Listed

Description Both Overstrand and Norfolk House are mirror identical detached residential properties. These two properties are of red brick with stone drip mould, sills, lintels and mullion details. 2-storey with stepped attic appearing on the projecting gable. The roof is constructed from plain tiles and is supported at the eaves on the main portion, and the stepped attic level, by projecting timber brackets, running from the projecting gable, on the front façade, is a metal decorative, covered roof, walkway. Windows are painted timber 6 and 12 over plain bottom sash. Properties are positioned to the middle of long plots with the front boundary wall consisting of a small stone wall, above which is positioned a fence, connected to red brick gate pillars with pyramidal coping stones. Unfortunately due to theft Norfolk House is missing its pyramidal coping stones.

National Grid Reference

Building Name The Cedars

Number

Street Haddon Road

Town Mansfield

Date Listed

Description Square plan 2-storey stone building, two bay windows with hipped roofs in slate, square door surround, stone lintels and sills, 2/2 sash windows, stone chimney and slate roof. Boundary treatment mid stone wall with pedestrian entrance with stone gate piers with pyramidal copings, further vehicular entrance to the rear with stone gate piers but flat copings.

National Grid Reference**Building Name****Number** 193-195**Street** Nottingham Road**Town** Mansfield**Date Listed**

Description 2-storey with attic, with parapet roof with detailed stone cornice, mansard style roof to forward section adjoin side gable, tall detailed stone chimney stacks, stepped bays to front elevation with parapet cantered ground floor bay windows with pediment detailed sashes to 1st floor with Dutch gable dormers above roof main roof parapet.

National Grid Reference**Building Name** Titchfield Park**Number****Street** Nottingham Road**Town** Mansfield**Date Listed**

Description C1899 further footpaths had been added and a bandstand had been implemented. At this time there are no details of ornamental design of the gardens but it is apparent that the park was subject to some form of design around this period. 1903 the paths were re-coated with Trent gravel, oak tree and a quantity of trees and shrubs were planted. Gates were fixed to each end of the bridges to shut of the ornamental parts when required. During the Edwardian period the Bowling Green and paddling pool were added. From 1880 the park was either known as the 'Water Meadows' or 'Nottingham Road Pleasure Grounds'. In 1914, the Duke of Portland's son, the Marquis of Titchfield came of age and to mark the occasion the park was given to the Mansfield Corporation, and renamed 'Titchfield Park'. In 1917 a Patriotic Fair was held in the park and was opened by Winifred, Sixth Duchess of Portland. The design of the park at this time had increased, additional paths had been added and considerably more planting followed them in lines, formal and informal, a shelter had been installed near the Bowling Green, no development however had taken place between the Cattle Market and the more formal areas of the park, this area was reserved for Horse Fairs. After the Great War the War Savings Association offered a tank to the town, the tank was installed at Titchfield Park. During the early 20's plans were put forward to enlarge the park (this would involve some cottages to be demolished) the debate took several years but in 1926 the park was finely enlarged. Around this time a tennis court was also implemented. No damage to the park occurred during the Second World War, due to the size of the park, VE celebrations were held there. A greenhouse was implemented for plan propagation and in 1951 the bandstand was demolished. Further changes have occurred to the boundary of the Park, namely the ceasing of the cattle market and the implementation of the Water meadows centre on the site, this has significantly altered the character of the park on this boundary. The tennis court was realigned and car parking and minimal landscaping introduced on the eastern boundary to soften the impact of the large building.

National Grid Reference

Building Name Carr Bank Park - including pavillion, stable block, pet cemetary, war memorial and memorial.

Number

Street

Town Mansfield

Date Listed

Description Present Day Today the park is divided into areas based upon the original design of the park. These areas include; rose gardens, play area, games area for football, basketball and tennis, pavilion, performance area, Bowling Green, wild flower meadow, orchard and parkland lawns. In 2011 the park had a new war memorial erected this was funded through Help for Heroes, this is situated to the bottom end of the park and within the old performance area at the pedestrian entrance of Bath Lane. More recently Carr Bank Park has benefited from the erection of a Bandstand which is located within the centre of the park. It is hoped that the Bandstand will attract local bands of all descriptions to provide entertainment within the park. The bandstand was completed in March 2012, with an official Grand Opening Event on Sunday 13 May 2012. Please contact us for information regarding hire of the bandstand.

National Grid Reference

Building Name Former Theatre, Cinema and snooker club

Number

Street Leeming Street

Town Mansfield

Date Listed

Description 1906 and altered 1928 and late C20, 3-storey building, brick to rear with metal clad front façade, occupies a corner location at busy junction of Leeming Street and Inner Ring Road. Original Theatre layout on three floors with cellars/storage areas, ground floor converted to snooker hall with false floor, stage area (now missing). Rectangular in shape. Upper circle hidden by dropped ceiling .changing rooms to rear off long corridor. Cinema at first floor level with stage, screen area and stepped stalls but seating removed. Projector room to rear. Standard design with twin flighted staircase. Later adapted to 3 screens. Tall (Four storeys), red brick building prominent in street scene. Addition to rear and Re-fronted with Art Deco front c1928 now hidden by metal cladding.

National Grid Reference

Building Name Former Technical College

Number

Street Samuel Brunt Way

Town Mansfield

Date Listed

Description tall 1½ storey stone, staggered gabled building, stone-cross triple mullion, stone detailed arched apertures, parapets, stepped buttresses, breather slits, plain tiled roof with decorative ridge tiles, gabled dormers, stone kneelers and blunt finials.

National Grid Reference

Building Name Berry Hill School

Number

Street Black Scotch Lane

Town Mansfield

Date Listed

Description Flat roofed, single storey, staggered height buildings, variations of 'L' shaped buildings, 2 connected to form a further 'L' variation but 1 no. positioned backwards the other upside down, a further building is situated to the west. Buildings have vertical tile hung panels intersperse with window ranges with vertical hung tile and painted panelled stall risers and deep concrete panelled cornices. Windows are tall and either double fixed or vertical divided casements both with over lights. Other buildings have horizontal timber plank substituted for the vertical tile hung elements but the rest of the details correspond to other sections of the school.

National Grid Reference

Building Name Ashland Cottage Farm

Number

Street Beck Lane

Town Mansfield

Date Listed

Description Stone 2-storey building, farmhouse has stone kneelers and tiled roof, barn range tiled roof.

National Grid Reference

Building Name Friends' Meeting House

Number

Street Rosemary Street

Town Mansfield

Date Listed

Description staggered pitch gable end, variation of clerestory roof, with flush facades and vertically windows between roof joints, brick, slate roof, with parapet extension to the southwest and walled garden to northeast – extending to further walled garden to north associated with caretaker's residence.

National Grid Reference**Building Name****Number** 2**Street** Meden Square**Town** Pleasley**Date Listed**

Description Present format involves tall single storey stone building, with hipped slate roof, with extension to northeast, flat roofed parapet entrance, with pattern of 3no. leaded light separate arched windows, with leaded light set far back in reveals each with a large raised keystone, and rectangular surround and single continuous sill to range, 8 panelled timber door with semi-circular fanlight, with large keystone and side keystones, with protruding surround and triangular pediment, altered with added timber cladding to parapet. Attached to southwest is a lower in height single storey brick gable end building, connected to a flat roofed structure, connected to flat roofed 2-storey brick area.

National Grid Reference

Building Name Outbuilding adjoining no.2

Number

Street Dawgates Lane

Town Pleasley

Date Listed

Description Stone wall and partial stone with red brick infilling single storey structure, lean-to type structure, with boarded up windows and roof lights to pantile roof attached to stone structure with red brick interior walls, walls evident on this structure with flat coping stones but structure has no roof, is connected to main structure. Forming and 'L' shape complex of buildings, with a separate red brick gable end building within grounds. Red brick boundary fence with brick posts and caps and connecting metal railing enclosing site. Main building variation of an 'E' plan building with offshoot to east (building described previously), rendered with pantile roof, rendered chimney stacks and through eaves gabled dormers.

National Grid Reference

Building Name Wren Hill Farm

Number

Street Radmanthwaite

Town Pleasley

Date Listed

Description One long range of stone farm buildings survives.

National Grid Reference

Building Name St Barnabas Church

Number

Street Church Street

Town Pleasley

Date Listed

Description It consists of a nave, chancel, aisle, porch and squat south-east tower (erected in 1912) with battlements, looking more like a castle than a church. It contains one bell by J Taylor & Co, which replaced two small bells. On the roof are slate tiles. There are six lancets on the north side of the nave, seven pairs of lancets on the south side. At the east end is a five-light lancet, a three-light one at the west end. The porch at the south east corner is large and top-heavy, built of brick, stone and black wood with a circular quatrefoil window to the side. There are good iron hinges on the door.

National Grid Reference

Building Name The Old Forge Penniment Barn, Penniment
Lodge Farm

Number

Street Penniment Lane

Town Mansfield

Date Listed

Description 1½ storey, brick building, with pantile roof, rectangular plan building - still evident today, gable end building, positioned eaves on to the road. Now functions as residential use, and contains roof lights.

National Grid Reference**Building Name****Number** 16-18**Street** Park Avenue**Town** Mansfield**Date Listed**

Description symmetrical, semidetached dwelling. Four bays, two and half storeys. Red brick with gabled slate roof with four side chimneystacks. To ground floor are a pair of central, recessed, timber panelled and partially glazed doors with stained glass over lights, in stone surround with segmental arch with dropped keystone, flanked by two storey bays with plain sashes and stone surrounds. To the first floor are two narrow central plain sashes with stained glass, flanked by the bay windows under conical slate roof with finial. Side elevations have two ground floor plain sashes with single, central plain sash at attic level. Rear ranges of two and single storey with a mixture of original and replacement windows. The property is bounded by original red brick wall with blue brick triangular coping stones.

National Grid Reference**Building Name****Number** 1-7**Street** Park Avenue**Town** Mansfield**Date Listed**

Description A terrace of four, two storey, late C19 dwellings; eight bays with projecting end gables with barge boards. Mansfield Stone with slate tiles to 1-3 and concrete tiles at 5-7. Four yellow brick ridge stacks. String course above and below first floor window. Ground floor; pair of central doors in moulded door case, flanked by single storey canted bay with flat roof, corbelled cornice and decorative iron railing, flanked by similar doors, flanked by projecting gable containing similar bay. First floor has one window in stone sill and lintel per bay. Side elevations with projecting central gable with similar bay at ground floor with window above; flanked by a window at ground and first floor level. Projecting rear ranges. Nearly all original glazing has been replaced. The decorative iron railings survive on all the bays. Porch added to no. 1. Bounded by low stone boundary wall.

National Grid Reference**Building Name****Number** 17-23**Street** Park Avenue**Town** Mansfield**Date Listed****Description**

No.17 semi-detached dwellings. Mansfield Stone to front Gable Slate roof. Has plain sashes and painted sills and lintels, no.19 retains the original glazing of plain sashes at ground floor with two-over-two sashes at first floor, with the exception of the front window in the bay which has lost the original sash and been replaced by a single large pane. Doors are timber panelled with over lights. The properties are bounded with a rough coursed Mansfield stone wall with coping stone, raised gate piers with pyramidal cap stone. No.17 was built by Charles Vallance and was his family home until 1964. Nos.21-23 Matching pair of late C19 semidetached dwellings. Six bays, two storeys. Mansfield Stone to front and side with yellow and red brick to rear. Gable Slate roof. Central and end yellow brick chimney stacks. At ground floor: pair of double windows grouped under stone sill with stone mullion. Flanked by panelled entrance doors with decorative over light to no.23 and with projecting stone surround with semi-circular arch, dropped key stone, moulded capitals and plinth, flanked by single storey canted bay with flat roof, moulded cornice, and stone mullions. At first floor level, three two over two sashes to each house with projecting stone lintel and sill. No.23 has all stone sills, lintels and mullions painted. Two and a half storey projecting gable to rear, four bays wide with ridge

National Grid Reference**Building Name****Number** 2**Street** Clipstone Avenue**Town** Mansfield**Date Listed**

Description Dwelling of probably early C20 date: Two bays, one and two storey, brick and rendered with plain tiled roof and two tall brick chimneystacks. Front elevation; projecting gable with two storey tile-hung curved bay and gable with timber shingles and wooden barge boards. Single storey to left of gable with modern glazed door and two light window to the left. The windows and door are UPVC. The property is bounded with late C20 walling materials.

National Grid Reference**Building Name****Number** 20**Street** Park Avenue**Town** Mansfield**Date Listed**

Description A detached dwelling built in 1897. Designed by Frank Cook for Mr W. Houfton. Three bays to Clipstone Avenue elevation, two bays to Park Avenue elevation. Two storeys, red brick with double first floor band and dentilated eaves. Hipped slate roof. Clipstone Avenue elevation has central projecting single storey pedimented porch with dentilated details. Within the porch is a central, arched, stone entranceway with plain capitals and dropped keystone, with timber and glazed panelled door. Porch is flanked by plain sash windows under stone lintels. At first floor are three similar sashes, the central being stained glass. Park Avenue elevation has to ground floor a pair of canted bays with conical plain tile roofs, with stone mullions, sills and lintels. Above are two plain sashes under stone lintels. Central chimney stack. To the left is a small pitched two storey section with small chimney. The rear (south elevation) is rendered and has a single storey pitched range and a modern flat roofed extension. The property is bounded by original red brick wall with red brick coping stones.

National Grid Reference**Building Name****Number** 25-26**Street** Woodhouse Road**Town** Mansfield**Date Listed**

Description A pair of symmetrical, semi-detached dwellings, built in 1882 for Mrs Mettham. Four bays, two storeys, Mansfield Stone with Mansfield Red Stone detailing and string courses. Hipped slate roof with central and projecting side stone chimney stacks with stringcourses. Ground floor front elevation; central pair of three light windows with red stone columns topped with foliate capitals, set within raised red stone surround with tooled lintels. Above is a segmental hood mould with polychrome stone work underneath. Above at first floor is a pair of windows in raised stone surrounds with tooled lintels. Central bays flanked by two storey, canted bays with conical slate roof, with windows set within raised red stone surrounds. Plain sashes to front. Side elevations have entrance way to the right, with raised stone surround with arch, plain capitals and dropped keystone. To the left is a plain sash window, similar window above. Above entrance way is a two over-two sash window. Two storey ranges to rear with conservatory at no. 25. Bounded by low stone wall topped with C20 fencing.

National Grid Reference**Building Name****Number** 27-28**Street** Woodhouse Road**Town** Mansfield**Date Listed**

Description Six bays, two and a half storeys, white painted stone with first floor band and corbelled eaves to the front, plain tile roof. Central and end chimney stacks in unpainted stone, the central with trefoil detail. Ground floor, front elevation; four central windows under small, pitched, plain tile roof with four windows above. Flanked by projecting gables with two storey canted bays with conical roof, with overhanging corbelled barge boards. Attic window in each gable above bay. Two central hipped dormers. Side elevation of number 28 has projecting two storey pitched section with steps leading up to a single storey pitched porch to the right. Projecting portion has two windows to the ground floor with a central Gothic traceried window above – formed from two plain sashes with semicircular heads, stone mullions with capitals, with a quatrefoil light above. Chimney stacks flank the central projecting portion with dormer above. Similar side elevation to number 27 but with additional modern extensions. Modern single storey extensions to the rear. Property bounded by original, unpainted Mansfield Stone wall with curved coping stones, square stone piers with pyramidal cap stones

National Grid Reference**Building Name****Number** 29-31**Street** Woodhouse Road**Town** Mansfield**Date Listed****Description**

Terrace of three, seven bays, two and half storeys, with projecting two storey end gables to front and side. Mansfield Stone with painted raised band through first floor window sill and lintel, yellow brick to rear, painted stone sills and lintels. Slate roof with four ridge stacks. Front elevation, ground floor; central timber panelled door with segmental arched over light and raised stone surround, flanked by canted, corbelled, flat roofed bays with segmental heads to windows, flanked by similar doors (door to the left is a modern replacement), flanked by projecting two storey canted bays. First floor; five plain windows flanked by canted bays within projecting gables. Two central dormers and attic windows within gables. Additional roof lights to no. 31. Side elevations; central projecting two storey gable, hipped roof to rear, central two storey canted bay with attic light above, ground floor window towards the front, first floor window towards the rear with dormer above that. No. 29 has modern ground floor pitched extension to right of projecting gable, conservatory to left of gable at no. 31. Projecting gables to rear and various ground floor extensions. Original glazing largely replaced. Bounded by stone wall with sloping coping stones, projecting gate piers with pyramidal capstones.

National Grid Reference**Building Name****Number** 4**Street** Clipstone Avenue**Town** Mansfield**Date Listed**

Description Two storey dwelling probably early C20 in date: Rendered with north and east gambreled roof of plain tiles. Gable with wavy profile; The eaves overhang and are supported on corbels. The east gable has a fifteen-pane window at ground level, flanked by five light windows. Above is a sixteen light window. In the east elevation of the northern gable is a double hung timber entrance door. North facing elevation has large central ground floor window with four four-light windows above. South facing gable has dormer within gambrel roof. The windows are UPVC, emulating a 1930s metal casement window. The Property is bounded with white picket fence and stone walls.

National Grid Reference**Building Name****Number** 8-14**Street** Park Avenue**Town** Mansfield**Date Listed****Description**

Eight bays, two and half and three storeys. Brick and render with slate roof with decorative ridge detailing. Central chimney stack. From left to right of front elevation: 1st bay - two storey, canted, rendered bay with flat roof, roof light above. 2nd and 3rd bay - Dutch gable with two entrance doors in rounded arch (one now blocked as a window), above are two canted oriel windows with flat roofs, with two windows above within the gable. 4th bay - Dutch gable with two storey canted bay with flat roof at ground and first floor, window above within Dutch gable. 5th bay - two storey canted bay with flat roof and roof light above. 6th bay - ground floor door in rounded arch with window above and roof light above that. 7th bay - three storey canted bay in red brick with round paned window above in gable. 7th bay two storey canted bay with flat roof, with window to second floor and gable above. West elevation left to right: projecting ground floor section under pitched roof with two windows, with first floor and second floor windows above. To the right is a double gable, within the 1st gable bay is a ground floor entrance way in rounded arch with window to the right, and above is a flat roofed canted bay with third floor window above. Similar arrangement in next gable but no ground floor door and additional ground floor window. To the right two windows on each three floors. Largely plain east elevation. Rear elevation has a series of gables and mixture of two and three storeys. Original glazing has been lost.

National Grid Reference**Building Name****Number** 9-15**Street** Park Avenue**Town** Mansfield**Date Listed**

Description Nos-9-11 Six bays, two storey plus attic. Mansfield Stone with hipped, slate roof. Central and side yellow brick chimney stacks. Four central plain sashes each on ground and first floor, flanked by two storey canted bays with conical slate roof. Stone band running through window lintels and sills; Scalloped detailing in window lintels; Pair of single light dormers in attic, with hipped slate roofs, Side elevations, central timber panelled door in classical arched surround with capitals and dropped key stone; Single plain sash to left. To right is plain sash between ground and first floor, two plain sashes at first floor, single dormer in roof; all fenestration in UPVC. Nos. 13-15, Six bays, two storey plus attic. Mansfield Stone with hipped, slate roof. Central and side yellow brick chimney stacks. Four central plain sashes each on ground and first floor, flanked by two storey canted bays with conical slate roof. Stone band running through window lintels and sills; Scalloped detailing in window lintels; Pair of single light dormers in attic, with hipped slate roofs. Side elevations, central timber panelled door in classical arched surround with capitals and dropped key stone; Single plain sash to left. To right is plain sash between ground and first floor, two plain sashes at first floor, single dormer in roof.

National Grid Reference

Building Name Ashdale Care Home

Number

Street The Park

Town Mansfield

Date Listed

Description The older section to left comprises two storeys, pebble dashed with rendered plinth and projecting central gable. Central projecting gable has door to the right in stone surround with stone voussoirs, dropped keystone stone quoins and corbelled capitals. The door is of timber plank construction with decorative metal hinges. To the right of the door is a single light window, to the left is a four paned leaded casement. Within the gable at first floor is a pair of three light leaded casements. The gable has tile detailing and corbelling at the eaves. On the left of the gable is a brick chimney stack, with two others to the rear. To the right of the gable is a projecting single storey pitched section with leaded four light French Door. Above the pitched section is a four paned leaded light. To left of gable is a projecting single storey section with single leaded light door. The property is bounded by a modern stained timber fence in concrete posts. There is an associated brick garage with cogged eaves and breathers in the gable.

National Grid Reference

Building Name Ashfield and Fieldhead

Number

Street The Park

Town Mansfield

Date Listed

Description Red brick and plain tile: U plan with gabled roof to front portion and hipped roof to side portion. Projecting central portion to front elevation, Central front and rear brick chimneystacks with stringcourse. Front elevation ground floor; single storey canted bay with raised, scalloped parapet, with three sashes (six panes over one). Flanked by buttressed porch with recessed door (glazed over at Ashfield) in semi-circular brick arch with stone keystone under a crenelated raised parapet; return to flanking single leaded light with decorative apron. First floor; pair of central sashes above bay (six panes over one), return to flanking high level single leaded light with decorative apron. Two segmental arched dormers in roof with three lights and lead cheeks. Side elevation has gable roof with finial, with timber framing to Fieldhead and timber plank to Ashfield. Ground floor to Ashfield has modern flat roofed glazed extension, with a six light window above in segmental arch with decorative apron, similar arrangement at Fieldhead. On side elevation towards the rear is a further two storey projecting section of three bays with central stack and finials, with similarly glazed windows. The property is bounded by a brick wall, capped with blue bricks with a central pillar with stone cap.

National Grid Reference

Building Name Fernhill and Highview

Number 22-24

Street Park Avenue

Town Mansfield

Date Listed

Description Four bays, two storeys, red brick with first floor coggled stringcourse, hipped slate roof with coggled eaves and two ridge stacks. Pair of central recessed timber panelled doors with plain over lights under corbelled, pedimented door hood with ribbon motif. Flanked by canted bays with plain sashes, stone mullions and sill, corbelled cornice detail and flat roof. To the first floor are four marginal light sashes with stone sills and corbelled pediment. The windows are mostly original with one timber mock sash replacement to the front right. Side elevations have a three-over-three sash window at ground and first floor. The property is bounded by a modern stone wall. Two storey rear ranges.

National Grid Reference

Building Name Railway Bridge

Number

Street Park Avenue

Town Mansfield

Date Listed

Description Railway bridge of Mansfield Stone walls with plain, dressed, sloping coping stones and pyramidal coping stones at either end.

National Grid Reference

Building Name Parkholme and Parkview

Number

Street The Park

Town Mansfield

Date Listed

Description Two-storey plus attic. Rough coursed stone with first floor band and slate roof with gable end chimney stacks. The side elevations are red brick with yellow brick banding. Ground floor; central pair of recessed timber doors with decorative leaded and stained glass panels, set within a stilted arch porch with dropped keystone, fluted pilasters and capitals. Flanked by single storey bay windows with hipped leaded roofs, with sashes at Parkview and timber casements at Parkholme. First floor; two single windows above the doors, flanked by a pair of windows above the bay - those at Parkview are two over two sashes, those at Parkholme are timber casements. Above the outer pair of windows is a dormer within a raised gable with bargeboards and single casement in each. Rear; double gable with bargeboards and central flat-roofed dormer to Parkview, pair of central two storey canted bays with conical slate roofs, flanked by a single window to ground and first floor – sashes at Parkview, timber casements at Parkholme. The properties are bounded with a coped stone wall with square gate piers with pyramidal cap stones.

National Grid Reference**Building Name** Sunnycroft**Number****Street** The Park**Town** Mansfield**Date Listed**

Description Two storeys with attic. Red brick walls with plinth at ground floor with tile hung second storey (plain and fish scale tiles) under plain tile roof. Two storey canted bay with conical roof to front, with pair of single lights with stone mullion and surrounds at ground floor, with seven, timber, side-hung casements with stained glass over lights at first floor. To left of bay is a ground floor sash (six panes over one). To the right of the bay is a gable of two storeys plus attic, containing at ground floor three grouped sashes (six over one) with stone mullions and surrounds to the left, with single similar sash to the right. Above the gable is tile hung with plain and fish scale tiles. The first floor contains four side-hung timber casements with over lights to the left, with two similar windows to the right. Within the attic of the gable is a three light window, the gable being timber framed above. To the right of the gable at ground floor is the entrance way with single storey hipped lobby. There is a range of extensions to the south elevation. To the north elevation is a timber-framed gable to the right, with chimneystack, with a first floor four paned casement with over light. To the left is a first floor bay with flat roof. The first storey previously over sailed on the north elevation with a flat roofed projecting extension now beneath.

National Grid Reference

Building Name Sunnyways

Number 3

Street Clipstone Avenue

Town Mansfield

Date Listed

Description Two storey dwelling, broadly cruciform in plan with a gable to the front and east elevations. Brick and render with plain tile roof and two chimneystacks, one to the west and one to the east. The front gable has a ground floor, flat roofed canted bay with timber casement windows incorporating stained glass. Above are two timber vertical sliding sashes with six panes over one. Within the gable is a porthole detail and the gable is framed with bargeboards with finial at the ridge. The east gable has single storey, flat roofed, square bay window with entrance porch to the left, with oriel window above the bay and dormer in the roof. Garage with decorative bargeboards, clock within the gable and small timber louver with weathervane, bounded to the front by red brick boundary wall with blue brick half-round copingstones, gate piers topped with stone balls. The brick wall gives way to a timber fence as the property rounds the bend of the road.

National Grid Reference

Building Name The New Round House

Number

Street Oak Avenue

Town Mansfield

Date Listed

Description Octagonal: one and a half storey dwelling, red brick with stringcourse below the windows, steep pitched octagonal clay tiled roof. Front elevation with two double casements at ground floor, set within stuccoed surrounds, with dormer above. Return either side with single double casement at ground floor. To left of front elevation is single storey extension. Side elevations with dormers.

National Grid Reference

Building Name Railway Bridge

Number

Street Windmill Lane

Town Mansfield

Date Listed

Description Late C19 Bridge over railway line constructed 1875. Cast iron, ten decorative panels with rail above; Flanked by stone walls with sloping coping stones.

National Grid Reference

Building Name Woodlyn and Broomfield

Number

Street The Park

Town Mansfield

Date Listed

Description Two storeys to the front and three to the rear, 6 bays; Mansfield stone (to the front) and yellow brick (to rear) with slate, gabled roof; Stone string course running through first floor windowsills. Central and end yellow brick chimneystacks. Ground floor; central pair of lights in dressed stone surround with stone mullion (removed from Broomfield) and decorative stone lintel (windows are a pair of plain sashes at Woodlyn and a single modern timber casement to Broomfield). Flanked by panelled timber doors with over light, within projecting stone surround with semi-circular arch with dropped keystone and moulded capitals. Doors flanked by two storey canted bays with two over two sashes. First floor has four two-over-two timber sash windows, flanked by similar bays under polygonal slate roof. To the rear is a projecting central gable with two windows at second floor and four at floor level. There are various extensions including a UPVC mock Georgian design conservatory on the side elevation of Woodlyn and two storey stone garage adjacent. The properties are bounded by a stone wall with curved coping stones and gate piers with pyramidal capping.

National Grid Reference

Building Name Forest Town Model Village - encompassing housing for colliery workers, Church of St Albans, school and adjoining buildings, drill hall, recreational lane and allotments.

Number

Street Clipstone Rd, Pump Hollow Rd

Town Forest Town

Date Listed

Description At Forest Town, whilst there is no central green, the layout is nevertheless highly geometric and the provision for public open space was extensive and firmly embedded in the core values of the model village and the garden city movement. Being surrounded by allotments was a core value of Ebenezer Howard's principles. The main entrances to the village, from Pump Hollow Road and Clipstone Road announce emphatically that the core value of public open space provision and access to nature is at the heart of the village. Stepped terraces of open space commence at Clipstone Road with the Institute framed by its tennis courts and bowling green, and then step down along Pump Hollow Road to a cricket oval, with a cricket pavilion at the western end, and then step down further to a recreation ground, and the final step, on a slope, is the colliers allotments. Further allotments were provided to the east of the colliery housing, but these were not stepped and are now largely hidden from view; half of them have been built upon in recent decades. Provision of vegetables, to supplement the miners' diet, and activities such as pigeon fancying was encouraged on the allotments amongst the company's workforce to provide recreation. The amount of open space evident, including the cricket ground, recreation ground, for football and games, tennis courts, Institute (rebuilt), bowling green (expanded) and allotments was very progressive for its day. By 1985 a second Bowling Green had been established to the east along with tennis courts and children's playground, where they still survive. At Forest Town Main Avenue runs down the hill, off which are nine separate avenues running perpendicular to it. There are 36 houses in each avenue, split by the main avenue. The housing at Forest Town follows a systematic form of terraces, with no variation in the detail and most of the houses have been rendered, with the consequent loss of detail, moulded arched windows, etc. Interestingly, many of the same moulded brick details and segmental arched windows found in Creswell were used at Forest Town, suggesting a common designer / source of materials. The plan form at Forest Town is unusual as it adopts a traditional form of terraced housing, using communal back alleys and picket-fenced front gardens, as with New Bolsover Model Village, but limitations on space and the hilly nature of the environment seem to have prevented a more typical 'garden village' layout. Although it is recorded that the architect Percy B. Houfton was responsible for the design of the housing, there are no drawings of the first phase of the terraced housing in the Nottingham archives. Many original drawings were destroyed during the closure of the British Coal offices. Drawings for the Drill Hall, Co-operative Stores and Cricket Pavilion, all designed by P.B. Houfton, however, do survive and all three buildings still stand, in various states of preservation Forest Town as a complete 'model' village is a non-designated heritage asset. The later terraced development of George Street and the northern terraced frontages to Clipstone

Road are recorded in the archives, designed by Frank Cook, Architect, Mansfield, but are not of special interest.

National Grid Reference**Building Name****Number** 1-3, 20**Street** Clumber St, Sherwood St**Town** Market Warsop**Date Listed****Description** Originally cottages now 2 shops and cottage, coursed rubble, pantile roof, single brick ridge stack, eaves to road, timber casements, blocked up apertures to gable end, lean to stock single storey extension to rear.

National Grid Reference**Building Name****Number** 1**Street** Church Street**Town** Market Warsop**Date Listed**

Description Shop with timber shop front, 2-storey, coursed rubble painted, pantile roof, caped gable stacks, rear partial catslide and 2-storey flat roof extension, small Yorkshire sliding sashes to front façade, modern windows to elevations. Remainder of large stone boundary wall.

National Grid Reference**Building Name****Number** 12-16**Street** Sherwood Street**Town** Market Warsop**Date Listed**

Description Buildings occurring corner aspect of Sherwood Street and Clumber Street, brick buildings with rendered upper storeys and dormers, and diamond rendered and brick quoin detailing to upper brick sections, dormers are flat roofed or ½ hipped doubles, roof material altered, tall brick chimneys, windows are 6/6 or 4/4 sashes, with 8 paned 3-light casements to dormers. Staggered bay to corner, building format mimics this detail to upper storeys, straight shop front. Altered shop fronts to ground floor.

National Grid Reference**Building Name****Number** 2**Street** High Street**Town** Market Warsop**Date Listed**

Description 2-storey elongated corner property, three shops, to rear larger warehouse style building constructed from brick with slate roof, large vertical windows with splayed headed lintels and protruding cills. Corner building has central cantered entrance door between 2 shop fronts, above to Church Street casement windows, building facing Church Street, slate roof with decorative ridge, coped gable, kneelers and brackets, gable stacks. Property facing onto High Street, 2 further shop fronts, plain tiled roof and decorative ridge tiles, adjoining gables with bargeboards and finial, mock-timber detailing, timber mullioned 6 over 1 paned sash windows. All elevations rendered and painted.

National Grid Reference**Building Name****Number** 21**Street** High Street**Town** Market Warsop**Date Listed**

Description House, double pile roof, gabled, slate, eaves to road, 2 storey, coursed rubble, alteration of material to rear coursed stone, coped gables with stone kneelers and brackets to front roof, re-built gable stacks to front roof, stained casement windows.

National Grid Reference**Building Name****Number** 23**Street** High Street**Town** Market Warsop**Date Listed****Description** repaired pantile roof, brick single ridge and gable stack, coursed rubble, brick apex infill, stone step to entrance, panelled door with chunky timber jambs, timber details to timber shop front with recessed entrance and blind stays.

National Grid Reference**Building Name****Number** 24-26**Street** High Street**Town** Market Warsop**Date Listed**

Description 2-storey, coursed rubble, slate roof with brick gable and ridge stack, further capped gable stack, vertical casements, protruding stone sills, left elevation brick, concrete tiles roof with rear extension with further 2-storey flat roof attachment.

National Grid Reference**Building Name****Number** 27**Street** High Street**Town** Market Warsop**Date Listed****Description** Shop and boarded up property, 2 storey, linear format eaves to the road, coursed rubble, pantile roof with single brick gable stack, casement windows, boarded up apertures.

National Grid Reference**Building Name****Number** 28**Street** Sherwood Street**Town** Market Warsop**Date Listed****Description** 2 shops, 2 storeys, coursed rubble, brick gable stack, pantile roof, rendered and painted partial side and front elevation, eaves to road, timber casement and replacement Upvc windows.

National Grid Reference**Building Name****Number** 28a**Street** Sherwood Street**Town** Market Warsop**Date Listed****Description** Shop, single storey, coursed rubble, concrete tiled roof, eaves to read, panelled door and timber window to front façade, adjoining stone boundary wall.

National Grid Reference**Building Name****Number** 31**Street** High Street**Town** Market Warsop**Date Listed**

Description Shop and house, 1½ storeys, coursed rubble, 2 brick gable stacks, concrete tiled roof, 2 brick gable stacks, eaves to road, rendered and painted front façade, rear flat roof extension, blocked opening to left stone/boarded, casement windows to right, stone boundary wall to right.

National Grid Reference**Building Name****Number** 32**Street** Sherwood Street**Town** Market Warsop**Date Listed**

Description House, 2 storey with attic, tall, coursed rubble, concrete tile roof with large flat roof dormers building with casement windows and entrance door behind added lattice timber porch, lower 2-storey attachment to left with casement windows, further staggered attachment – brick. Single storey shop attached to brick extension of main property at right angle, gable end to road, slate roof rendered facades, panelled door to right, painted breezeblock wall to left. House set within own grounds behind stone boundary wall with semi-circular copings, pedestrian timber entrance gate.

National Grid Reference**Building Name****Number** 32a**Street** Sherwood Street**Town** Market Warsop**Date Listed****Description** Single storey shop attached to brick extension of main property at right angle, gable, coursed rubble, painted, with slate roof, timber shop front, with recessed entranced accessed by two steps, modern box style signage, bracket to gable

National Grid Reference**Building Name****Number** 35-37**Street** High Street**Town** Market Warsop**Date Listed**

Description Converted and repaired properties, now functioning as 2 houses, coursed rubble, eaves to road, pantile roof, coped gables and stone kneelers, 2 brick gable stacks, sash windows and panelled door to front façade, stone flush lintels protruding cills, Yorkshire sliding sash to right gable.

National Grid Reference**Building Name****Number** 39-39a**Street** High Street**Town** Market Warsop**Date Listed**

Description Stone single storey properties which have been extensively altered, to form 1½ storey properties with the insertion of dormer windows and altering of roofing material, shop fronts inserted. Single storey commercial property attached.

National Grid Reference**Building Name****Number** 4-4a**Street** High Street**Town** Market Warsop**Date Listed****Description** 2-storey stone gable end properties, eaves on to road, with rendered front façade, stone kneelers and brackets and plain tiled roof, modern apertures and inserted shop fronts.

National Grid Reference**Building Name****Number** 44**Street** Sherwood Street**Town** Market Warsop**Date Listed**

Description House, 2-storey, L-plan, eaves to road, coursed rubble, pantile roof, stone gable stack, with catslide to left rendered and painted. Upvc windows to altered apertures, stone filled in aperture with lintel. Substantial stone wall to side boundary left of property

National Grid Reference**Building Name****Number** 6-10**Street** High Street**Town** Market Warsop**Date Listed**

Description 3-shops, T-shaped building, coursed rubble, 2 storey, nos.6-8 eaves on and slightly staggered no.10 gable end to road, stone verges, pantile roof. Nos. 6-8, casements with timber cills, single brick ridge stack, no.10 coped gable with stone kneelers and brackets, stone gable stack, smaller fixed windows to gable with protruding stone cills, casements to return also the location of shop front, elevation rendered and painted.

National Grid Reference**Building Name****Number** 6-10**Street** Sherwood Street**Town** Market Warsop**Date Listed**

Description 2½ storey brick buildings with rendered upper storeys and dormers, and diamond rendered and brick quoin detailing to upper brick sections, dormers are flat roofed or ½ hipped doubles, roof material altered, tall brick chimneys, windows are 6/6 or 4/4 sashes, with 8 paned 3-light casements to dormers. Altered shop fronts to ground floor.

National Grid Reference**Building Name****Number** 6**Street** Clumber Street**Town** Market Warsop**Date Listed**

Description Stone 1½ storey and 2-storey property, partially rendered elevations, staggered double roof, with tall gable end chimney, variation on catslide to rear double roof, one remaining stone kneeler and bracket to front double, pantiles to roof. Semi-circular bay with conical lead roof added to ground floor of rear building.

National Grid Reference

Building Name Bath Lane Farmhouse and outbuildings

Number

Street Sookholme Lane

Town Sookholme

Date Listed

Description stone buildings single and 2-storey, all with pantile roofs, some have breather slits and timber slated barn doors.
Farmhouse has modern windows and door.

National Grid Reference

Building Name Herring Cottage

Number

Street Sookholme Lane

Town Sookholme

Date Listed

Description 2-storey stone gable end building, with stone kneelers and kneeler brackets, pantile roof with gable ridge stacks, residential property, situated within own grounds with stone boundary wall, and connected to rear to associated farm buildings, facing eaves on to main road (side road – now just access to rear of property (farm) used to function as Moor Lane)

National Grid Reference

Building Name Rose Cottage

Number

Street Sookholme Lane

Town Sookholme

Date Listed

Description 2-storey double roofed, gable end property, extended, with stone kneelers and kneeler brackets, pantile roof, with ridge and gable stone chimney stack (ridge would have been gable stack but building extended) with gabled roof with pantile roof, set in own grounds with stone boundary wall. Property positioned eaves end to road.

National Grid Reference

Building Name Spring Farmhouse

Number

Street Longster Lane

Town Sookholme

Date Listed

Description 2-storey range with brick ridge stacks and gabled porch, single storey barn with apertures, tall single storey barn, with door/window inserted into barn entrance and breather slits, all converted to residential use. All constructed from stone with modern pantile roofs.

National Grid Reference**Building Name****Number** 13**Street** Sherwood Street**Town** Market Warsop**Date Listed**

Description House, 2 storey, coursed rubble, eaves to road, 2 brick gable stacks, staggered stone kneelers, pantiles, casements altered apertures, cantered smaller lintels to first floor, splayed stone lintels to ground, blocked up openings to gable end.

National Grid Reference**Building Name**

Number 2-4, 1a-1c

Street Burns Lane, Sherwood
Street

Town Market Warsop

Date Listed

Description Of coursed local limestone with painted ashlar dressings. The roof retains the original clay pantiles with a stone slate verge, a rare survival of a traditional stone slate verge. The first floor has three windows in mullioned surrounds; mullioned windows suggest a construction date in the early to mid C18. The ground floor has three matching modern shop fronts with fluted pilasters. The interior contains no notable features.

National Grid Reference**Building Name****Number** 23**Street** Sherwood Street**Town** Market Warsop**Date Listed****Description** House, random coursed stone gable end 2-storey property, rendered, positioned gable end to road, with gable stack, rendered, and pantile roof, painted, upvc casements.

National Grid Reference**Building Name**

Number 30-30a

Street Church Street

Town Market Warsop

Date Listed

Description Two houses, coursed rubble, 2 storeys, 1 coped gable with kneeler and bracket, 2 gable and 1 ridge stack, constructed from brick, concrete tiled roof. Stained timber casements, cantered stone lintels. Attached building, minus roof and rear wall, blank front façade, blocked up apertures.

National Grid Reference**Building Name****Number** 32-32A**Street** Church Street**Town** Market Warsop**Date Listed**

Description Shop and house, 2 storey, coursed rubble, ground floor shop front window, entrance door under the covered walkway, stone surround to first floor window, recessed window, lost mullion. Elevation windows have stone lintels with some having protruding sills.

National Grid Reference**Building Name****Number** 6**Street** Burns Lane**Town** Market Warsop**Date Listed**

Description Taller brick building, rendered gable, with through eaves dormer, stone kneeler and brackets, continuous stone flush lintel, protruding painted cill, lower stone gable end section with various window configurations timber lintels no cills, stone kneelers and brackets. Pantile roof, tall chimneys with stepped detailing, clay pots. Property set back within ground, with stone boundary wall with curved copings and tall hedge, Property occupies a corner plot.

National Grid Reference

Building Name Cooper's Yard

Number 7-15

Street Burns Lane

Town Market Warsop

Date Listed

Description 2-storey ranges of gabled end terraces, partially enclosing a central courtyard/yard (Cooper's Yard), random coursed stone with pantile roof and end terrace stone kneelers and raised stone brackets. Brick gable stacks and ridge stacks.

National Grid Reference**Building Name****Number** 9-11**Street** Sherwood Street**Town** Market Warsop**Date Listed****Description** 2 shops, 2 storey, eaves to road, coursed rubble, pantile roof with catslide to rear, caped brick stack, casements.

National Grid Reference

Building Name High Oakham Farm

Number

Street High Oakham Hill

Town Mansfield

Date Listed

Description Farmhouse, rubble stone, gabled, modern casements, lots of extensions. Stable complex red brick, slate gabled roof, and ventilation slits. Further stable, tack room at time of survey, stone and brick, clay pantile roof, single pitch, windows open to elements, fitted with slits of woods and plastic coverings.

National Grid Reference

Building Name Health Centre

Number

Street Church Street

Town Mansfield
Woodhouse

Date Listed

Description 2-storey, flat roofed building. Stone ground floor, vertical hung slate to upper storey, similar overhang to library support supported on posts but here recessed elements are staggered, with window/doors underneath. Upper storey windows are a protruding rectangle format with black panelled sides. Slates came from the demolished Sherwood Hall.

National Grid Reference

Building Name Mansfield Woodhouse Library

Number

Street Church Street

Town Mansfield
Woodhouse

Date Listed

Description Tall single storey building, set back from the pavement hedge with lower stone wall to front forecourt. Recessed range of windows with overhang supported on metal posts. Front has vertical tiles to upper storeys and concrete panels to overhang cornice and roof. Infill panels between window ranges are diagonally hung timber planks.

National Grid Reference

Building Name Trinity Methodist Church

Number

Street High Street

Town Mansfield
Woodhouse

Date Listed

Description 2 storeys, Pitched face stone and Welsh slate roof. 5 Bays with central 3 bays projecting with single storey mono pitch slate roof from which is a projecting gabled front and central north facing entrance door with arched moulded stone surround and stepped mould above with gable over. Above door is an inscription that reads: Methodist Free Church 1883. Either side of front door is a pair of single light sashes. Above are 3 plain sashes between projecting squared stone pilasters and pediment above. To each wing are ground and first floor sashes beneath polychrome decorated arches. West elevation contains four large ashlar stones with one name to each as follows:- This stone was laid by Mr G Matthews; This stone was laid by Mr H E Hollins; This stone was laid by Major General Talbot Coke October 5th 1901; This stone was laid by Mrs G. Stevenson.

National Grid Reference

Building Name The Nook

Number

Street Leeming Park

Town Mansfield
Woodhouse

Date Listed

Description single storey gable end property, with through gable to front façade, random coursed stone property, slate roof, casement windows.

National Grid Reference**Building Name****Number** 10**Street** Market Street**Town** Mansfield**Date Listed**

Description A late Georgian shop building, 3-storey rendered property occupying the corner plot on Market Street, building is curved following the corner 'corner plan' with half conical roof, slate roof, defines the entrance into Swan Yard, margin light sash windows; however, the rear elevation is of coursed sandstone and contains a single Yorkshire sash. There are modern shop fronts with unfortunate Dutch blinds.

National Grid Reference**Building Name****Number** 12**Street** Church Street**Town** Mansfield**Date Listed**

Description Neo-classical corner building of Ancaster stone, landmark corner building and a good foil to the Baroque Revival Head Post Office next door. 3-storey ashlar classical building; follows the curved aspect of the street scene to the junction of White Hart Street and Church Street, with Ionic pilasters to central stepped segment of upper floors with pediment and bracket support to window, Tuscan/Doric pilaster to outer ends, with dentile cornice and stepped parapet, marginal light windows with central infilled panel with decorative detailing. To Church Street is an arched carriageway entrance with keystone above are raised stone surround windows, quoins and stepped cornice, stone 3-storey property; to White Hart Street is ashlar stone 3-storey property, different stonework, single sash flush stone surround windows, and stepped cornice.

National Grid Reference**Building Name****Number** 12**Street** Market Place**Town** Mansfield**Date Listed**

Description A neo-Georgian building of the 1930s made of brown brick. 3-storey with stepped brick detailing to 1st floor between stone bands and central window has shallow stepped (architrave style) stone surround, side windows have vertical brick flush lintels, windows are 3/6 sashes. 2nd floor and tall sash windows, 6/9, outer windows have similar brick lintels and protruding stone sills, central window has shallow stepped (architrave style) stone surround with a further lower lintel and a decorative broken pediment, above brick detailing, above stepped parapet with stone coping.

National Grid Reference**Building Name****Number** 13-17**Street** Ratcliffe Gate**Town** Mansfield**Date Listed**

Description 3-storey stone properties, with eaves band and stepped eaves detail, concrete tiled roof, brick stack, raised single window surrounds, 5 to each storey, middle window and surround on 1st floor is larger than others, 2 windows to west 1st floor altered with central blanked panels, brick infill to ground floor, with modern shop windows and entrance door. Forms a range of assets with neighbouring properties (no.19 has been much altered) namely nos.21-29))

National Grid Reference**Building Name****Number** 13**Street** Albert Street**Town** Mansfield**Date Listed**

Description 2-storey course stone property with smaller courses of random rubble stone eaves band and protruding stone surrounds to windows. Property subject to fire damage in early C21, now converted to apartments 2½ storey with gabled dormers and new 2/2 top opening casements to all upper floors.

National Grid Reference**Building Name****Number** 14-16**Street** White Hart Street**Town** Mansfield**Date Listed**

Description 2-storey and attic brick with stone detail building, slate roof with wide gabled dormer with stepped buttresses to stone finials stepped brick eaves leading to ridge finial, set of 3 windows with stone mullions, stone surround central semi-circular overlight and straight stepped hood moulding. Windows 1/1 sashes.

National Grid Reference**Building Name****Number** 18-20**Street** Church Street**Town** Mansfield**Date Listed****Description**

stone façade 2 storey building, consisting of 5 bays to east and double bay to west, west bay consists of 4 over 4 balanced 6/single sash windows with keystones and protruding sills, with deep stepped eaves band and stepped detail cornice, leading to central protruding entrance bay, with outer pilasters to upper floor, with central recessed panel with outer moulding and inner decorative carved stone detailing, to Doric brackets, upper bracket to semi-circular pediment, to ground floor is recessed entrance with semi-circular fanlight (entrance door and fanlight modern) , with outer semi-circular stepped hood moulding with keystone and decorative side brackets. Window to upper floor, recessed, is a curved top 3-light with each light containing 6 small panes over clear window, curved stepped lintel divided with keystone. Following 3 bays consist of recessed window bays with single upper and lower window matching entrance window in detail, divided by full height protruding pilasters that match entrance by half pilasters. Fifth east bay contains 2 separate 6/single windows with keystone to recessed segment and to out sides matching half protruding pilasters to bracket supporting semi-circular pediment, to ground floor is arched carriageway entrance stepped lintel with bracketed hood moulding and keystone. Entrance passage is now gated. Rear building is constructed from red brick.

National Grid Reference**Building Name****Number** 19**Street** Market Street**Town** Mansfield**Date Listed**

Description 2-storey ashlar stone property, wedge shaped, with slate roof and decorative ridge tiles, stepped eaves, windows, 1/1 sashes, in range of outer sets of mullion with decorative stepped lintels, central arched window with hood moulding and keystone, stepped cornice, central double entrance with rectangular and to eight side deep curved overlight shop fronts with decorative central mullion. To either side of shop windows (and entrance door) are stepped single stone course pilasters.

National Grid Reference

Building Name Primitive Methodist Chapel

Number 19

Street Queen Street

Town Mansfield

Date Listed

Description Ashlar, Welsh slated roof tall 2to3-storey property, with modern shop front to ground floor, first floor elevation broken by 3 tall centrally positioned windows, staggered sashes, of 9 pane to top (central row of 3no.panes taller) with 6no. panes followed by 6no. panes, flush surrounds and protruding sills, protruding eaves band and stone to roof apex forms a stylised pediment detail, deep quoins to east side elevation rest of elevation constructed in brickwork, elevation to west and rear rendered. Rear has 2no. lower 10 pane windows and ground floor entrance door, rear has range of smaller paned windows.

National Grid Reference**Building Name****Number** 2**Street** Church lane**Town** Mansfield**Date Listed**

Description Tall 2-storey property, variation on a square plan, constructed from brick with stone detail, with stepped gables to Midworth Street and Church Lane. With large half hexagon staggered parapet bay to Midworth Street gable, above triple cross mullion window, above large breather slit with detailed diamond shaped stone surround, to ground floor to right further parapet cantered bay, to Church Lane bay detail stepped recessed gothic arch entrance with hood mould to side single cross mullion window, above 2 no mullion windows with continuous lintel and sills, above similar detailed breather slit. Stepped eaves to rear of gables, range to Church Lane has cross mullion and mullion windows in various configurations. Flat roofed stepped by extension to south in similar brick, un-sympathetic extension to west in brown brickwork.

National Grid Reference**Building Name****Number** 21-23**Street** Ratcliffe Gate**Town** Mansfield**Date Listed**

Description 3-storey coursed stone, property, with protruding stone surrounds to windows and stepped protruding stone sills. Stepped stone eaves band. Altered windows and roofs. No.23 has traditional style shop front, rather chunky and in need of repair. Modern shop front to no.21. Entrance to alley to left of no.21. Cast RWG? Appears in a row of stone properties, many have been altered.

National Grid Reference**Building Name****Number** 22**Street** Church Street**Town** Mansfield**Date Listed**

Description 2-storey property situated to the rear of properties on Church Street. Stone section with stone surrounds and gable end with kneeler brackets facing towards alleyway off Church Street, the gable end would have been an internal wall as such it has been rendered. Section to the centre constructed in brick (seem to south elevation) with brick columns still evident and stone capitals with stone eaves above, the apertures between would have been open (bark mashing for tannery), with further stone section to rear. To east flat roofed single storey brick modern extension, 2-storey flat roof modern brick extension to the south, both have been painted/rendered, both of no architectural merit.

National Grid Reference**Building Name****Number** 23-25**Street** Church Street**Town** Mansfield**Date Listed**

Description C19 stone buildings, part of the same terrace as 21 Church Street, which is listed due to its Tutor rear wing. 3-storey properties, eaves on to road, positioned at back edge of pavement, stone – painted to front façade, brick to side/rear, with stone gabled chimney stack, first and second floor stone bands, stepped eaves with egg and dart detailing, windows are single pane sashes, single and mullioned with no surrounds.

National Grid Reference**Building Name****Number** 27-29**Street** Church Street**Town** Mansfield**Date Listed**

Description 3-storey properties, wider footprints, stone, no.27 painted, eaves to road, situated at back edge of pavement, gabled chimney stack, stepped eaves, with through eaves 2/single sashes to 2nd floor and single/single sashes to 1st floor with individual stone cantered arched lintels and protruding sills, and stepped (following contour of road and staggered plan of properties) 1st floor stone band, passageway between properties.

National Grid Reference**Building Name****Number** 33**Street** Church Street**Town** Mansfield**Date Listed**

Description 3-storey property, wider footprint, stone, eaves to road, situated at back edge of pavement, gabled chimney stack, stepped eaves, with through eaves single/single sashes to 2nd floor and single/single sashes to 1st floor with individual stone cantered arched lintels and protruding sills, and stepped, 1st and 2nd floor stone bands. To ground floor is stone detailed shop front, to either side of the property are set of pilasters and console brackets between which are arched staggered stone lintels and tall keystone over semi-circular fanlight over double and single with marginal light entrances, between which are to divided rectangular overlights with single shop window underneath..

National Grid Reference**Building Name****Number** 4-4a**Street** Market Street**Town** Mansfield**Date Listed**

Description 4-storey property to corner plot and extending into Market Street, 2-storey extension to Queen Street, all constructed from stone, corner property has chamfered corner detail with increasing sized sashes towards 1st floor, all with protruding sills. Stepped forward building line leading off down the Market and Queen Street, deep eaves band which follows chamfered/ stepped building lines. All other sashes are 3/6' all with protruding sills to 4-storey property. 2-storey extension to Queen Street has single/single sashes, and ground floor carriageway arch. Timber shop fronts to all elevations with cast iron columns to the interior.

National Grid Reference**Building Name****Number** 62**Street** Leeming Street**Town** Mansfield**Date Listed**

Description 2-storey, stone structure, hipped/gabled roofs with inner pitched roofs to form corner cantered aspect, slate roof, non-visible from street scene, decorative lower cornice with semi-circular open pediment with decorative motif to cantered bay with 3-light million and transom arched window under and stone bands and arched hood moulding, range of windows to 1st floor, 6/6 sashes with curved hood moulding and 2nd floor single/single and 6/6 sashes with protruding sills, plain open semi-circular pediment to side entrance, under taller 12 paned casement, under bracketed dentine semi-circular pediment, plain curved fanlight to double panelled entrance door.

National Grid Reference**Building Name****Number** 70-72**Street** Nottingham Road**Town** Mansfield**Date Listed**

Description 2½-storey stone semi-detached property with end kneelers and stone brackets, continuous slate hipped roof, two gable ridges stacks and one stone stack, quoins. To the front façade each semi has central door with segmental fronton and pedestal with banded slim column and straight jambs each door has a single bay window to either side. Windows are side 1/1 and central marginal lights sashes. Each semi has three 6/6 sashes windows to first floor with protruding stone jambs and cills and triangular frontons with scroll console brackets. Each semi has a 2-storey rear stone extension with hipped slate roof (each semi is therefore 'L' plan in format) with flush lintels and protruding cills, windows to first floor are either 3/6 sash or plain casements and to ground floor to Grove Street only 6/6 sashes.

National Grid Reference**Building Name****Number** 76-90 (evens)**Street** Nottingham Road**Town** Mansfield**Date Listed****Description**

Nos.76-82 Nottingham Road 3-storey stone terraces running parallel with Nottingham Road. Constructed in Ashlar blocks with stone plaque (name of terraces is indecipherable). Continuous concrete tiled roof, with protruding stone cornice, hip to Sherwood Street and gabled end roof adjoining a further set of terrace properties (84-90) to no.82. Ground floor to no.76-80 have been converted to shops (no.76 also has a shop front to Sherwood Street), windows to first and second floor are single windows positioned to left side of properties, except for no.80 which has two windows to first floor. Windows are modern 6/6 to first and 3/6 to second and have stone flush lintels and protruding cills, windows to no.76 are cantered full windows which open at the top. Nos.84-90 Nottingham Road 3-storey terraces, slightly higher than no.76-80, but the opposite way gable to no.82 and hipped to Commercial Gate. These terrace properties and 'L' plan in format, constructed from rock-faced ashlar, slate roof with protruding stone cornice. Ground floor windows are double mullions, two sets of windows appear to first and second floor, all windows have slightly protruding stone Ashlars stone surrounds, with no.84 having an extra ashlar stone extension to no.82 from lintels of all apertures. Doors are recessed have ashlar stone surrounds and pedestals.No.90 has a shop at ground floor and the mullioned window has been removed from no.88 and replaced with a larger single window. All windows are 1/1's.

National Grid Reference**Building Name****Number** 8-10**Street** White Hart Street**Town** Mansfield**Date Listed**

Description .: 3-storey property, positioned eaves on to road at the back edge of pavement, coursed stone property with slate roof with stone chimney, stepped eaves, flush stone hood lintels and protruding stone sills, no.10 has first floor timber display window, ground floor timber shop fronts with dentine cornice and separate entrance to upper storeys.

National Grid Reference**Building Name****Number** 8-10**Street** Queen Street**Town** Mansfield**Date Listed**

Description Former Mechanics Institute. A much altered and extended vernacular stone building. Number 10 is the original, three bay building of sandstone rubble, since extended and partially refaced to form number 8. The later work is in limestone ashlar. The original window openings have all been mutilated. A pair of lintels and sills survive on number 10, whilst the surrounds of three tall cross casements remain on number 8. There is a modern shop front.

National Grid Reference**Building Name****Number** 9-12**Street** Rock Court**Town** Mansfield**Date Listed**

Description The existing building at this location is predominately constructed from random coursed stone (during its original conversion and bringing back into use missing construction was infilled with brick to show where intervention has occurred), with stone quoin detailing, pantile shed/lean-to style roof with curved ridge tiles, brick arched timber 2-light casement windows, and single light side window with straight stone lintels, with detailed sills, and 4-panelled doors (upper panels are glazed to north elevation). External metal straight flight stairs are situated to either side elevation of the property (north and south elevations).

National Grid Reference

Building Name Bentinck Chambers

Number 11-17

Street Market Street

Town Mansfield

Date Listed

Description A long red brick terrace of shops dating to the turn of the century. Built of red brick with a slate roof, with a central double gable. Original glazed brick pilasters frame predominantly modern shop fronts. There is an ornate entrance to the offices above; featuring a bracketed porch above two engaged columns, below a round window in an ashlar surround with stained glass. There is also much stained glass in the first floor windows.

National Grid Reference

Building Name Clerkson Hall

Number

Street Clerkson Street

Town Mansfield

Date Listed

Description Built in 1851 and was designed by W J Chapman of Pleasley Mills and built by Benjamin Linfoot. It was used as a chapel until 1913 then became the Mansfield Salvation Army Citadel. By the 1920's it had become the co-op society's Education Department. Stone property, gable end building. It was during this time that the timbers were applied to the front. A typical co-op addition to their buildings. It was empty for an extended period before becoming a restaurant.

National Grid Reference

Building Name Former Mettham's Mineral Water Works

Number

Street Dame Flogan Street

Town Mansfield

Date Listed

Description Built of plain red brick. The gable front of the main factory range features a round attic opening with an elaborate keystone, under a shaped gable. There are two long rear wings incorporating stables and cart sheds.

National Grid Reference

Building Name Granary rear of no.2

Number

Street Church Lane

Town Mansfield

Date Listed

Description red brick with a slate roof. There are two large cart openings on the ground floor, whilst on the first floor is a loading door flanked by two loft openings.

National Grid Reference

Building Name Handley Arcade

Number

Street Toothill Lane/Leeming Street

Town Mansfield

Date Listed

Description Consists of an arcade from Leeming Street to Toothill Lane, when built accommodated 15 shops in all, with ample basement and accommodation over for offices, workrooms, showrooms, storerooms etc. The frontage to Leeming Street consists of a steel framed building, faced with Mansfield and Ancaster free stone and hand-made Berkshire bricks.

National Grid Reference

Building Name Old Palace Theatre

Number 58

Street Leeming Street

Town Mansfield

Date Listed

Description tall 2-storey building, double and single cross gabled slate roof building, mock Tudor detailing to 1st floor, 1st floor corner chamfer stone section, with lead roof domed oriel window, 1st floor supported on Doric column, ground floor recessed shop front.

National Grid Reference

Building Name Sherwood Chambers

Number 31

Street Market Place

Town Mansfield

Date Listed

Description #Error

National Grid Reference

Building Name Stanhope Hall

Number 2-14

Street Bridge Street

Town Mansfield

Date Listed

Description A terrace of seven shops, of red brick, dating to the early twentieth century. Much of the original shop fronts remain, with bracketed fascias between glazed brick pilasters. On the first floor, there is a central gable with a plaque bearing the buildings name. There are paired sashes between brick pilasters, under a heavy cornice

National Grid Reference

Building Name Warehouse - north

Number 2

Street Dame Flogan Street

Town Mansfield

Date Listed

Description The south range is of brick with stone dressings, now rendered. The principal façade to the building is on Dame Flogan Street, with the use of brick to the rear elevations. The interior is notable for a brick jack-arch floor and original ornate cast iron columns, windows and roof trusses.

National Grid Reference

Building Name Warehouse - south. Mangrove Restaurant

Number

Street Dame Flogan Street

Town Mansfield

Date Listed

Description Red brick with a modern concrete roof. There is a double height shop front with the original bracketed fascia. Above this are three round headed windows beneath a shaped gable. The plain south elevation rises from a sloping stone plinth.

National Grid Reference

Building Name Warehouse - west. Residential complex.

Number

Street Dame Flogan Street

Town Mansfield

Date Listed

Description It is a plain red brick building with a slate roof. Windows are mainly cast iron glazing bar casements, under continuous concrete lintels. There is a double height loading door. An important relic of the town's brewing history. The building has been converted to flats.

National Grid Reference

Building Name Rainworth Colliery Village

Number

Street First to Fourth Avenue

Town Rainworth

Date Listed

Description There are short rows of brick terrace properties, positioned eaves on to road except for corner properties, 2-storey, some alterations have occurred e.g. facades have been rendered, with gardens back and front, some rows built slightly forward from the others.

National Grid Reference

Building Name Three Thorn Hollow Farmhouse

Number

Street Blidworth Lane

Town Rainworth

Date Listed

Description The farm complex is built of coursed magnesian limestone with a courtyard of buildings comprising a tall hay barn, with off-set brick-arched former opposing threshing doors for wagons, adjoining enclosed crop storage on two levels, byre or stable, shelter shed and a detached later byre or implement shed. The complex with its courtyard appears to be complete, as designed and laid out in the 1860s or thereabouts, as seen on the 1880 OS map, now converted into housing. The main farmhouse is built in magnesian limestone with a former slate roof (now concrete tiles) and former sash windows (now uPVC). It has a small porch with pointed arched doorway and lancet windows which appears to be contemporary and coeval with a small bay window to the south elevation.

National Grid Reference**Building Name****Number** 13-15**Street** Carr Lane**Town** Market Warsop**Date Listed**

Description 3-storey stone gable end property, positioned gable end to road to back edge of pavement, with single storey entrance at right angles to main building, buildings seem function as one property positioned Property has pantile roof with ridge stacks to gables, rendered. Windows have protruding hood above flush lintels on gable end, detail not evident on elevations.

National Grid Reference**Building Name****Number** 17**Street** Church Street**Town** Market Warsop**Date Listed**

Description House, with garret, and shop with single storey attachment, Early to Mid C18. Coursed rubble with ashlar dressings and a concrete tile roof; with one coped gable and kneeler and one gable stack, brick, the adjoining extension has an original clay pantile roof. The first floor has a central blank, flanked by windows with flush mullioned surrounds. On the ground floor is a central doorway with quoins and a heavy lintel. To the right is a window in a mullioned surround; to the left is a traditional shop front with glazed brick stall riser and recessed doorway. The extension has a similar traditional shop front.

National Grid Reference**Building Name****Number** 19-21**Street** Church Street**Town** Market Warsop**Date Listed**

Description Two houses, now shop and house, mullioned windows suggest a construction date in the Early to Mid C18, coursed rubble with painted ashlar dressings and a concrete tile roof. Irregular façade. First floor has, from left, a window in a large mullioned surround, a window in a smaller mullioned surround and a window in a plain opening with lintel. The ground floor is dominated by a modern shop front. To its left is a door under a lintel, then a small shop window.

National Grid Reference**Building Name****Number** 25-27**Street** Church Street**Town** Market Warsop**Date Listed**

Description 2 shops and a house. 2 storey. Coursed rubble, left side elevation brick, concrete tiled roof with brick chimneys to gable ends, coped gables with kneelers, painted stone surround to larger entrance door, protruding flat porch stone detail to other, raised painted stone cills and flush lintels to windows, stained casements.

National Grid Reference**Building Name****Number** 29-29a**Street** Church Street**Town** Market Warsop**Date Listed**

Description Shop. 2 storey with garret. Coursed stone to front façade, coursed rubble to other elevations. Stepped stone eaves, remains of what looks to be kneeler brackets, raised painted stone surrounds to windows, single sashes with horns. Replacement pantile roof.

National Grid Reference**Building Name****Number** 8**Street** Carr Lane**Town** Market Warsop**Date Listed****Description** 2-storey stone gable end building, eaves on to road, located to back edge of pavement, stone kneelers and brackets, with pantile roof and brick ridge stacks to gables, with clay pot to northeast gable, brick extension to rear.

National Grid Reference

Building Name Town Hall

Number

Street Church Street

Town Market Warsop

Date Listed

Description Corner building, 2 storey red brick. Outward facing gable to corner, a further one to elevation, both with pediments, stone kneelers and stepped brackets, below balcony, a further coped gable with pediment to side elevation. Roof is slate, tall brick chimneys, stepped eaves. Raised stone surrounds to doors, one with flat topped pediment, clock and windows, which are metal in various styles - tripartite, mullioned and single.

National Grid Reference

Building Name Warsop Vale Model Village

Number

Street off Carter Lane

Town Warsop Vale

Date Listed

Description This is an early attempt to get away from the grid-iron layout of the late C19 developments. Short rows are arranged around three sides of a central open space, the fourth side originally enclosed by the coal mine.

National Grid Reference

Building Name Bridge over River Meden

Number

Street Littlewood Lane

Town Mansfield
Woodhouse

Date Listed

Description Stone bridge over the River Meden, with accompanying weirs and sluices.

National Grid Reference

Building Name Meadow Cottages

Number

Street Bottom Row

Town Pleasley Vale

Date Listed

Description Regularly coursed stone is used throughout with hipped roofs of with lower meadow cottages have tiled roofs. The design of each terrace is given definition and balance by the use of gables to the long elevations and the detailing is a varied use of gothic motifs such as drip moulds over windows and Tudor arches over doors. Both sets of cottages appear in harmony with their rural landscape setting and contribute significantly to its impression as an estate rather than just farmed landscape.

National Grid Reference

Building Name Meadow Cottages

Number

Street Top Row

Town Pleasley Vale

Date Listed

Description Regularly coursed stone is used throughout with hipped roofs of Staffordshire blue tiles on upper meadow cottages. The design of each terrace is given definition and balance by the use of gables to the long elevations and the detailing is a varied use of gothic motifs such as drip moulds over windows and Tudor arches over doors. Both sets of cottages appear in harmony with their rural landscape setting and contribute significantly to its impression as an estate rather than just farmed landscape.

National Grid Reference

Building Name Northfield House south of Mill 3

Number

Street

Town Pleasley Vale

Date Listed

Description L' plan structure, remaining stone walls of structure, which originally formed a house

National Grid Reference

Building Name Sunnydale

Number

Street Northfield Lane

Town Mansfield
Woodhouse

Date Listed

Description Remains of plain mullioned windows suggest an early to mid C18 date. The farmhouse is built of coursed local limestone with ashlar dressings and a slate roof. Principal two storey range between coped gable parapets, with lower two storey wings to either side. Windows to principal range have plain mullioned surrounds, altered to accept modern casements. Left wing retains horizontal sliding sashes. The machine threshing barn is built of coursed local limestone with a modern tiled roof. Central threshing door and slit breathers.

National Grid Reference**Building Name****Number** 1-3**Street** Leeming Street**Town** Mansfield**Date Listed**

Description stone 3-storey corner building, corner plan form to Market Place and Leeming Street, comprising of 3 buildings. 1 Leeming Street Now the principal part of the HSBC bank, rounded corner feature is a modern alteration. 3 Leeming Street The London Joint City & Midland Bank extended the premises to incorporate this older building to the north.

National Grid Reference**Building Name****Number** 100**Street** Chesterfield Road South**Town** Mansfield**Date Listed**

Description 2-storey, coursed stone building with slate roof with stone ridge stack, bracketed overhang eaves, 6/6 stone surround sashes to upper storey and 6/9 stone surround sashes to ground floor, balanced, with central hipped roof bracketed portico with Doric column supports on stone pedestals. Building ranges are square plan building with hipped outer roof to north, west, south sides with and further complete hipped roof to east side, with flat centre which contains a roof lantern, to east is a connected flat roof structure with a further hipped roof structure attached to its east.

National Grid Reference**Building Name****Number** 16**Street** Regent Street**Town** Mansfield**Date Listed**

Description 4-storey, Portland stone, with stylised pilasters to outer bays, with 1st/2nd continuous window surrounds, tall windows to 1st floor 6/3/6, 6 paned windows to 2nd floor, single window with protruding stepped lintel and sills to 3rd floor, central recessed 3 bays are separate from each other by giant Ionic columns, with square outer Doric columns, these all support plain entablature above which is a stepped corning and carved panel with curved flag pole. Recessed bays contain taller marginal light window ranges 9/9/6, above is a stepped stone panel.

National Grid Reference**Building Name****Number** 17-19**Street** Leeming Street**Town** Mansfield**Date Listed**

Description The architectural details suggests a date in the late C18 or early C19. Built of coursed local limestone with ashlar dressings and a slate roof. The stonework to no,17 has been painted and it has a concrete tiled roof. The front elevation is framed on the right hand side by ashlar quoins. The first floor has 3no. plain sashes in raised ashlar surrounds. Above this are 3no. similar windows. To ground floor, no.17 and no19 have timber shop windows below a modern fascia sign.

National Grid Reference**Building Name****Number** 2-6, 25**Street** Regent Street, Market Place,**Town** Mansfield**Date Listed**

Description 3½-storey, Portland stone structure, to right is edge of property is a stepped base pilasters, with stepped detail to stepped capital to plain entablature, above is continue stepped dentine cornice to whole property, above is a console bracket with stepped detail to the side is a balustrade parapet detail to central curved segment, which contains a stepped carved pediment either side then a further central tall stepped pediment with a window range (single/double/single) situated above cornice. To the right at 1st/2nd floor are recessed 3-bays with window to each floor (2nd floor aren't as do (do not have overlights)) windows are 1/1 then single then 1/1, with floor divided by moulded painted panels. To central curved section, outer bays have panelled pilaster to either side with recessed single window to each floor followed by giant Ionic columns to either side with central range of 3no. windows (taller to 1st floor). After left sides end panelled pilaster, is a further 5no. window bay range, similar to those previously described, followed by similar outer pilaster.

National Grid Reference**Building Name****Number** 2-8**Street** Stockwell Gate**Town** Mansfield**Date Listed**

Description 3-storey property, rendered/painted upper storeys, granite tiled ground floor shop front, separate entrance to alley to right, property now functioning as a bar/restaurant. Above flush plain cornice is a continuous sill band, to range of 5no. curved top apertures, single/single sashes, with stepped surrounds, to outer edges stepped pilaster, above further continuous sill band to similar window range and surrounds, continuous stepped pilaster to outer edges, above continuous band in line with lintels but stepped back slightly, above plain cornice and above stepped cornice to shallow parapet, 2no. gable dormers with decorative barge boards and finials.

National Grid Reference**Building Name****Number** 22**Street** Chesterfield Road South**Town** Mansfield**Date Listed****Description** brick with mock timber framing to upper floors, staggered bays, one with stone mullions, timber windows with stained glass top lights, part plain tiled cladding, plain tiled roof, brick chimneys.

National Grid Reference**Building Name****Number** 23**Street** Market Place**Town** Mansfield**Date Listed**

Description 3 storey stone, possibly Mansfield Red, property, ground floor right has recessed entranceway door is 6-panelled with semi-circular fanlight, either side are protruding stone pilaster, each has recessed blank panelled with central carved stone panel and carved console brackets , to left is shop front with nearly full length panelled cornice supported on 2no. decorative metal columns, a further panelled cornice recessed underneath, with shop front below, to left again a similar stone pilaster and console bracket. The 2no. end pilasters of the property continue on to the roof with a stepped capital and blank console bracket to parapet. Back to ground floor and above console brackets of pilasters is a full length carved stone cornice. 1st floor red stone band with 5 curved apertures for 2/2 sash windows, above stone bossed detail, above stone bands containing a deeper lighter stone band between, above red stone floor with 5 apertures with rectangular overlight below 2/2 casements, above stepped cornice and with dividing stepped pilasters above fire cornice to stone balustrade to parapet

National Grid Reference**Building Name****Number** 24-26**Street** Chesterfield Road South**Town** Mansfield**Date Listed**

Description Two detached late Victorian building with Italianate and Gothic detailing, built to mirror each other but no.26 has been much altered. Italianate-style windows, stone detailing, hipped roof bay window, stone mullions with decorated capital, gable and gabled dormers with decorative bargeboards, porch with Corinthian capital columns, slate roof.

National Grid Reference

Building Name Formerly the Nags Head PH

Number 36a-36b

Street West Gate

Town Mansfield

Date Listed

Description 3-storey gable end building, situated eaves on to road/walkway with through eave half hipped dormers, with continuous sill stone band underneath, with stepped stone surround to plain windows, below is a range of windows with outer windows being chamfered arched with polychromatic individual stone arched lintels, middle 4no. window range have continuous arched lintels in the same polychromatic detail with single stone surround, with continuous sill stone band, below is the repeated chamfered arched lintel detail to the 2no. shop fronts, shop front are modern.

National Grid Reference**Building Name****Number** 37**Street** Leeming Street**Town** Mansfield**Date Listed****Description**

Seems to be of painted concrete blocks in imitation of stone. The entrance bay is stepped forward with door is set within a boldly expressed entrance arch, above 3-light mullion window, 6/single sashes, in recess surround with protruding stepped sill, above similar windows but 2-light, under through roof central gable. To right stepped back bay are larger 2-light similar windows to ground and 1st floor under deep stepped modular cornice with gabled dormer with pediment detail within roof space, dormer is 3-light, each with 6 panes, casement. The bay to the left mimics the right bay as being set back and with matching windows, dormer and cornice detail. Left again is the stepped forward curved plan bay to follow corner aspect, cornice roof detail follows around this bay, windows and doors are separate, and are in threes, ground floor has central 6 panelled entrance door, slightly recessed with surround detail and 8 pane rectangular fanlight, either side are 6/single sashes, above to 1st floor and range of balanced 3 windows, similar dormer to roof. To left is a blank set back bay with matching cornice detail. Left again is set back red brick extension. All windows, dormers and doors are timber, roof is a mansard roof in slate, and follows the corner aspect of the building.

National Grid Reference**Building Name****Number** 4**Street** Wood Street**Town** Mansfield**Date Listed****Description** Remaining long stone building to site, right angles to the road, with infilled apertures to the west, and infilled brick sections with sloping roof .

National Grid Reference**Building Name****Number** 5**Street** Leeming Street**Town** Mansfield**Date Listed**

Description The bank building has since been extended again to incorporate this stone structure. Ashlar, welsh slated roof with mutule cornice, 3-storeys, first floor band, 4 sash windows in surrounds, first floor cornices, ground floor has modern segmentally headed windows.

National Grid Reference**Building Name****Number** 7-9**Street** Leeming Street**Town** Mansfield**Date Listed**

Description 2½ storey property, situated adjacent to the walkway and following the gradient of the street, with 2no. shop fronts each having arched glazing bar detail to shop fronts, recessed entrance to south shop front and metal gate access to residential units to upper floors to north shop front. Property constructed from stone, 4no. bays, with 4 window apertures to 2nd floor and stone band, and through eaves dormers to inner 2no bays. Windows are replaced C21 6/6 sashes, slate roof is hipped with dormers also being hipped.

National Grid Reference**Building Name****Number** 7-9**Street** Westfield Lane**Town** Mansfield**Date Listed****Description** A pair of Victorian houses, two storeys tall, built of rockfaced limestone ashlar with a slate roof. Number seven features uPVC casements in original ashlar surrounds; the window openings to number nine have been altered.

National Grid Reference**Building Name****Number** 8**Street** West Gate**Town** Mansfield**Date Listed****Description** A late Georgian building stuccoed beneath a slate roof; the façade contains two plain sashes flanking a blank opening. There is a modern shop front in a sympathetic style.

National Grid Reference

Building Name Abbeydale

Number

Street Crow Hill Drive

Town Mansfield

Date Listed

Description Marked on the 1900 map but were not seen in White's Directory of 1894 2-storey red brick residential building, with mock Tudor detailing, stone porch, square bay window with six light over plain top opening casements, jettied gable supported by timber brackets and hung with vertical plain tiles, a red brick detailed chimney and slate roof.

National Grid Reference

Building Name Avondale

Number 13

Street Crow Hill Drive

Town Mansfield

Date Listed

Description L Plan 2-3 storey gable end stone building with round arched Italianate windows and door surround, large rectangular transomed window with traceried heads, plain tiled roof and decorative ridge tiles. The boundary treatment is a low stone wall with hedges above, plinth gate piers with pyramid coping stones.

National Grid Reference

Building Name Bowl in Hand Public House

Number

Street Leeming Street

Town Mansfield

Date Listed

Description A public house designed in 1899 by Vallance and Westwick for the Mansfield Brewery Company. 3-storey building, constructed from brick with stone detailing and evenly spaced stone bands, situated to the back edge of the pavement. Square plan building with 2no. outer gabled bays, with an off centre cruciform connecting feature with variation of a catslide roof leading off to form the 1st floor roof of central section of the front façade, with 4-light pediment dormer, under 3 window apertures 6/single sashes, under off centre double entrance with bracketed curved canopy, protruding stone mullion/transoms to recessed fanlights, to left 3-light leaded light window. To left stepped detail to gable to right similar window, above oriel window, above 2 window apertures 6/single sashes. Similar right without stepped detail and has 2no. window apertures to ground floor 2 light leaded light windows. To right arched carriage entrance. There are original sashes to the upper floors and casements with Art Nouveau stained glass on the ground floor.

National Grid Reference**Building Name** Dalblair**Number** 11**Street** Crow Hill Drive**Town** Mansfield**Date Listed****Description** 2-storey stone building with ground floor canted curved bay and parapet, flat double windows with central Corinthian column mullions, plain sash windows, arched door, and plain tiled roof with decorative ridge tiles. Boundary treatment low wall with hedge and stone gate piers with pyramid copings.

National Grid Reference

Building Name Denbigh House

Number

Street Norfolk Drive

Town Mansfield

Date Listed

Description Early C20 2-storey residential building with different roof structures and a ranging habit, apart from the red brick plinth the rest of the building is rendered, stepped gable with double bay windows, a further double bay windows appear on the other section of the front façade, the curved section between the double bays is hung by way of vertical laid plain tiles curved, jettied gable roof with mock-tudor detailing and timber brackets and bargeboard, roof laid with plain tiles with detailed rendered chimney stack. The property is set back from the road in mature gardens and has a stone boundary wall with stepped coping stones and large curved timber gates.

National Grid Reference

Building Name Edenmont

Number

Street Crow Hill Drive

Town Mansfield

Date Listed

Description 2 storey stone building, bay windows to ground floor with stone parapets, stone pediment and brackets to door, raised stone window surrounds to plain sash timber windows, stone chimney, and timber brackets to hipped slate roof.

National Grid Reference

Building Name Green Bank

Number

Street Norfolk Drive

Town Mansfield

Date Listed

Description Early C20 2-storey plus attic, central 4-light dormer, brown brick building with stone detailing, semi-circle bay windows, stone mullion windows, and curved arched window, portico stone porch with curved door surround and plain tiled roof, which occupies a raised position towards the rear of a large plot consisting of a mature front garden and winding car access which screens the house

National Grid Reference

Building Name Leeds House

Number 5

Street Regent Street

Town Mansfield

Date Listed

Description 3-storey stone building, with stepped cornice and stone parapet. Outer bays up to 1st floor height contain recessed entrance doors with recessed surround upper stone panel connects with recessed surround to window, central bay contains shop front and range of 3 windows each with stone surrounds, and finished with stepped cornice. 3rd floor contains 2no larger outer windows and 3 sets of 2 smaller mullion windows. Windows are modern replacements.

National Grid Reference	SK5050963929
Building Name	Barn at Pleasley Hill Farmhouse
Number	
Street	High Street, Pleasley Hill
Town	Mansfield
Date Listed	21/03/1994
Description	Barns 20 metres east of Pleasley Hill Farmhouse. Mid C18, with mid C20 additions. Coursed rubble with pantile roof. Farmyard side, to south, has to right a projecting off-centre wing with blank gable. To its left, in the return angle, a mid C20 lean-to cartshed with corrugated asbestos roof and brick piers. Beneath it, to left, a small opening with a similar opening above it. To right, a loft door, then a larger ground-level opening. Beyond, to left, a loft door with external stone stair. North side, to street, blank. Double gable, to east has a plank door to left, and above, to right, a slatted opening.

National Grid Reference

Building Name Oakdene

Number 28

Street Crow Hill Drive

Town Mansfield

Date Listed

Description Victorian 2-3 storey red brick stone detailing building, consisting of double gables with stone kneeler to front with angle canted double bay windows with hipped roofs and clay tiled dividing section, various other windows uPVC, further staggered gable to rear with vertical hung red tile detailing.

National Grid Reference

Building Name Ravenscroft
Number 9
Street Crow Hill Drive
Town Mansfield

Date Listed

Description 2-storey stone building with wider canted tower, Italianate windows with curved stone detailing, arch door with curved stone detailing and plain fanlight, timber brackets to cornice, stone chimney and slate roof. Boundary treatment low stone wall with hedge and plinth gate piers with pyramid copings.

National Grid Reference

Building Name The Hurst

Number

Street Crow Hill Drive

Town Mansfield

Date Listed

Description 3-storey building with triple gables to the rear, mock Tudor detailing to 2nd floor and vertical decorative hung tiles, angle canted bay windows with hipped roof to ground floor, gothic arched double windows with tracery to the side elevation, but windows have been much altered. Boundary treatment of curved higher wall with straight gate piers and pyramid coping stones.

National Grid Reference

Building Name Associated landscaped grounds - Debdale Hall
(Thistle Hill Hall)

Number

Street Debdale Lane

Town Mansfield
Woodhouse

Date Listed 19/09/2018

Description The hall was designed in two main phases with associated gardens, plantations and shrubberies and a small parkland lawn to the east; the first phase built by the Coke family contained a triangular pedimented roughly square plan building dating from circa 1730-50, overlooking the parkland lawn to the north-east. There are no indications that this house had an outlook that was designed to face south beyond the immediate gardens although there is sloping lawn/open space shown on the Tithe map between the hall and the road, which may have enabled a glimpse of the hall from the road (although there is a steep change in gradient). The Tithe map of 1844, illustrates in detail the landscaping around the hall and the long strip of open land to the south of Debdale Lane, edged with perimeter plantations and clumps. The sense of the landscaped parkland straddling the road, through which the public road travels, appears to be a deliberate device to enhance the status of the hall, suggesting its presence without revealing it. There may have been a glimpse of the hall from one vantage point along the road (field parcel no. 847), but this was later removed. Perimeter plantations, as shown on the Tithe map, are fairly typical of the late Regency period, with occasional breaks or 'bursts'. A later 19th century extension to the Hall containing a canted bay-frontage on the southern elevation was designed to overlook an intimate lawn and the rhododendron planting may have been added at the same time. By the mid 19th century, and probably before that in the mid to late 18th century, the Hall was completely visually separated from the main road, a major highway. It is still enclosed with shrubberies, including dense plantation of yew and rhododendron, in a style which is typical of the mid 19th century. The hall was designed to be discovered following long carriage drives to the east and west.

National Grid Reference

Building Name The Wheatsheaf Public House

Number 47

Street Stockwell Gate

Town Mansfield

Date Listed 19/09/2018

Description The building comprises two phases, a mid 18th century three-storey town-house, probably originally of two bays of which the western bay has been removed. The square-faced mullioned windows survive to the upper floors; to this was attached a purpose-built inn dating from the 1830s or thereabouts, in stucco (now rendered). Original sash windows have been replaced in uPVC but there is otherwise little alteration since c1830 and sufficient original fabric surviving.

National Grid Reference	SK5491559586
Building Name	Stable Court and attached farm buildings at Berry Hill Hall
Number	
Street	Berry Hill Lane
Town	Mansfield
Date Listed	17/03/1978
Description	<p>Coursed squared rubble and brick, with ashlar dressings and hipped slate roofs. East range has to east a central entrance block, 2 storeys; 3-window range. Plinth, first floor and eaves bands. Central roundheaded archway, now blocked, with double plank doors and overlight. On either side a square pitch hole, and below, single round-arched carriage entrances with double plank doors. On either side, a single-storey wing, 3 bays, the left one adjoining Berry Hill Hall (qv). Central plank door with overlight, flanked by single iron-framed glazing bar windows. Roofless right wing has 3 similar windows. West front has similar entrance block, 2 storeys; 3-window range. Central round-headed arch, now blocked, with doorway and blocked window. On either side, single round windows and below, single windows, all blocked. To right, a single-storey range, altered C19, with brick additions. To left, a roofless single-storey wing with a blocked window and a doorway. Adjoining north range, single storey; 6 bays. Now roofless. 6 round-headed carriage entrances, the left one open, the remainder blocked and filled with windows and doors. Northern front, to street, has 3 slightly projecting central round arches flanked to left by 2 blind windows and beyond, 2 slightly projecting round arches. To right, 2 blind windows. West range has a central entrance block, 2 storeys; 3-window range. To east, upper entrance arch flanked by single round blind windows. Below, single-storey brick lean-to with irregular fenestration across the whole front. West front also has central entrance block, 2 storeys; 3-window range. Plinth, string course and sill band, pyramid roof with square wooden cupola topped with square wooden dome. Central round-headed arch, now blocked, with double plank door and blocked overlight. On either side, a blind round window and below, a single blocked window. To right, single-storey barn, now roofless, with 2 blind windows flanked by 2 rows of breathers. To left, a low 2-storey wing with first-floor door and C20 external stair. Attached to the west, a single-storey farm building range with brick front. Projecting to the south, a further farm building range with brick front to east. Off-centre plank double doors flanked by two 2-light windows, and a plank door to right. Attached to west, a similar cartshed range with corrugated asbestos roofs and square stone piers to the openings. Further cartshed range projecting to south, with wooden piers and bricked up openings. 2 stable doors and 3 bricked-up windows.</p>

National Grid Reference**Building Name** William IV Public House**Number****Street** Sutton Road**Town** Mansfield**Date Listed** 19/09/2018

Description The original building is a traditional double range L shaped building indicated on the 1875 and 1880 plans. There is a C20 two storey flat roofed brick extension to the rear and adjoining C20 single storey extensions to the east side elevation and rear including conservatory and also a large car park to the rear within an enclosed site. The site is on a slight incline to the rear and is bordered by housing to the north and east. Attached to the pub is a C19 former single storey Cart shed/coach house and possibly stable however this was not originally attached with the gap between the pub and outbuilding in filled to connect the two. This is evidenced on plan and on elevation by the rendered walling facing the A38 and brick walling to the rear elevation. Upon entrance in to Mansfield this would have been the first coaching Inn en- route in to the town for travellers. The single storey vernacular building is of coursed rubble with a pan tile roof and internally there is evidence of a large rectangular opening (now infilled) with the timber lintel still in place. The walls are thick and the roof contains a series of 'A' frame trusses and staggered purlins with sawn timbers indicating a post 1840 building so perhaps not shown on the 1835 Sanderson plan although the Inn may be. There is evidence of stone buildings that would have been attached to the single storey cart shed in the form of 6 courses of stone walling running at right angles to the cart shed in a north- west direction. A tall brick wall now stands behind the low stone wall and marks the main boundary with the bus depot and a tall open sided lean-to with a corrugated metal roof abuts the stone and brick walls where previous structures once stood. Evidence of the previous buildings is shown on the 1875 plan indicating a range of 3 rectangular formed adjoining buildings that could well have been stables or similar given their size and shape as shown on plan. The public house is of two storeys with rendered elevations to the front and gable elevations and coursed stone wall to the rear parallel range both having slate roofs with gable stacks and a further ridge stack towards the eastern end of the main front range building. Windows are C20 casements and gutters are cast iron. The public house has also been extensively altered internally but the rectangular elongated plan form remains intact.

National Grid Reference

Building Name Spa Ponds and surrounding environs.

Number

Street Clipstone Drive
(Packmam's Rd)

Town Mansfield
Woodhouse

Date Listed 19/09/2018

Description Spa Ponds and environs covers about 5 hectares of land on the eastern edge of Mansfield, close to the border with Newark & Sherwood District Council and in relation to the townscape exists within the context of the rural/urban fringe. The site includes a bridleway and a bridge over the River Maun connecting Mansfield Woodhouse and Forest Town. The site features oak-birch woodland and other trees including sweet chestnut, as well as a series of spring-fed ponds. There are a range of heritage assets on and around the Spa Ponds site.

National Grid Reference

Building Name North Lodge Farm

Number

Street Common Lane

Town Mansfield
Woodhouse

Date Listed 19/09/2018

Description Range of farm buildings.

National Grid Reference

Building Name Stone single span bridge

Number

Street New Mill Lane

Town Mansfield
Woodhouse

Date Listed 19/09/2018

Description Stone single span bridge with blue brick lined arch, ruined stone approach walls containing arched window, function unknown.

National Grid Reference

Building Name Stone wall spanning road

Number

Street New Mill Lane

Town Mansfield
Woodhouse

Date Listed 19/09/2018

Description #Error

National Grid Reference

Building Name Meadow Cottage

Number

Street New Mill Lane

Town Mansfield
Woodhouse

Date Listed 19/09/2018

Description #Error

National Grid Reference

Building Name Former mineral railway

Number

Street Jubilee Way

Town Mansfield

Date Listed 19/09/2018

Description Route of a mineral railway is preserved along the western boundary of the site, within a wooded buffer.

National Grid Reference

Building Name Rhein 'O' Thorns

Number 1-6

Street Carter Lane

Town Warsop

Date Listed

Description set of 6no. random coursed rock-faced stone cottages, set far back within grounds but positioned so that an end gable face towards the location of the road. Replacement roofs of concrete pantiles, with tall shared brick chimney, various sized apertures having arched individual stone lintels and protruding stone sills, each property has shared single storey gabled extension to rear with further smaller/lower extension attached, to front looks to be porches and possibly bays.

National Grid Reference

Building Name The Hub formerly Dog and Rabbit Inn

Number 35

Street Sherwood Street

Town Market Warsop

Date Listed

Description red brick, 2-storey building, through gable roof, with part cross gable to the north and through gable to the front façade, slate roof with brick chimneys and plain bargeboards to gables. Timber cantered tops 6/6 sashes with protruding sills, single upended brick lintels, and bracketed canopy to entrance door. To south initially single storey extension, now 2-storey, also in brick, infilled entrance door.

National Grid Reference

Building Name Radmanthwaite Farm

Number

Street Radmanthwaite Road

Town Pleasley

Date Listed

Description Principal block is rendered with painted ashlar quoins and sill band and a concrete pantile roof. Lower block to right is made of painted stone with a slate roof. Central doorway with projecting keystone labelled '1739' behind later gabled porch. Flanked by pair of sashes in projecting ashlar surrounds. Above, 5 plain sashes with ashlar lintels and sills. Lower block to left has two modern windows with ashlar sills above a single opening with ashlar lintel. Subsidiary features: principal block is fronted by a red brick wall with a central timber gate; lower block is fronted by a stone wall. Barn – a hand threshing barn, later converted to machine threshing, named on Chapman's maps of 1774. Coursed local stone with red brick additions; clay pantile and concrete pantile roofs. West elevation contains large hand threshing opening, blocked up to receive machine threshing door. To the left, small red brick cross wing. East elevation mainly obscured by later buildings. Large threshing opening with timber doors. To the right, doorway with segmental red brick head. Interior: Collar roof with double through purlins and diagonal braces.

National Grid Reference

Building Name Victoria Hall

Number 43

Street Leeming Street

Town Mansfield

Date Listed

Description 2-3-4 storey, red brick building, situated at back edge of pavement, front section consisted of parapet to 3-sides of flat roof adjoining slate hipped roof of long rear hall, also constructed from red brick. Ground floor modern shop style format with 3no. double aperture, currently boarded up, and partially demolished flat canopy, above 3no 9pane window apertures with painted surrounds, above 2 no arched windows with panes, between blank aperture with logo implemented.

National Grid Reference**Building Name****Number** 25, 27 and 29**Street** Radcliffe Gate**Town** Mansfield**Date Listed****Description** 3-storey stone properties, with stepped eaves detail, concrete tiled roof, flush stone mullioned surrounds to 3-light small paned casement windows, with 3 shop fronts to the ground floor. Forms a range of assets with neighbouring properties.

National Grid Reference

Building Name Plymouth Brethren Chapel

Number

Street Radford Street

Town Mansfield

Date Listed

Description Tall single storey building, functioning as a chapel, balanced decorative gates to front forecourt with decorative iron railings above small brick wall with triangular copings partially surrounding the site. Central gabled entrance porch with 3no. larger arched apertures to either side and smaller arched aperture above apex, render from collar beam up to apex, with trefoil decorative panel. Stone flush bracket to gabled roof. Range of 4no. arched windows with stepped buttresses in between to south elevation with full height column to rear, 3no window ranges with buttressed to north with wrap around extension to rear corner with column to south and north entrance at this location has been infilled with brickwork, arched surround painted. Windows have protruding painted sills and painted arch surrounds, entrance door is plain with slightly protruding stepped pediment, painted. Blank rear.

National Grid Reference

Building Name Jamee Masjid formerly Gospel Mission Church

Number

Street Goodacre Street

Town Mansfield

Date Listed

Description tall single storey brick gable end building, positioned gable end to road, with brick piers to gable corners with stone finials to front façade, slate roof, stepped eaves. Brick cantered lintels to tall side casement windows, stone surround arched windows to front façade with keystone, semi-circular infilled fanlight with stone surround and keystone above rectangular fanlight to double timber entrance doors, with circular brick detailed window above.

National Grid Reference

Building Name King Edward School

Number

Street St Andrew Street

Town Mansfield

Date Listed

Description rectangular plan building, red brick with stone detailing, plain clay tiled roof and tall brick chimneys, 2no. central full width gables, with half gables either side, apart from southwest corner which has 3no.gables to west (through eaves style), stone kneelers and scroll brackets and breather slits, various window ranges with cantered brick lintels and stone band and stone sills, flat roofed with parapet with curved stone copings and piers with stone caps, canopy with brackets to entrance. Separate annex to the rear of the site, red brick and stone detailing, with plain clay tiled and slate roof and cupula, similar gable roof style but some are Dutch gables.

National Grid Reference

Building Name Sookholme Lodge Farm

Number

Street Carter Lane

Town Warsop Vale

Date Listed

Description stone farmhouse with brick extension, farmhouse L Plan, both with pantile roof, and brick chimneys. Site contains a range of stone farm buildings, one small brick extensions, and barn structures, which appear within the enclosed courtyard area, enclosed by stone walls. Barns have corrugated roof and metal supports and columns, farm buildings are a mixture of king post truss roofs and queen post truss roof, with pantile roofs. Gable of one stone farm building has been infilled with vertical timber planking with inserted apertures.

National Grid Reference

Building Name Queen Street frontage

Number 15-31

Street Stockwell Gate

Town Mansfield

Date Listed

Description 3-storey concrete structure, window and panel ranges, panel and glass panels, symmetrical in design with a central clock tower with stylised columns and continuous small panelled windows ranges.

National Grid Reference**Building Name****Number** 17-19**Street** High Street**Town** Market Warsop**Date Listed**

Description 2 shops, 2-storey, coursed stone, positioned eaves on to road, altered property, pantile and concrete tile roof, one coped one central gable with stone kneelers and replaced stone to form brackets, replaced gable stack, single storey stone extension to rear. Casement windows. No.19 infill brick and eaves gable.

National Grid Reference**Building Name****Number** 94**Street** Nottingham Road**Town** Mansfield**Date Listed**

Description 3-storey square plan double gabled building, constructed predominantly in rock-faced stone, with slate roof rear of property is rendered. Building and up to and inclusive of no.106 are a set of similar and different styled detached and semi-detached properties which are noted for their group value. Front elevation has central entrance door with slightly protruding ashlar stone surrounds and pedestals, double bays either side with ashlar stone details, above entrance door is a single sash window with a smaller sash window to 2nd floor, above bays to 2nd floors is also a single sash window but these are 2/2 panes, all windows have slightly protruding ashlar stone surrounds. Further detailing to front façade is ashlar stone bands and string course.

National Grid Reference**Building Name****Number** 96-98**Street** Nottingham Road**Town** Mansfield**Date Listed**

Description 3-storey, 'L' plan with adjoining centrally positioned original extensions to the rear, gabled slate roof, constructed in rock-faced stone to front façade with rear and visible side elevation constructed from red brick. Buildings with no.94 and up to and inclusive of no.106 are a set of similar and different styled detached and semi-detached properties which are noted for their group value. Property has a double gabled frontage but with a larger central connection to accommodate two separate entrance doors, property has double bays to the outside edge of the entrance doors. Entrance doors have overlights and protruding ashlar surrounds and pedestals, a section of lintel links the two adjacent surround details, adjacent to the outside of each door are double gables with ashlar stone details. Above each entrance door is a single window to first floor above which is a date plaque, '1896'. Above each double bay is a further single window, with the window to no.98 being slightly wider. All windows are vertical in emphasis with protruding ashlar stone surrounds. Further detailing to front façade is ashlar stone bands and string course

National Grid Reference**Building Name****Number** 100-102**Street** Nottingham Road**Town** Mansfield**Date Listed**

Description 2-storey 'L' plan with adjoining centrally positioned extensions to the rear, no.100 has been altered, slate hipped roof property with finials, constructed in rock-faced stone to front façade, red brick to rear. Buildings with no.94 and nos.96-98 and up to and inclusive of no.106 are a set of similar and different styled detached and semi-detached properties which are noted for their group value. Central large entrance doors with stone surround and pedestals and outer hoodmolds with stops, with entrances also having marginal and over lights. A single passageway entrance separates the entrance doors. Above each building entrance is single window. Adjacent to entrances are double bays which each terminate in a hexagon conical turret roof with finial. Windows have flush ashlar surrounds with protruding string course which functions also as sills to windows.

National Grid Reference**Building Name****Number** 104-106**Street** Nottingham Road**Town** Mansfield**Date Listed**

Description 3-storey semi-detached property, 'L' plan with adjoining centrally positioned extensions to the rear, no.106 has been much altered. Buildings and up to and inclusive of no.94 are a set of similar and different styled detached and semi-detached properties which are noted for their group value. No.104 has a slate roof, no.106 concrete tiled roof with rooflight. Properties are constructed in rock-faced stone to front façade red brick side and rear elevations. These double gabled frontages have a larger central connection to accommodate two separate entrance doors, Entrance doors have overlights and protruding ashlar surrounds and pedestals, adjacent to the outside of each door are double gables with ashlar stone details. Above each entrance door is a single window to first floor above which is a date plaque, '1895'. Above each double bay is a further single window, with the window to no.106 being slightly wider. All windows are vertical in emphasis with protruding ashlar stone surrounds. Further detailing to front façade is ashlar stone bands and string course.

National Grid Reference

Building Name Town House

Number 37

Street Stockwell Gate

Town Mansfield

Date Listed 04/07/2022

Description Linear building, 2-storey gable end property, stone, fronting onto Stockwell Gate (eaves on to road), with stone transom and mullion windows to ground floor, Mock-Tudor detailing to upper storeys with oriel canted bay windows and double and linear window ranges, stone kneeler brackets, plain tiled roof and stone chimenys. West return brick gable end structure, slate roof with brick chimneys, and timber sash windows. Modern central extension and lean-to's of no architectural merit.

National Grid Reference**Building Name** Pheasant Inn**Number****Street** Chesterfield Road South**Town** Mansfield**Date Listed**

Description Main building 3-storey with 2-storey extension/s to rear, stone, with single storey side extension possibly also in stone, render to front and part side elevations, stone 2 storey extension still evident to rear, front elevation dentine surrounds to windows to 1st and 2nd floor, the later functions also as a through eaves dormer, ground floor dentine double mullion surround windows, windows are modern replacement casements (uPVC), windows to side elevations single windows and double mullion windows, with protruding sills/lintels, front elevation double doors upper individual glazed panels with raised and fielded panel to deep kick plate, rectangular fanlight, side door single vertical plank door, rear extensions in brick, roof slate with tall chimneys.
