

LISTED BUILDINGS IN MANSFIELD DISTRICT

THE INFORMATION BELOW IS BASED ON THE REVISED LIST OF BUILDINGS OF SPECIAL ARCHITECTURAL OR HISTORIC INTEREST PRODUCED BY ENGLISH HERITAGE

National Grid Reference	SK5386660939	Grade	II
Building Name			
Number	9 and 11		
Street	Albert Street		
Town	Mansfield		
Date Listed	21/03/1994		
Serial Number	924-1/7/1		
Description	2 houses, now shop and offices. Early C19, with late C19 and mid and late C20 alterations. Coursed squared stone with stone dressings and concrete tile roof and panelled brick ridge stack. Stepped eaves.3 storeys; 3-window range. 2 margin light sashes to left and a tilting casement to right. Above, 3 tilting casements. All these windows have stone surrounds.Ground floor has a central late C20 shop front, flanked to right by an elaborate ashlar shop front, c1870. Shouldered opening with ringed square shafts and foliage capitals, and ornamented brackets to hooded fascia. Late C20 glazing and door. To left, a recessed doorway with mid C20 marble panelling and lettered fascia.		

National Grid Reference

SK5491559586

Grade

II

Building Name

Stable Court and attached farm buildings at Berry Hill Hall

Number**Street**

Berry Hill Lane

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/3/10

Description

Stable courtyard with attached farm buildings around 2 further courtyards. C1700, with C19 and C20 alterations and additions. Coursed squared rubble and brick, with ashlar dressings and hipped slate roofs. East range has to east a central entrance block, 2 storeys; 3-window range. Plinth, first floor and eaves bands. Central round-headed archway, now blocked, with double plank doors and overlight. On either side a square pitch hole, and below, single round-arched carriage entrances with double plank doors. On either side, a single-storey wing, 3 bays, the left one adjoining Berry Hill Hall (qv). Central plank door with overlight, flanked by single iron-framed glazing bar windows. Roofless right wing has 3 similar windows. West front has similar entrance block, 2 storeys; 3-window range. Central round-headed arch, now blocked, with doorway and blocked window. On either side, single round windows and below, single windows, all blocked. To right, a single-storey range, altered C19, with brick additions. To left, a roofless single-storey wing with a blocked window and a doorway. Adjoining north range, single storey; 6 bays. Now roofless. 6 round-headed carriage entrances, the left one open, the remainder blocked and filled with windows and doors. Northern front, to street, has 3 slightly projecting central round arches flanked to left by 2 blind windows and beyond, 2 slightly projecting round arches. To right, 2 blind windows. West range has a central entrance block, 2 storeys; 3-window range. To east, upper entrance arch flanked by single round blind windows. Below, single-storey brick lean-to with irregular fenestration across the whole front. West front also has central entrance block, 2 storeys; 3-window range. Plinth, string course and sill band, pyramid roof with square wooden cupola topped with square wooden dome. Central round-headed arch, now blocked, with double plank door and blocked overlight. On either side, a blind round window and below, a single blocked window. To right, single-storey barn, now roofless, with 2 blind windows flanked by 2 rows of breathers. To left, a low 2-storey wing with first-floor door and C20 external stair. Attached to the west, a single-storey farm building range with brick front. Projecting to the south, a further farm building range with brick front to east. Off-centre plank double doors flanked by two 2-light windows, and a plank door to right. Attached to west, a similar cartshed range with corrugated asbestos roofs and square stone piers to the openings. Further cartshed range projecting to south, with wooden piers and bricked up openings. 2 stable doors and 3 bricked-up windows.

National Grid Reference	SK5395863392	Grade	II
Building Name	2 - boundary wall and gate piers		
Number	2		
Street	Station Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	6/64		
Description	Boundary wall. C19 and gate. Coursed squared rubble. Gabled ashlar and half-round dressed stone coping. South side has a pair of panelled square gatepiers with pyramidal caps. To their right, C19 wicket gate in C17 style. Moulded round headed opening with hood mould and stepped coped gable. Panelled door with strap hinges. Approx. 150M long.		

National Grid Reference

SK5388263344

Grade

II

Building Name**Number**

22 and 24

Street

Station Street

TownMansfield
Woodhouse**Date Listed**

22/10/1986

Serial Number

6/65

Description

House, now house and shop. Mid C19. Ashlar, with C20 Roman tile roof. 2 storeys, 4 bays. L-plan. Windows are glazing bar sashes. South front has to left, carriage entry with timber lintel. To its right, C20 shop window and beyond, 2 sashes. To right again, door with ashlar imposts, round head and fanlight. To its right, a sash. Above, 3 sashes. Rear elevation has lean-to rear wing to left, and to its right, gabled rear wing. Between them, lean-to addition with porch. To right again, carriage entry with inserted glazing and door. Otherwise C19 and C20 fenestration.

National Grid Reference

SK5377963293

Grade

II

Building Name

Number

46

Street

Station Street

Town

Mansfield
Woodhouse

Date Listed

22/10/1986

Serial Number

6/66

Description

House. Late C17 and C18. Dressed stone with pantile roof and stone slate verges. 2 gable stacks. 2 storeys, 2 bays. Windows are C20 casements. East front has central doorway with chamfered ashlar surround and off-centre keystone. Flanked by single casements, that to left blocked. Above, 2 casements. To left, lean-to addition, single storey, single bay, with slate roof. Rendered. East side has door to right. South side has square hatch. South gable has to right, C19 door. Above, off-centre blocked window.

National Grid Reference	SK5373563248	Grade	II
Building Name	The New Inn		
Number	60		
Street	Station Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	6/67		
Description	<p>Public house. Early C19. Dressed stone with gabled and hipped concrete tile roof. 3 storeys, 3 bays. L-plan. Windows are C20 casements, glazing bar and plain sashes and Yorkshire sashes. South front has to left, door flanked by single casements. To its right, blocked doorway with casement, and beyond, a sash. Above, to left, 2 sashes, and to right, blocked door. Above again, to left, 2 Yorkshire sashes, and to right, a plain sash. All windows have rendered splayed lintels. East front has door flanked to left by single and to right by 2 sashes. Above, 4 sashes. Above again, to left, blocked opening and to right, 3 sashes.</p>		

National Grid Reference	SK5067355989	Grade	II
Building Name			
Number	82 and 84		
Street	Station Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	6/68		
Description	House. Early C18. Refronted early C19.. Snecked ashlar and dressed stone. Concrete tile roof. Ashlar dressings. Moulded eaves and coped gables with kneelers. 2 gable and single ridge stacks. 3 storeys, 3 bays. Windows are C19 leaded casements. South front has off-centre double panelled door in chamfered surround with large scrolled foliate brackets to hood. To left, 2 and to right single casements. Above, 2 casements. To their right, slate sundial. To right again, a casement. Above, 3 smaller casements, that to right partially blocked. West gable has, above again, half-round opening inserted in blocked window. East gable has, above again, a round opening.		

National Grid Reference	SK5322960122	Grade	II
Building Name	Drury Dam Viaduct		
Number			
Street	Quarry Lane		
Town	Mansfield		
Date Listed	15/10/1975		
Serial Number	924-1/7/98		
Description	Former railway viaduct, now carrying a footpath. C1875, restored c1989. Rock-faced stone and red brick, with red brick and ashlar dressings and a single cast-iron span. 10 round arches with red brick dressings, on a slight curve, spanning the River Maun. Single cast-iron skew arch at west end, spanning Quarry Lane. Round arch with pierced spandrels and panelled cast-iron parapet. On either side, pilaster buttresses, one to west, 2 to east.		

National Grid Reference

SK5430660973

Grade

II

Building Name

Number

33

Street

Ratcliffe Gate

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/8/100

Description

House, now shop and workshop. Early C18, with late C19 and late C20 alterations. Coursed squared stone and stucco, with steep pitched concrete tile roof. 2 storeys; 2-window range of 3-light glazing bar Yorkshire sashes. Both have stone surrounds, that to the narrower right window chamfered and rebated, the other flush. Off-centre board door with overlight, flanked to right by a late C19 shop window with shaped wooden brackets to fascia. To left, a 3-light boarded window with flush stone surround.

National Grid Reference

SK5358261317

Grade

II

Building Name

Number

37, 38 and 39

Street

St John Street

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/102

Description

3 houses, now 2 houses and office. C1820. Coursed squared stone with stucco gables and slate roofs with single gable and ridge stone stacks and renewed brick ridge stack. Plinth with 2 round-headed boot-scrapers, eaves band, projecting surrounds to windows and doors. 2 storeys; 6-window range of 12-pane sashes. To left, 2 round-arched doorcases with renewed 6-panel doors and fanlights, each flanked to right by a 12-pane sash. To right, a similar doorcase with C20 flush door and fanlight, flanked to left by a flat-headed entry opening and to right by a 12-pane sash.

National Grid Reference

SK5359561319

Grade

II

Building Name

Number

40

Street

St John Street

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/103

Description

House, now office and flat. c1820.. Coursed squared stone with ashlar dressings and slate roof with 2 gable stacks, the higher left one rendered. Plinth, eaves band, projecting window surrounds. 2 storeys; 3-window range of 12-pane sashes. Central round-arched painted stone doorcase with keystone and C20 flush door with fanlight. On either side, a 12-pane sash, the lower lights reglazed.

National Grid Reference

SK5361361315

Grade

II

Building Name**Number**

41

Street

St John Street

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/104

Description

Chapel, now furniture warehouse. C1830, with late C20 alterations. Coursed squared stone with ashlar dressings; roof not visible. Classical Revival style. Plinth, eaves cornice and blocking course. 3 storeys; 5 windows arranged 1: 3: 1. Projecting centre has three 12-pane sashes under moulded pediment. Below, 3 plain sashes and above them, 3 smaller C20 transomed casements. On either side, a square porch with cornice and blocking course, the left one higher. Each has an Egyptian-style doorcase with cornice and 4-panel double door. Above the right porch, a C20 transomed casement. Right return has string course and tall central opening. Above, 3 windows.

National Grid Reference

SK5488259575

Grade

II

Building NameCartshed 100 metres west of Stable Court at
Berry Hill Hall**Number****Street**

Berry Hill Lane

Town

Mansfield

Date Listed

16/01/1991

Serial Number

924-1/3/8

Description

Cartshed, with hayloft above. C1770, with late C20 alterations. Coursed squared stone with ashlar dressings and hipped concrete tile roof. 2 storeys; 6-window range with segment-headed openings, now blocked. Below, 6 segment-arched cart openings, the fourth and fifth covered by close boarded double doors, and the right one blocked. The open arches have steel posts replacing the piers. Left end has C20 double flight external stair leading to left doorway with plank door.

National Grid Reference

SK5349561340

Grade

II

Building Name

Church of St John the Evangelist

Number**Street**

St John Street

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/105

Description

Parish church. 1855-56, north porch 1906. Designed by HI Stevens Built by Charles Lindley of Mansfield, Paid for mainly by Henry Gally Knight, author of 'Ecclesiastical Architecture of Italy'. Mansfield and Ancaster stone ashlar, with ashlar dressings and steep pitched slate roofs with coped gables. Gothic Revival style. Plinth, sill band, string course, buttresses. PLAN: chancel, nave with clerestory and aisles, porches, vestry, and west tower with spire. EXTERIOR: chancel, 3 bays, has coped gable with cross and wavy pierced balustrades, and gabled buttresses to east end and south side. East end has traceried 5-light pointed-arch window. South side has 3 traceried 2-light pointed-arch windows with a segment-arched door under the central one. All the windows have hoodmoulds and stops. Blank north side has lean-to vestry with coped gables and to north, a flat-headed 2-light window flanked to west by a moulded double doorway with shafts and hoodmould. Nave has pilaster buttresses to clerestory, chamfered eaves with fleurons, and on either side, 5 pairs of 2-light pointed arch windows with hoodmoulds and stops. South aisle, 5 bays, has off-centre porch flanked to west by a 2-light pointed-arch window and to east by two 3-light, then a single 2-light pointed-arch windows. East and west ends have a single 4-light pointed arch window with Geometrical tracery to east and flowing tracery to west. All have hoodmoulds and stops. Gabled angle buttress at each end. North aisle, of similar design, has porch in the same position, and 3-light pointed arch window with flowing tracery at west end. East end blank. Gabled south porch has flanking buttresses, plain parapet and frieze with fleurons. Moulded doorway with double shafts and hoodmould with ballflowers. On either side, a flat-headed 2-light window. Smaller hipped north porch has plain square headed doorway to west. Central west tower, 3 stages, has stepped buttresses, string courses, gargoyles and pierced balustrade. Buttressed octagonal stair turret to south west, with trefoil frieze and spire with ball finial. Ground stage has to west a moulded doorway with shafts and hoodmould, and above it, a traceried 4-light pointed arch window. North and south sides have single lancets with hoodmoulds. Middle stage has a single lancet on 3 sides. Bell stage has two louvred 2-light bell openings on each side with linked hoodmoulds. Set-back octagonal broach spire has patterned string courses, ball finial and weathercock. 3 tiers of gabled lucarnes on alternate faces. INTERIOR: chancel has triple moulded arch with hoodmould, painted text and filleted shafts with foliage capitals. Sill band and scissor braced roof. East end has elaborate full width stone rederos with depressed ogee arches, flanked by single larger gabled niches. Stained-glass window, 1870. South side has central door and 3 stained-glass windows, 1869, 1875, 1880. North side has pointed-arched central doorway flanked to left by a pointed-arched organ opening with tracery and central shaft. To right, a pointed-arched canopied niche with shafts, containing a panel with the Beatitudes. Nave has arch braced roof with wooden shafts on foliage corbels. Enriched clerestory sill band. 5-bay arcades with octagonal piers, moulded capitals and double moulded arches with hoodmoulds,

stops and painted texts. West end has tall segmental pointed tower arch dying into responds. Good quality stained-glass west window, 1905. South aisle has arch braced lean-to roof with wall shafts. At the east end Lilley Memorial Chapel, 1926, with stained-glass east window, 1853. Eastern windows have stained glass, 1855 and 1870. To west, pointed arched doorway flanked by stained-glass windows 1960 and 1955. North aisle has similar roof. Pointed arched north door and opening at east end containing organ pipes. South porch has moulded inner doorway with shafts, hoodmould and stops. FITTINGS: traceried panelled square font with corner shafts, and similar shafts to the stem. Traceried octagonal wooden pulpit dated 1886. Wooden eagle lectern, stalls, desks and benches with ogee tracery and panelled fronts, all C19. MEMORIALS: wooden war memorial plaque with bronze tablet, c1918.

National Grid Reference

SK5349061305

Grade

II

Building Name

Wall and gate piers to Churchyard of St John the Evangelist Church

Number

Street

St John Street

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/106

Description

Churchyard wall and gate piers 1856. Coursed squared stone wall with gabled coping, approx 150m long. Central pair of square ashlar gate piers with stepped gabled caps with trefoils. Wrought-iron gates, 1956. At the east end, a similar pair of gate piers, and another adjacent pair with moulded flat caps.

National Grid Reference	SK5052963283	Grade	II
Building Name	Farmhouse and adjoining barn		
Number			
Street	Sampson's Lane, Moorhaigh		
Town	Mansfield		
Date Listed	17/03/1978		
Serial Number	924-1/1/155		
Description	<p>Farmhouse and adjoining barn. Late C15, mid C18 and early C19, with C19 and C20 alterations Barn is now a dwellingCruck frame, coursed rubble and ashlar with ashlar dressings and slate and corrugated asbestos roofs. 2 gable stacks, one brick, one stone. Farmhouse, to left, refronted mid C18. 2 storeys; 2-window range of C20 two-light plastic-framed casements. Central C20 door with heavy stone surround, flanked to left by a 2-light casement with stone flush mullions, and to right by a smaller 2-light casement with stone lintel. Right gable has an exposed pair of crucks with span beam, pegged ridge and collar, set on a late C18 brick plinth. Wattle and daub infill. INTERIOR: contains 2 similar pairs of crucks, dated by dendrochronology to C15. Barn, to right, has an off-centre plank loft door. Below, to left, a wide stable door with wooden frame, flanked to right by a smaller board door. Roof structure renewed late C19.</p>		

National Grid Reference	SK5299359899	Grade	II
Building Name	Matlock Mill		
Number			
Street	Sheepbridge Lane		
Town	Mansfield		
Date Listed	17/03/1978		
Serial Number	924-1/3/101		
Description	<p>Former water-powered textile mill, now joinery works. Late C18, with C19 and late C20 alterations Coursed squared stone with stone dressings, brick additions and slate roof with a brick gable stack. Plinth and quoins. Stone lintels to first-floor windows, flat arches to most ground-floor windows. 2 storeys; 11-window range of unequally hung 20-pane sashes, some of them partly reglazed. Below, to left, a board door, flanked to left by two 4-light casements and to right by eight 20-pane sashes. To right, a 6-pane casement and a board door. Rear has to left a late C20 two-storey brick addition. To its right, eight 20-pane sashes. Below, seven 20-pane sashes, some of them altered, and to right, a blocked round wheel arch. Above it, an altered glazing bar sash and a 4-pane casement. Left gable has late C20 loft door and window above, and a single storey lean-to addition. Right gable, to street, has an altered loft door, now at ground level, flanked to right by a 2-light casement. Beyond, C20 addition with 3 windows.</p>		

National Grid Reference

SK5369460855

Grade

II

Building Name

Brunel's Public House

Number**Street**

Station Road

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/7/107

Description

Former railway station, now public house. 1872, converted and altered late C20 . Built for the Midland Railway Company. Coursed squared stone with hipped slate roofs and 2 ridge and 3 side wall stacks with bracketed cornices. Italianate style. Plinth, string course, rusticated quoins, moulded eaves. Single storey; 11-window range. Approach side has a higher projecting central block with an entrance in the form of a Venetian window. Panelled double door with overlight and fanlight in moulded surround with scroll keystone, flanked by single windows with side pilasters and cornices. Each return has a panelled double door with overlight and cornice on scroll brackets. Beyond, on either side, wings with 5 margin-light sashes with cornices on scroll brackets, 2 to right partly reglazed. The central opening of the left wing has been altered to form a door. Left return has 2 similar windows, partly reglazed, flanked by single panelled doors with fanlights and moulded surrounds. Right return a lean-to projection and a flat-roofed toilet block with 3 small windows. Platform side has moulded cornice and parapet and projecting end bays. In the centre, 3 round arches with moulded heads and square piers. To left, a doorway with fanlight, flanked by single windows, the left one blocked, linked by string course and hoodmould. To right, a large square opening with infill panel and 2 late C20 casements. Left end bay has a triple plain sash with projecting surround and cornice. Right end bay has a square headed opening with pilasters and cornice, with infill panel and a late C20 casement.

National Grid Reference

SK5369560896

Grade

II

Building Name

Midland Hotel

Number**Street**

Station Road

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/7/108

Description

Formerly known as: Broom House, Station Road. House, now hotel. C1820, converted c1870, with late C20 alterations and additions. Coursed squared stone, painted, with ashlar dressings and hipped and gabled concrete tile roof with 3 ridge and single gable stone stacks. Plinth, string course, rusticated quoins, moulded eaves. 2 storeys; 5-window range of margin light sashes. Windows have projecting surrounds. Projecting central bay has quoins and wooden porch with Doric columns and open pediment. Panelled door with fanlight. On either side, 2 late C20 top hung casements. Beyond, to left, a single-storey flat-roofed addition with a single window and door with fanlight. Each return has three 12-pane sashes on the first floor, and right rear wing has 3 similar smaller windows with lintels.

National Grid Reference

SK5384360861

Grade

II

Building Name

Railway Inn Public House

Number

9

Street

Station Street

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/7/109

Description

Public house. Early C19, with mid C19 addition and late C20 alterations. Squared dressed stone, the front painted, and brick, with concrete tile roof and 3 brick gable stacks. 3 storeys; 3-window range. L-plan. Central round-arched glazing bar stair window flanked by single 16-pane sashes and above, two 12-pane sashes. Central late C20 door with round head and fanlight, flanked by single 16-pane sashes, the left one smaller. 2-storey rear wing has 3 windows.

National Grid Reference

SK5378461069

Grade

II

Building Name

Number

3

Street

Stockwell Gate

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/110

Description

House, now shop. C1800, with mid C19 and late C20 alterations. Coursed squared stone, painted, with stone dressings and slate roof. Norwich Union fire insurance plaque on first floor. 3 storeys; 3-window range of plain sashes. Above, a central blind window flanked by single plain sashes. All these windows have projecting surrounds, and the second-floor windows are smaller. Ground floor has to left a late C20 shop front with tiled surround and to right, a plain carriage entrance, under a common wooden fascia.

National Grid Reference

SK5377261070

Grade

II

Building Name

Number

5 and 7

Street

Stockwell Gate

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/111

Description

2 houses, now 2 shops. c1770, with mid C19 and late C20 alterations. Coursed squared stone, painted, with stone dressings and steep pitched slate roof with 2 brick gable stacks and single coped gable. Norwich Union fire insurance plaque on first floor. 3 storeys plus garrets; 4-window range of plain sashes, and above, 4 similar smaller sashes. All these windows have projecting surrounds. Below, 2 late C20 shop fronts with tiled surrounds and plastic fascias. In each gable, a small garret window, that to right with a 4-pane sash.

National Grid Reference

SK5376461069

Grade

II

Building Name**Number**

9

Street

Stockwell Gate

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/112

Description

Former public house, now building society office. Dated 1888, restored and remodelled c1990 Ashlar with slate roof. Jacobean Revival style. Plinth, angle pilasters, cornices to each floor, coped parapet with moulded and shouldered central gable. Central round cornered oriel window with fluted bracket and frieze with swags, topped with a pedimented gable dated 1888. Central plain sash with round-headed top light, flanked by single curved sashes. Beyond, on either side, tripartite plain sashes with panelled pilasters. Above each window, double swags and below them, shaped aprons. Angle pilasters are fluted. Ground floor has central round-cornered moulded doorway with panelled pilasters, enriched keystone and floral spandrels. C20 metal-framed glazed door and overlight. On either side, late C20 shop windows.

National Grid Reference

SK5408861064

Grade

II

Building Name**Number**

5

Street

Bridge Street

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/6/13

Description

House, now house and shop. Late C17, with mid C19 and late C20 House, now house and shop. Late C17, with mid C19 and late C20 additions and alterations. Coursed squared stone and brick, painted and partly rendered, with stone dressings. Steeply pitched slate roofs, coped front gable with kneelers, and single brick ridge stack. 2 storeys plus attics; 2-window range. Facing gable has a paired plain sash with renewed central mullion, and above, a similar window. Below, a late C19 single-pane shop window with wooden surround, and to its left a C20 door. Right return has, to right, a 2-light Yorkshire sash, and above, a raking dormer with a similar window and glazing bars. Below, a C19 six-panel door and to its right, a 3-light casement. Slightly projecting C19 addition, to right, has a plain sash, and above and below it, a C20 two-light casement.

National Grid Reference	SK5377861105	Grade	II
Building Name			
Number	10 and 12		
Street	Stockwell Gate		
Town	Mansfield		
Date Listed	21/03/1994		
Serial Number	924-1/5/113		
Description	House, now 2 shops and photographic studio. Early C19, with mid C19 and late C20 alterationsCoursed squared stone, painted, with stone dressings and slate roof with 2 brick gable stacks. Moulded eaves. 3 storeys; 2-window range of plain sashes. Above, 2 smaller 20-pane sashes, the lower lights reglazed with single panes. Ground floor has 2 late C20 shop fronts, and to right, a doorway.		

National Grid Reference

SK5358461008

Grade

II

Building Name**Number**

53, 55 and 57

Street

Stockwell Gate

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/114

Description

3 houses, now 3 shops. Mid C18, with late C19 and late C20 alterations. Coursed squared stone, partly rendered, with ashlar dressings and concrete tile and plain tile roofs. Single brick ridge stack and capped gable stack. Quoins, chamfered eaves, gutter on brackets. 3 storeys; 5-window range. To left, a stone mullioned 2-light casement, flanked to right by a single light casement. To right 2 stone mullioned 2-light casements. Above, 3 similar 2-light casements, boarded up. Ground floor has 3 late C20 shop fronts under a full-width late C19 wooden cornice.

National Grid Reference	SK5403361494	Grade	II
Building Name	5-11 (including walls to front gardens)		
Number	5 - 11		
Street	Terrace Road		
Town	Mansfield		
Date Listed	17/03/1978		
Serial Number	924-1/6/115		
Description	<p>4 houses (5-11 Odd), now houses, surgery and hotel, and adjoining boundary wall. C1820, with mid C19 and C20 alterations. Coursed squared stone with ashlar front and dressings. Slate roofs with single stone ridge stack and 3 ridge and single gable brick stacks. Plinth. 3 storeys; 12-window range. Second floor windows are smaller. To left, 4 plain sashes. To their right, 6 late C20 casements, then two 12-pane sashes. Above, a 9-pane sash flanked to left by a C20 casement and to right by 4 similar casements. To right, six 9-pane sashes, one partly reglazed. Ground floor has to left a doorcase flanked to left by a plain sash, and to right by 2 similar sashes. To right, a doorcase flanked by a C20 casement and a plain sash. To right again, a doorcase, then 2 plain sashes and two 12-pane sashes. All these doorcases are stone, panelled, round-headed, and have imposts and keystones, 6-panel doors and fanlights. Right gable has a set back flat-roofed single storey porch with a similar doorcase, door and fanlight, covered by and ornate openwork cast-iron canopy with round-arched openings and anthemion motifs. Right side has 2 round-headed windows. SUBSIDIARY FEATURES: adjoining low boundary wall, ashlar with gabled coping and rounded corner to left. Right end truncated and squared off.</p>		

National Grid Reference

SK5396461233

Grade

II

Building Name**Number**

7 and 9

Street

Toothill Lane

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/116

Description

House, now 2 shops. Late C17, with mid C19 and early and late C20 alterations. Sham timber-framing with rendered nogging, possibly covering genuine timber-framing. Rendered right gable, and steep pitched concrete tile roof. 2 storeys; 2-window range of margin-light sashes. Below, 2 early C20 wooden shop fronts with single windows and glazed doors, the right one recessed. Shaped brackets to fascias. Between the shop fronts, an entry doorway. Right gable has an early C20 shop window to left, with wooden surround and fascia.

National Grid Reference	SK5382761141	Grade	II
Building Name	Westgate House		
Number	1 and 1A		
Street	West Gate		
Town	Mansfield		
Date Listed	30/04/1975		
Serial Number	924-1/5/118		
Description	2 houses, now 2 shops. Mid C18, with late C19 and late C20 alterations. Coursed squared stone, painted, with stone dressings and slate roof. Rebated eaves with gutter on brackets, quoins to right corner. 3 storeys; 3-window range of 12 pane sashes, the right one set lower. Above, an unequally hung 12-pane sash to left, and a larger 9-pane sash to right. All these windows have projecting surrounds. Ground floor has 2 late C20 shop fronts with plastic fascias.		

National Grid Reference

SK5380561156

Grade

II

Building Name

Number

7

Street

West Gate

Town

Mansfield

Date Listed

30/04/1975

Serial Number

924-1/5/122

Description

House, now shop. C1780, with c1870 and late C20 alterations. Stucco with stone dressings and concrete tile roof. Rebated eaves, gutter on brackets. 3 storeys; 2-window range. On the first floor a mid C19 full-width shop window with 5 round-cornered lights and slender mullions with decorated spandrels. Fascia and moulded cornice. Above, two 9-pane sashes, offset to the right, with projecting stone surrounds. Ground floor has full-width late C20 shop front with pilasters and fluted brackets to small cornice.

National Grid Reference

SK5373961244

Grade

II

Building Name**Number**

36, 38 and 38A

Street

West Gate

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/124

Description

2 houses, now 2 shops. Early C19, restored and ground floor rebuilt c1990. Coursed squared stone with ashlar ground floor and dressings, and slate roof with coped gables and 2 coped ashlar gable stacks. Quoins and moulded eaves cornice. 3 storeys; 4-window range of plain sashes, and above, 4 smaller plain sashes, the lower windows are renewed and have renewed projecting stone surrounds. Ground floor has 2 glazed shop fronts with plastic fascias.

National Grid Reference	SK5369861217	Grade	II*
Building Name	Waverley House		
Number	37		
Street	West Gate		
Town	Mansfield		
Date Listed	19/12/1955		
Serial Number	924-1/5/125		
Description	<p>House, now offices. 1754, with late C19 alterations; restored late C20. Ashlar and coursed squared stone, painted, with ashlar dressings and slate roofs with 2 renewed brick gable stacks and single coped gable. Plinth, first floor band and sill band, chamfered quoins, modillion main cornice. 3 storeys; 5-window range of 12-pane sashes with eared architraves, cornices and aprons. Central sash also has volutes, pseudo-balustrade and curly dentillated pediment dated 1754. Above, 5 smaller 6-pane windows with eared architraves. Doorcase with pediment on Doric columns, with panelled recess and 6-panel door. On either side, 2 windows with Gibbs surrounds and rusticated aprons, those to left are plain sashes, and those to right C20 plain windows. Right return has first and second floor bands. Gable to left has on each floor two 2-light blocked casements with stone flush mullions and projecting surrounds. Second floor windows are smaller. Rear wing, to right, has 2 similar windows, 2 and 3 lights, with the mullions removed and reglazed with plain sashes. Above, a smaller 2-light and 3-light window with flush mullions. Below, to left, a doorway with Gibbs surround, containing a plain sash. To right, an unequally hung 30-pane sash in a stone surround. INTERIOR has stairwell with enriched modillion cornice with fleurons, and leafy ceiling bosses. Cantilever stone winder stair with iron stick balusters and ramped scrolled handrail. First landing has 4 moulded and enriched doorcases with broken pediments and fielded 6-panel doors in panelled recesses. Ground-floor hall has 5 enriched doorcases with similar doors. Ground-floor right front room has moulded cornice and span beam, elliptical-arched alcove and wooden fireplace with eared surround, cornice and lattice frieze.</p>		

National Grid Reference

SK5411161078

Grade

II

Building Name

The Bridge Tavern Public House

Number

9

Street

Bridge Street

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/6/14

Description

House, now public house. Late C17, with mid and late C19 and C20 additions and alterations. Coursed squared rubble and brick, with stone dressings and steep pitched pantile, slate and plain tile roofs which give a confused and untidy appearance. Single brick ridge and gable stacks. 2 storeys plus garrets; 5-window range. T-plan. Gable to street, has a plain sash to first floor and garret, and below, a late C19 two-light plain sash with central shaft, all with projecting painted stone surrounds. Left return has irregular fenestration with a plain sash in rendered surround, flanked to left by a 4-light glazing bar casement and to right by two 2-light and 1 single-light casements, all late C20. Below, central C20 door flanked by single margin-light sashes. To right, a similar sash and C20 door. All these openings have rendered surrounds. To left, a blocked doorway containing a window, and to left, 2 smaller windows. Beyond, set back C19 brick addition, 2 storeys, with a side wall stack. Rear has to left a splayed corner. Above, C20 wooden cross casement and below, a C19 four-light stone mullioned window. Rear wing has to left a single bay with a low parapet and a 4-light stone mullioned window on each floor, flanked by a single-light window to right. To right, 3 single casements. Below, a C19 two-light stone mullioned window, then a segment-headed doorway.

National Grid Reference

SK5369061236

Grade

II

Building Name

Number

39

Street

West Gate

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/126

Description

House, now shop. C1820, with late C20 alterations. Coursed squared stone, the front rendered and painted, with ashlar dressings and gabled and hipped slate roof with brick side wall stack. Quoins to front, gutter on brackets. 2 storeys; 2-window range of 12-pane sashes with projecting surrounds. Full-width late C20 shopfront and fascia. Left return, to Union Street, has a central 12-pane sash with projecting surround and below, a round-arched stone doorcase with fielded 6-panel door and fanlight.

National Grid Reference

SK5370261250

Grade

II

Building Name**Number**

39B, 41, 43 and 43A

Street

West Gate

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/127

Description

House, now shop and offices. C1800, with mid and late C20 alterations. Stucco with slate roof and 2 gable stacks, 2 of them rendered. Quoins and plain eaves. L-plan. 3 storeys; 5-window range of 12-pane sashes with moulded eared architraves. Above, 3 similar windows. Central mid C20 ashlar doorcase with glazed door, flanked by single late C20 shop fronts with fascias, the right one continued along the right return. Right return has, to right, three 12-pane sashes on the first floor, with projecting surrounds.

National Grid Reference

SK5370361278

Grade

II

Building Name**Number**

48 and 50

Street

West Gate

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/129

Description

2 houses, now 2 shops and offices. C1810, restored and rebuilt, 1990. Coursed squared stone with ashlar dressings and slate roofs with single gable and ridge brick stacks. Quoins to left, eaves band. 3 storeys; 3-window range of 16-pane sashes and above, 3 unequally hung 12-pane sashes. All these windows are late C20 and have projecting stone surrounds. Below, late C20 wooden shop front in late C19 style, flanked to left by a partly blocked entry doorway with keystone lintel, and to right by a shop front.

National Grid Reference

SK5365561293

Grade

II

Building Name

Number

57

Street

West Gate

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/130

Description

House, now shop and disused offices. C1790, with late C19 and late C20 alterations. Coursed squared stone, painted, with stone dressings and slate roof with 2 gable and single ridge brick stacks. Quoins, chamfered eaves, gutter on brackets. 3 storeys; 3-window range of 12-pane sashes with projecting surrounds. Above, three 9-pane sashes with similar surrounds. Ground floor has full-width late C20 shop front with fascia.

National Grid Reference

SK5364161304

Grade

II

Building Name**Number**

61 and 63

Street

West Gate

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/132

Description

2 houses, now nightclub and shop. Mid C18, with C19 and late C20 alterations.. Coursed squared stone with ashlar dressings and slate roof with central rendered brick stack. Quoins, sill band to each floor, moulded eaves cornice, gutter on brackets. 3 storeys; 2-window range. 2 simplified Venetian windows with projecting surrounds and keystones, the right one with glazing bars, the left reglazed as a wooden-framed cross casement with blank fanlight. Above, two 3-light windows with stone flush mullions and projecting surrounds. Right window has a 9-pane sash. Left window reglazed as a cross casement. Ground floor has to left a rendered bay with large recessed entrance and to right, a C20 door. To right, a late C20 shop front with fascia, with an additional window overlapping the building to right.

National Grid Reference

SK5367661308

Grade

II

Building Name**Number**

62 and 64

Street

West Gate

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/133

Description

2 houses, now café and shop. Late C17 and mid C18, with mid C19 and late C20 alterations. Restored c1989. Coursed squared stone with stone dressings, concrete tile roofs. Plinth. 2 and 3 storeys; 2:2 windows. 3-storey facing gable, to right, has C19 traceried barge-board. 2 renewed 12-pane sashes and above, 2 similar sashes, all with projecting surrounds. Altered C19 shop front with single pane window to left and glazed door to right. 2-storey block to left has 2 plain sashes with projecting surrounds. Ground floor has late C19 wooden shop front with pilasters and cornice, with single-pane window to left and glazed door and overlight to right. To right, a former entry with stone lintel, with infill panel and single-pane window. In the former entry, a C19 wood-cased lead pump and stone trough. Right range has chamfered span beams to ground floor.

National Grid Reference

SK5364061318

Grade

II

Building Name

Number

65

Street

West Gate

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/134

Description

House, now shop. C1800, with mid C19 and late C20 alterations. Coursed squared stone (paint now removed) with stone dressings and plain tile roof. 3 storeys; 2-window range of plain sashes and above, 2 similar smaller sashes. All these windows have projecting surrounds. Ground floor has to right, a late C20 shop front with fascia, and to left, a single-pane shop window.

National Grid Reference

SK5363961328

Grade

II

Building Name**Number**

67 and 69

Street

West Gate

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/135

Description

2 houses, now café and vacant shop. C1800, with mid and late C20 alterations. Coursed squared stone and brick, with painted front to No.69, stone dressings, slate roof and 2 gable and single central brick stacks. 3 storeys; 4-window range of 12-pane sashes. Above, to left, 2 late C20 casements, and to right, two 9-pane sashes. Second-floor windows are smaller. All these windows have projecting surrounds. Ground floor has to left mid C20 shop front with fascia under canopy, and to right, late C20 shop front with roller shutter.

National Grid Reference	SK5367361341	Grade	II
Building Name	Cromwell House		
Number	68		
Street	West Gate		
Town	Mansfield		
Date Listed	20/10/1978		
Serial Number	924-1/5/136		
Description	<p>House, now offices. Mid C17, with alterations and additions early C19, 1870 and mid C20. Coursed squared stone with rendered front, ashlar dressings and slate roof with coped gables and 2 rendered gable stacks with cornices. Stone plinth and chamfered eaves. 2 storeys plus attics; 7-window range, arranged 2:3:2. Central bay has a small glazing bar sash, partly reglazed, flanked by single 12-pane sashes. Beyond, on either side, 2 similar sashes. Above, 3 large through-eaves dormers with coped gables, each with a stone mullioned 3-light casement and label mould. Central mid C20 panelled double door and overlight, flanked in the outer bays by two 12-pane sashes, that to the right partly reglazed. At the rear, C19 rendered additions, single-storey gabled and 2-storey with flat roof. INTERIOR: entrance hall with dentillated cornice and span beam, and mid C19 Gothic-style fireplace. 2 moulded 6-panel doors. Stone cantilever staircase with decorative cast-iron balustrade and ramped scrolled handrail.</p>		

National Grid Reference

SK5363261335

Grade

II

Building Name**Number**

69A

Street

West Gate

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/137

Description

House, now shop. C1800, with mid C19 addition and late C20 alterations. Coursed squared stone with stone dressings and hipped and gabled slate roof and brick side wall stack. 3 and 2 storeys; 2 x 6 windows. West Gate front has 2 plain sashes and above, to left, a smaller 9-pane sash and to its right, a blocked window. All these windows have projecting surrounds. Ground floor has a mid C20 shop front, altered late C20, with glazed double corner door and sidelights, flanked by a single-pane window on each return. Right return, to St John Street, has to left a 3-storey block with central round-arched glazing bar stair window. On the first floor, a blocked window to left and two 12-pane sashes to right. Above, a smaller 9-pane sash to left, and 2 similar windows to right. All these windows have projecting surrounds. Blank rendered ground floor. 2-storey addition, to right, has 2 smaller 12-pane sashes and blank ground floor.

National Grid Reference

SK5412661072

Grade

II

Building Name**Number**

13, 15 and 17

Street

Bridge Street

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/6/15

Description

House, now shop. Late C16 and mid C18, with C19 and late C20 alterations Coursed squared rubble, the front of coursed local limestone with brick and stone dressings and slate roofs with 3 brick gable stacks. 2 storeys; 2-window range of 3-light casements with wooden mullions and stone surrounds. Below, between the windows, a painted sundial with stepped head inscribed "R B S 1763". Ground floor has late C20 shop front with 2 large windows, glazed door and fascia. Lower rear wing has jettied first floor on stone corbels, and brick coped gable. Off-centre C19 door and above, irregular fenestration with plain sashes and casements

National Grid Reference	SK5365961382	Grade	II
Building Name	New Inn Public House		
Number	70		
Street	West Gate		
Town	Mansfield		
Date Listed	17/03/1978		
Serial Number	924-1/5/138		
Description	<p>Public house. Mid C17, with late C19 and mid and late C20 alterations. Coursed squared stone with painted stucco front, ashlar dressings and slate roof with single brick gable stack. Rendered plinth and first-floor band. 2 storeys plus attics; 3-window range, arranged 2:1. Two mid C19 margin light sashes to left, and a similar sash to right. Above, two C19 gabled dormers with pierced barge-boards and 2-light casements. Central mid C20 reconstituted stone doorcase with paterae, flanked by single transomed casements and beyond, single 3-light cross casements, all C20. Right gable has on the first floor two 3-light stone mullioned casements, renewed mid C20, with label moulds. Lower 2-storey rear wing has a stone side wall stack.</p>		

National Grid Reference

SK5365061386

Grade

II

Building Name

Number

72 and 74

Street

West Gate

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/139

Description

House, now 2 shops. Late C17, refronted late C19, restored and with alterations late C20. Stucco with steep pitched renewed pantile roof and renewed central brick ridge stack. 2 storeys plus attics; 2-window range of 2-light glazing bar sliding sashes. Above, 2 raking dormers with 2-light glazing bar casements. Below, to left, C20 glazed door flanked to right by a small single-pane shop window. To right, a late C19 wooden shop front with brackets to fascia, and single-pane window and glazed door with overlight. To its right, an entry with close boarded door.

National Grid Reference

SK5360261400

Grade

II

Building Name**Number**

89 and 91

Street

West Gate

Town

Mansfield

Date Listed

08/08/1975

Serial Number

924-1/5/140

Description

2 houses, now restaurant and flat. C1800, with late C20 alterations. Coursed squared stone with rendered and painted ground floor, painted stone dressings and slate roof with single ridge and gable stone stacks. Quoins, eaves band and projecting surrounds to windows and doors. 3 storeys; 3-window range. Near central round-headed glazing bar stair window with keystone and impost, flanked by single 12-pane sashes. Above them, smaller 9-pane sashes. Under the stair window, a round-arched doorcase with keystone and impost, C20 panelled door and plain fanlight. To left, a reglazed window and beyond, a similar doorcase with C20 half-glazed door and plain fanlight. To right, an altered window with a C20 door and fanlight inserted. Left return has a plain sash and above, a 2-light mullioned casement. Below, a window and door.

National Grid Reference

SK5359861411

Grade

II

Building Name**Number**

93, 95 and 97

Street

West Gate

Town

Mansfield

Date Listed

08/08/1975

Serial Number

924-1/5/141

Description

3 houses with knitters' workshops, now 3 shops. Early C19, with late C20 alterations. Coursed squared stone, the front painted, with painted stone dressings and slate roof with 2 ridge stacks, one rebuilt in brick. Plinth and eaves band, projecting painted stone surrounds to windows. 3 storeys; 3-window range arranged 2:1, with two 12-pane sashes to left and a similar sash to right. Above, three 9-pane sashes similarly arranged. Below, 3 late C20 shop fronts, the left one rendered, both outer fronts with plain rendered doorcases. Right gable has a central segment-headed 8-pane casement, and above, to right, a 3-light Yorkshire sash. Rear has three 4-light knitters' windows, partly reglazed, to the second floor.

National Grid Reference

SK5371561238

Grade

II

Building Name

Old Market Cross

Number

Street

West Gate

Town

Mansfield

Date Listed

19/12/1955

Serial Number

924-1/5/142

Description

Market cross in the form of a sundial. C1600, restored late C20. Ashlar. Slightly tapered round shaft topped with a cubical sundial with brass gnomons and ball finial. Chamfered plinth and square pedestal. Square base of 2 steps.

National Grid Reference

SK5346961530

Grade

II

Building Name

Westfield Folk House Youth Centre

Number**Street**

Westfield Lane

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/144

Description

House, now youth centre. C1830, with late C19 and late C20 alterations.. Coursed squared stone with ashlar front, ashlar dressings and hipped slate roof with 2 ridge and single rear wall coped stone stacks. Plinth and rebated eaves. 3 storeys; 3-window range. Square plan with 2-storey rear service wing.entrance front has 3 margin light sashes with double keystone lintels, and above, three 9-pane sashes with single keystone lintels. Central square flat-roofed porch with paired Doric pilasters and cornice, Moulded 4-panel door with overlight, in moulded surround. On either side, a single small plain sash. Beyond, single plain sashes with double keystone lintels. Right return has to left a margin-light sash and to right a 12-pane sash. Above, to right, a 9-pane sash. All these windows have projecting surrounds. Below, to left, a large square porch identical to the front porch, the door replaced by a large 6-pane window. To its right, a large tripartite glazing bar window with wooden mullions. Left return has to left a 12 pane sash and above it, a 9-pane sash, with projecting surrounds. Ground floor has, to left, a French window with overlight, and to right a canted stone bay window with parapet and 3 plain sashes. INTERIOR. entrance corridor has enriched frieze, 2 round arches and 4-panel doors. Stone cantilever dogleg stair with cast-iron twist balusters. Ground-floor right front room has enriched cornice and ceiling boss. Ground-floor left rear room has moulded cornice and 2 round-headed alcoves.

National Grid Reference	SK5394261069	Grade	II
Building Name	Railway Viaduct		
Number			
Street	White Hart Street		
Town	Mansfield		
Date Listed	30/04/1975		
Serial Number	924-1/5/145		
Description	Railway viaduct. 1875, restored late C20. Built for the Midland Railway Company. Brick arches with rock-faced ashlar facing and ashlar dressings. String course and flat coping, patched with concrete. 13 round arches laid out on a slight curve, those spanning Market Street and Church Street with pointed voussoirs and flanking pilaster buttresses. At the south west end, a similar buttress.		

National Grid Reference

SK5426461686

Grade

II

Building Name

Portland House - Carr Bank (now known as Mansfield Manor)

Number**Street**

Windmill Lane

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/6/146

Description

Country house, now hotel. Early C19 with mid C19 and C20 additions and alterations. Ashlar with ashlar dressings and hipped slate roofs with 4 ridge stacks, 2 of them capped. Moulded cornices. 2 storeys; 3 bays. South front has central semicircular painted ashlar porch with clustered columns and cornice. Glazed door flanked by tall glazing bar windows, all with overlights. Plain round-headed ashlar inner doorcase with half-glazed door with etched glass panels, and fanlight. Above the porch, a canted slate hung bay window with cornice and 3 plain sashes. On either side, a canted 2-storey stone bay window with first-floor sill band and moulded cornice. 3 plain sashes on each floor, the lower ones taller. Rear has a large 2-storey addition in rock-faced stone. INTERIOR: staircase hall has mutule ceiling cornice, Adam-style frieze and oval skylight, containing a stone dogleg staircase with shaped landing, stick balusters and ramped scrolled handrail. Front ground-floor room has enriched cornice.

National Grid Reference

SK5431461745

Grade

II

Building NameGrotto on north - west side of Carr Bank Memorial
Park**Number****Street**

Windmill Lane

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/6/151

Description

Garden grotto. Early C19, restored late C20. Limestone rubble, reinforced with concrete and partly covered with earth. In the form of a curving tunnel with a triangular-headed entrance to the west, with 2 smaller openings on the south side and 2 further openings on the north side. East entrance has concrete segmental arch. Probably part of the garden design of the nearby Carr Bank

National Grid Reference	SK5430361717	Grade	II
Building Name	War memorial on north - west side of Carr Bank Memorial Park		
Number			
Street	Windmill Lane		
Town	Mansfield		
Date Listed	21/03/1994		
Serial Number	924-1/6/152		
Description	War memorial. C1920. Ashlar. Semicircular platform with central steps, enclosed on the curved side by a wall with moulded coping and square end piers with moulded caps. At the apex, a rectangular pedestal topped with a cornice, segmental pediment and blocking course. Central bronze wreath and inscribed bronze tablet, flanked by ramped fluted buttresses. At the foot of the pedestal a smaller bronze tablet set in a sloping panel flanked by fluted buttresses and surrounded by a semicircular kerb. On each side of the pedestal, a short ramped coped wall ending in a square pier with stepped square cap.		

National Grid Reference

SK5415861071

Grade

II

Building Name

Bridge Street Methodist Church

Number**Street**

Bridge Street

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/6/16

Description

Methodist church. Completed 1864 Rock-faced stone with ashlar dressings and hipped slate roof. Italianate style. Plinth and eaves band. 2 storeys; 3 x 6 windows. 3-bay west front has first-floor band and moulded cornice, with pierced balustrade and corner pedestals topped with urns. Recessed central bay has a portico in antis with 2 columns and pilasters with Corinthian capitals. On either side, a segment-headed double door. Above, a round-arched triple window with polychrome head, hoodmould and central keystone. Cornice dated 1864 in Roman numerals. Side bays have rusticated pilasters with scroll brackets to the cornice. Single round-arched windows with polychrome heads, keystones and hoodmoulds, and below, triangular-headed windows with hoodmoulds. Each return has a similar single window on each floor. On either side, 6 round-headed windows with keystones and below, 6 triangular-headed windows. East end has a central projection with lean-to roof and a central gable containing a round window. On either side, a single round-headed window. INTERIOR has moulded cornice and cross beam ceiling with oval ventilators. Panelled gallery, curved at the rear, with fleurons and dentillated top edge, carried on twisted cast-iron columns with composite capitals. At each end 2 doors, those to rear with cornices. At the front, enriched panelled choir gallery on cast-iron brackets. Above, panelled elliptical arch with enriched spandrels and panelled pilasters with composite capitals, framing central round window flanked by single round-headed windows. At the rear, central stained-glass window and above, triple round-headed window flanked by similar single windows. Ground floor has stained-glass windows, late C19 and early C20. Gallery side windows have stained-glass memorial panels. Entrance lobbies have wooden dogleg stairs with stick balusters and ramped handrails, and double doors to gallery. FITTINGS: circular rostrum with ornate cast-iron railing. Square wooden pulpit on tapered wooden base flanked by square pedestals with Ionic corner columns and ornate cast-iron railing. On the front of each pedestal, a bronze war memorial plaque under a wooden pediment. Matching communion table. Box pews throughout. MEMORIALS include a resited marble tablet, 1818, and 6 small brasses and tablets.

National Grid Reference

SK5397261919

Grade

II

Building Name**Number**

80

Street

Woodhouse Road

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/147

Description

Includes: No.2 HADDON ROAD. 2 houses. c1860. Grey brick with red brick dressings and slate roofs with 3 side wall and 2 gable stacks, all coped. Plinth, string courses. Windows are mainly round-arched plain sashes with moulded brick polychrome heads. 2 storeys; 7-window range. Symmetrical front has central bay with 2 windows and above, a full-width continuous window with wooden mullions, valanced top and larger central light. Above and behind, a large round-headed hooded dormer. Gabled side bays have each 2 windows with enriched keystones and above, a blind roundel. Below, a square brick bay window with fretwork valance and a triple round-arched window with round shafts, brick pilasters and stiff-leaf capitals. Beyond, to right, a set-back entrance bay with a square projecting porch to left, with round-arched doorway, brick pilasters with stiff-leaf capitals, panelled double door and fanlight. Above, a single window. To right again, a shallow shouldered projection with a first-floor window. Both windows have enriched keystones. Left return, to Haddon Road, has an off-centre gable with 2 windows and a round window above. Below, 2 windows to left and a recessed door to right.

National Grid Reference	SK5396761903	Grade	II
Building Name	Boundary wall and gate piers to No.80		
Number	80		
Street	Woodhouse Road		
Town	Mansfield		
Date Listed	21/03/1994		
Serial Number	924-1/5/148		
Description	Includes: Boundary wall and gate piers to No.2 HADDON ROAD. Boundary wall and gate piers. Mid C19. Coursed squared rubble with half-round and rubble-stepped copings. 2 pairs of square gate piers with rebated corners, minus their caps. Rounded corner to left. Approx 100m long.		

National Grid Reference

SK5392861728

Grade

II

Building NameThe Quadrangle - Former Queen Elizabeth's
Girls' School**Number****Street**

Woodhouse Road

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/149

Description

Girls' school. Dated 1891, with additions 1938. Rock-faced stone with ashlar dressings and gabled and hipped plain tile roofs. Plinth and sill bands. Windows mainly have glazing bars and elliptical arches. Double gabled main block, 2 storeys; 6-window range, arranged 3:3. Three large coped stacks rising from the front wall, plus a similar side wall stack. To left, a projecting gabled wing with a central double transom cross casement with label mould. Below, 3 windows, the central one a casement. Left return has a large canted oriel window with hipped roof. To left again, single-storey entrance block with string course and chamfered coped parapet with ramped flat-topped gable. Projecting central entrance bay with moulded Tudor-arched doorway, double door and label mould with stops. On either side, 2 flat-headed windows. Behind and to left, gabled assembly hall with a double transom cross casement and a side wall stack. Left return has 3 elliptical arched 12-pane sashes to left and 3 similar flat-headed windows to right. To right, hipped entrance bay, 2 storeys, with 3 small first-floor windows arranged in a triangle. Below, recessed porch with moulded elliptical-arched opening and hoodmould, and chamfered dated lintel on corbels. Extruded corner, to right, with a single composite sash to each floor on 2 sides. To right again, former Headmistress's house, with string course and coped gables with kneelers. 2 storeys plus garrets; 4-window range. To left, main gable with 3 tall windows under common label mould, and above, smaller single window, also with label mould. Below, splayed recessed porch with moulded elliptical arch and cornice, and moulded inner doorway. To left, 2 windows with composite sashes. To left again, angled corner with a composite sash to the ground floor and topped with a large coped stack. To right, a 2-storey square bay window with hipped roof, set across the corner, with 2 windows on each floor. Right return has a gable to left with a small garret window and rear wall stack. To right, rear wing with gable stack and 3 windows on each floor, the upper ones flat-headed composite sashes. To right again, a hipped single-storey porch with flat-headed door flanked by single windows, the right one with a wooden shutter. Library, at the rear, has half-hipped roof to left and gable to right, with a coped stack. To right, 4 double transom cross casements separated by buttresses. To left, 3 small flat-headed windows. To right, a small cross gable, and a hipped extension, with 2 flat-headed cross casements. Above, to right, a hipped dormer. INTERIOR: library has arch braced roof with wall shafts on corbels and panelled ceiling with painted decorations and skylight. Inner wall and one gable have large allegorical paintings in the style of Burne-Jones, by Morris & Co. The ceiling panels and patterned decoration of the opposite gable may also be by the firm. Main windows have stained-glass panels, also by Morris & Co. (School Records: invoices and orders for the wall paintings).

National Grid Reference

SK5396761764

Grade

II

Building Name

The Quadrangle - Boundary wall and gate piers at former Queen Elizabeth's Girls' School

Number**Street**

Woodhouse Road

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/150

Description

Boundary wall and gate piers. 1891. Pair of round ashlar gate piers with chamfered bases and moulded tops with small domed caps. Late C20 gates. Ashlar boundary wall with half-round coping, and rounded corners at each end. Approx 350m long.

National Grid Reference

SK5433863567

Grade

II

Building Name**Number**

6 and 8

Street

Albert Street

TownMansfield
Woodhouse**Date Listed**

22/10/1986

Serial Number

5/9

Description

Pair of cottages. Mid C19. Coursed squared rubble with stone dressings. Concrete tile roof. 2 storeys, 3 bays. Single gable and single ridge stacks. Windows are C19 sashes and C20 casements. North front has to left a sash and a blocked door. To right, door with Gothick tracery, flanked to left by a casement and to right by a sash. Above, 2 sashes and to right a Yorkshire sash. West gable has central shop window flanked to left by blocked opening and to right by a door with stone lintel. Above, 2 casements. South side has off-centre blocked doorway flanked to left by Yorkshire sash and to right by a casement. Above, to right, a Yorkshire sash. Adjoining C19 outbuilding, to north, single storey, brick with slate roof, is of no special interest.

National Grid Reference

SK5431663642

Grade

II

Building Name**Number**

20, 22 and 24

Street

Albert Street

TownMansfield
Woodhouse**Date Listed**

04/04/1974

Serial Number

5/10

Description

Pair of cottages and adjoining house. Early C19. Dressed stone with slate roof. Stone dressings. Single gable and 2 ridge stacks. 2 storeys plus garrets, 4 bays. Single range. Nos. 22 and 24 have each a lean-to rear addition with pantile roof. No.20, to right, has central pilastered doorcase with corniced, crest and acroteria. C19 panelled door. Flanked by single casements. Above, 2 casements. Nos.22 and 24 have each a door to left and a casement to right. Above, 2 casements. North gable has C20 casement to garret. No.20 has at rear, 2 casements and to right, door. Above, 3 casements, the central smaller. To right, Nos. 22 and 24 have each a casement and a door, and above each a single casement.

National Grid Reference

SK5436863661

Grade

II

Building Name**Number**

28 - 38

Street

Albert Street

TownMansfield
Woodhouse**Date Listed**

22/10/1986

Serial Number

5/11

Description

Row of 6 Artisans' cottages. Early C19. Dressed stone with slate roofs. 5 ridge and single gable brick stacks. 2 storeys plus garrets, 6 bays wide by 2 bays deep. Windows are C20 glazing bar casements. Regular south front has 6 casements alternating with 6 doors. Above, 6 casements. Rear elevation has similar arrangement. Above, 5 casements and to right, a much smaller casement. No.38 adjoins to north. To west, door and Yorkshire sash under common lintel. To right, Yorkshire sash. Above, to left, a casement

National Grid Reference

SK5437563681

Grade

II

Building Name

Number

40 and 42

Street

Albert Street

Town

Mansfield
Woodhouse

Date Listed

04/04/1974

Serial Number

5/12

Description

Two cottages. Early and mid C19.. Dressed stone with pantile and slate roofs. Single gable and single ridge stacks. 2 storeys, 2 bays. Windows are C20 glazing bar casements. West front has, to left, 2 casements. To their right, roughcast brick addition with a casement. To right again, glazed lean-to porch with a door and a casement. Above, 2 casements. Above again, to left, C20 flat-roofed dormer

National Grid Reference

SK5437063692

Grade

II

Building Name**Number**

44 and 46

Street

Albert Street

TownMansfield
Woodhouse**Date Listed**

22/10/1986

Serial Number

5/13

Description

Pair of cottages. Mid C19. Dressed stone with slate roof. Single brick gable and single stone ridge stacks. 2 storeys, 2 bays. Windows are C20 casements. No.46, to left, has slated lean-to porch and to right, a casement. No.44 has gabled timber porch and to right, a casement. Above, 2 casements.

National Grid Reference

SK5433963676

Grade

II

Building Name**Number**

48 and 50

Street

Albert Street

TownMansfield
Woodhouse**Date Listed**

22/10/1986

Serial Number

5/14

Description

Pair of cottages. Early C19. Dressed stone with C20 pantile roof. Single central ridge stack. 2 storeys plus garrets, 2 bays. Single storey lean-to outbuilding at each end. Windows are C20 casements. No.50, to left, has 2 casements and to their right, C20 glazed porch in return angle. To right again, recessed C20 door and a casement. No.48 has a casement and to right, door. To right again, a door and a casement. Above, 2 casements. Each gable has a single casement to garret.

National Grid Reference

SK5415361049

Grade

II

Building NameBoundary wall and gates at Bridge Street
Methodist Church.**Number****Street**

Bridge Street

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/6/17

Description

Boundary wall and gates. 1864, with railing renewed mid C20. Coursed rubble wall with chamfered ashlar coping. 2 square ashlar main gate piers with truncated pyramidal caps and cast-iron gates. To left, side gate with 2 plain square piers with chamfered tops and cast-iron gate. Wall approx 75m long.

National Grid Reference	SK5430863656	Grade	II
Building Name	52, 54, 56 and boundary wall		
Number	52, 54, 56		
Street	Albert Street		
Town	Mansfield Woodhouse		
Date Listed	04/04/1974		
Serial Number	5/15		
Description	Three cottages. Mid C19. Dressed stone with stone dressings and slate roof. 2 ridge and single gable stacks. 2 storeys plus garrets, 3 bays. Windows are C20 glazing bar casements. West front has 3 regular facades with door to left and single casement to right. 2 doors to right have pedimented lintels. Above, 3 casements. North gable has single casement to garret. Adjoining dressed stone boundary wall has shaped coping. Approx. 25M long		

National Grid Reference	SK5430663660	Grade	II
Building Name	58 and 62 and boundary wall		
Number	58 and 62		
Street	Albert Street		
Town	Mansfield Woodhouse		
Date Listed	04/04/1974		
Serial Number	5/16		
Description	Three cottages. Early C19. Dressed stone with stone dressings and slate roof. 2 storeys plus garrets, 3 bays. 2 ridge stacks. Windows are glazing bar sashes. Doors have stone architraves with pediments. West front has to left, door, and to its right, 2 sashes. To right again, a sash flanked by single doors. Above, 3 sashes. South gable has single casement to garret. Adjoining dressed stone boundary wall has shaped coping. Approx. 25m long		

National Grid Reference

SK5430663701

Grade

II

Building Name**Number**

64 to 80

Street

Albert Street

TownMansfield
Woodhouse**Date Listed**

04/04/1974

Serial Number

5/17

Description

Row of 9 artisans cottages. Early C19. Dressed stone. C20 pantile and slate roof, gabled and hipped. 6 ridge stacks. 2 storeys, 4 bays wide by 8 bays deep. L-plan. Windows are mainly C20 glazing bar casements. West front, to street, has off-centre carriage entry with elliptical arch with keystone. Flanked by single doors and beyond, single casements. Beyond, to right, glazing bar sash and door. Doors have keystoned round heads and fanlights. Above, 4 casements. South front has to left a door flanked by single casements. To right, a door and beyond, 2 casements. Beyond again, 4 doors, each with a casement to its right. Beyond again, a door. Doors have plain stone architraves. Above, 8 casements. Rear elevation has similar fenestration.

National Grid Reference

SK5428063710

Grade

II

Building Name

Number

82 to 92

Street

Albert Street

Town

Mansfield
Woodhouse

Date Listed

04/04/1974

Serial Number

5/18

Description

Row of six artisans' cottages. Early C19. Dressed stone with slate roof. 5 ridge and single gable stacks. 2 storeys, 12 bays. Windows are C20 casements. Doors have plain stone architraves. West front has 6 similar facades, each with casement to left and door to right. Above, 12 casements. South gable has to right, a small casement. Adjoining dressed stone boundary wall has gabled stone coping. Approx. 50 M long.

National Grid Reference	SK5269765081	Grade	II
Building Name	Church of St Chad		
Number			
Street	Church Lane, Pleasley Vale		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	1/19		
Description	<p>Parish church. 1881. For Joseph Paget. Coursed squared rubble and brick, with slate roof. Ashlar dressings. Chamfered plinth, sill band, bargeboards, gables with crosses. Windows are leaded chamfered lancets. Nave, chancel, north porch, north and south transepts. Bell turret. Buttressed nave, 5 bays, has to north 4 lancets and above, 3 gabled trefoiled dormers. West end has C13 style triple lancet with timber tracery and hood mould. South side has 5 lancets and above, 3 plain dormers. Bell turret, to west, octagonal, has patterned leaded base, pointed bell openings, conical leaded and slated roof with weathercock. Single bay chancel has to east, triple lancet with hood mould, and above, a blind lancet. On each side, a trefoiled gable. Buttressed north porch has to north a pointed doorway with hood mould. Single bay north transept has a lancet to north. Similar south transept has a lancet to south and above, a blind lancet. Outside, linked ashlar steps with 4 ashlar piers with square domed caps. Saddleback coped balustrade. Porch interior has wooden benches, fitted wardrobe and common rafter roof. Nave has matchboarded dado and scissor braced crown post roof. Matchboard lining and moulded wall plate. West window has stained glass inscribed 'To the Glory of God and in thankful remembrance of March 19 1861'. Chancel has timber screen, with traceried panels and rood. Roof similar to nave. East end has elaborate C14 style timber panelling with moulded crest, framing large painted canvas panels. Above, crest and panels with painted text. 3 icons in C14 style surrounds. Vestry in north transept has no architectural features. Organ chamber in south transept has 2 framed painted canvas panels. Fittings include octagonal font on chamfered base, with inscribed panel. Wooden cover with flying buttresses and cross finial. Bracketed wrought iron lectern. Wrought iron skeleton pulpit with C20 infill panels. Altar rail with wrought iron stands. Framed pitch pine seats with trefoiled ends. Matching stalls with bookstands on wrought iron legs. Memorials include Roll of Honour, 1914. Brass referring to bell, 1955. Brass inscribed 'In memory of the servants of God Josph Paget of Stuffynwood Hall and Helen Elizabeth his wife builders of this church.' This building is reputed to have been first erected in Stuffynwood, Derbyshire in 1861 and removed to this site in 1881.</p>		

National Grid Reference	SK5268765123	Grade	II
Building Name	Church Lane Bridge		
Number			
Street	Church Lane, Pleasley Vale		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	1/20		
Description	Road bridge. Mid C18. Coursed squared rubble and dressed stone. Single semi-circular arch with keystone. Parapet wall has half-round coping and iron handrail. East side parapet wall has curved, ramped extension, approx. 10m long.		

National Grid Reference	SK5404563177	Grade	II
Building Name	Church of St Edmund - boundary wall		
Number			
Street	Church Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	7/21		
Description	Boundary wall. C18 and C19. Coursed rubble and dressed stone. Gabled ashlar coping. L-plan. South side has small gateway with scrolled wrought iron overthrow and lamp holder.		

National Grid Reference

SK5404063181

Grade

II

Building Name

Church of St Edmund - headstone

Number

Street

Church Street

Town

Mansfield
Woodhouse

Date Listed

22/10/1986

Serial Number

7/22

Description

Headstone. 1665. Ashlar. Chamfered top corners. Inscribed '1665 Jane Witworth buried November 14'.

National Grid Reference

SK5401563190

Grade

II

Building Name

Church of St Edmund - sarcophagus

Number**Street**

Church Street

TownMansfield
Woodhouse**Date Listed**

22/10/1986

Serial Number

7/23

Description

Sarcophagus. Mid C18. Ashlar. Rectangular base of 4 steps, formerly with railing. Sarcophagus has rebated corners, moulded top edge and hipped lid. Inscribed panels on three sides, mainly illegible. West side has wreathed cartouche with Arms.

National Grid Reference

SK5403863195

Grade

II

Building Name

Church of St Edmund - headstone and chest tomb

Number

Street

Church Street

Town

Mansfield
Woodhouse

Date Listed

22/10/1986

Serial Number

7/24

Description

Headstone. 1694. Chest tomb 1772. Ashlar. Headstone has scrolled shaped top. To John Eare Senior. Chest tomb has moulded panelled sides and top. Inscribed panel to south. To Edward Willey.

National Grid Reference

SK5404561044

Grade

II

Building Name**Number**

1, 2 and 3 Rock Court

Street

Bridge Street

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/6/12

Description

3 houses and attached stable and cartshed. Late C17, with late C18, mid C19 and C20 alterations Undergoing restoration at time of survey. Coursed rubble with stone dressings and steep pitched pantile roofs with stone slate verges. 2 gable stacks, one brick, one rendered. 2 storeys and 2 storeys plus attics; 5-window range. Windows boarded over at time of survey. Projecting single-bay addition, to left, has a single window on each floor, with rendered splayed lintels, and a doorway to right with stone surround. Main block has 4 windows and above, 4 raking dormers with renewed 2-light casements. Ground floor has 2 close boarded doors with unglazed overlights and the remains of a tiled lean-to canopy. In the centre, a plain doorway, then a small unglazed window. To right, a pair of garage doors with wooden lintel. At the right end, a single-storey brick outbuilding with pantile roof. Central doorway, and small window to left. At the left end, a stable and cartshed with corrugated iron roof. Blank opening flanked to left by a pair of garage doors and to right by an altered pair of garage doors. To right, a small unglazed window. Rear elevation has scattered fenestration.

National Grid Reference	SK5403663192	Grade	II
Building Name	Church of St Edmund - headstone 3m		
Number			
Street	Church Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	7/25		
Description	Headstone. 1682. Ashlar. Shouldered arched top. Inscribed 'Here lieth the body of Arthur Caulton Senior who died December the 8(?) 1682'.		

National Grid Reference

SK5401763212

Grade

II*

Building Name

Church of St Edmund

Number**Street**

Church Street

TownMansfield
Woodhouse**Date Listed**

28/01/1957

Serial Number

7/26

Description

Parish church. 1310. Spire 1304. Restored 1847 by Sir G. G. Scott. Further restored 1859. Chancel restored 1878. Chantry chapel c.1920. Clergy vestry 1930. Sneked stone, dressed stone and ashlar. Ashlar dressings. Slate, concrete tile and lead roofs, gabled and lean-to. West tower with spire, nave, north and south aisles, chancel, vestry, chantry chapel, north and south porches. Moulded plinths, eaves and parapets. West tower. C13. 2 stages. Single string course. 4 pairs of corner buttresses, 3 setoffs, those to east engaged with aisles. First stage has to south a small lancet. To west, shouldered C19 door and sill band. Above, restored C14 double lancet with hood mould and mask stops. To north, a lancet. Second stage has 4 double cusped ogee headed bell openings with hood moulds. Clock faces to south and east. Octagonal broach spire has 4 gabled lucarnes with crosses, containing double ogee headed openings. Above, 4 similar smaller lucarnes, finial and weathercock. Nave has coped east gable with cross and single round window. North aisle, restored C19 in C15 style. 4 bays. Single corner and 4 intermediate gabled buttresses, 2 setoffs, 4 gargoyles. Side wall stack to west. West end has a C14 double lancet with Decorated tracery. North side has 3 triple ogee headed lancets with Tudor arched reveals. North porch. C14, restored C19. 2 corner buttresses to north. Cove and roll moulded doorway with filleted shafts, round bases and capitals. Hood mould and mask stops. Large C19 hanging lamp. Interior has single wood bench and scissor braced roof. Inner door double chamfered and rebated with moulded head and C19 door. Vestry and organ chamber, C20, has single corner and single side wall buttress and single gargoyle to east. North side has shouldered door to east, and to west, a small lancet. To its right, a trefoil light and a paired lancet. Chancel, 2 bays, has coped east gable with cross. East end has string course and sill band. C14 style 5 light lancet with geometrical tracery, shafts, hood mould and mask stops. South side has single corner buttress to east, and 2 lancets with hood moulds. Chantry chapel, C20, single bay, has sill band and coped east gable. Single corner buttress. East end has C14 style triple lancet with geometrical tracery, coved Tudor arched head and hood mould. South side has a triple lancet with Geometrical tracery, coved square headed reveal and hood mould. South aisle, 4 bays, has moulded parapet with 4 gargoyles. Corner buttress to west and 4 buttresses to south, gabled, 2 setoffs. South side has 3 late C14 triple lancets with cusped ogee heads, Decorated tracery, chamfered Tudor arched reveals. West end has C14 double lancet with cusped ogee heads and Decorated tracery. South porch is identical to north porch. Nave arcades, C14, restored, 4 bays. Each has 3 filleted clustered piers and 2 matching responds, with water holding bases and moulded capitals. Arches are chamfered and rebated, with hood moulds. C19 kingpost roof has foliate corbels, arch braces, collars and spine beam. Tower arch, C14, double chamfered and rebated, with hood mould and filleted responds. Tower chamber has west

window with stained glass, C19, restored 1919. Bell stage has 3 trefoiled corbels and foliate bosses. North aisle has panelled dado and C19 lean-to roof with arch braces. South aisle has similar roof and to east, C14 arch with moulded octagonal impost and 2 mask corbels, one C14. Oak screen in C15 style, 1909. South side has east window with stained glass, 1879. To west, window with stained glass panel and Arms, to Roland Dand, 1617. Fragment of Flemish stained glass, C14. Chantry chapel has to east, panelled dado incorporating earlier piscina as aumbry. East window has stained glass, C20. South side has window with stained glass and brass, 1932. Low pitched roof in C15 style. Chancel arch, C19, in C14 style. Moulded arch, pair of filleted shafts with water holding bases, hood mould and mask stops. Chancel north side has C19 arcade, 2 bays, with foliate capitals, hood moulds and angel stops. Left bay contains organ, right bay timber screen. Above, central pair of shields with Arms. East window has stained glass, C19. South side has to east, C19 piscina and aumbry with hood mould. To its right, elaborate triple gabled sedilia with carved tableaux in tympani, 1877. To right again, arch with traceried wooden screen. Monuments include wall monument to Sir John and Lady Lucy Digby, 1684. Shouldered ogee headed frame with inscribed panel and, above draped cartouche with Arms, containing 2 life-size effigies. Arch-top wall tablet, 1731. Classical style wall monument with Corinthian pilasters and scrolled Arms, to John Digby, 1747. Scrolled and draped cartouche with putti and skull, early C18. Tablet with Corinthian pilasters, apron with Arms, and broken pediment with bust, to Johannis Neale, 1725. Wall tablets, 1761 and 7 C19. Charity board, early C19. Brass C19 and C20. Pair of sculptured heads from gravestone, C14. Fittings include pillar piscina with round stem, flanking shafts, square top and base. Font, C14, restored, octagonal plinth, stem with water holding base, round tub, C19 conical wooden cover. C19 ashlar pulpit, octagonal, with traceried panels, on figure carved corbel. C19 wooden lectern. Shaped, moulded C19 mahogany benches with fleur de lys finials. Panelled stalls, early C20. Armchair with chip-carved back, mid C17.

National Grid Reference	SK5400563308	Grade	II
Building Name	Saville House		
Number	11		
Street	Church Street		
Town	Mansfield Woodhouse		
Date Listed	28/01/1957		
Serial Number	6/27		
Description	<p>House, now a school. Early C18. Coursed squared rubble and dressed stone, partly rendered. Slate roof. Ashlar dressings. Coped gable with kneelers. Small coped parapet. Single ridge and rear wall, 2 gable and 2 side wall stacks. 3 storeys, 4 bays. T-plan. Windows are glazing bar and plain sashes. South front has central projecting gabled bay with flanking wings. To left, blocked opening. To its right, glazed door with integral sash. To right again, gabled glazed timber porch. To right again, flat roofed single storey addition with parapet and single C20 casement. Above, a glazing bar sash and 3 plain sashes. To right, blocked opening. Above again, 3 plain sashes. Return angle to west has, above blocked opening. East gable has, above again, a casement. Rear elevation has to left a stair turret and a recessed bay. To left, a casement and to its right a Venetian window. To right again, a small casement and 3 sashes. To right again, single storey addition with slate roof. To left, door and to right, a casement. Above, 4 casements. Above again, door flanked by single casement. All fenestration irregularly spaced. West front has to right, a sash. Above, to left, a sash and to right, 2 glazing bar lights. Above again, a sash.</p>		

National Grid Reference	SK5401963294	Grade	II
Building Name	Saville House - boundary wall to south		
Number	11		
Street	Church Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	7/28		
Description	Boundary wall adjoining no.11 and 12 to south and gateways - C18. Coursed squared rubble and dressed stone. Flat stone coping. Ashlar dressings. To left, incurve to pair of square rustic gatepiers with plinths and concave domed caps. Pair of plain C20 timber gates. To right, Classical style gateway with pilasters, paterae, open pediment and rubble-filled tympanum. Pair of C19 wire and fretwork doors. To right again, plain ashlar doorway. Beyond, blocked window with projecting architrave. To west, similar adjoining wall with ramped ashlar coping. Approx. 50M and 12M long.		

National Grid Reference	SK5398863344	Grade	II
Building Name	Saville House - stable block		
Number	11		
Street	Church Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	6/29		
Description	<p>Stable block at rear of NO. 11. Late C17 and late C19 - Now in use a school art block. Coursed squared rubble and brick. Steep pitched gabled and lean-to roofs, slate and concrete tile. Single gable stack. Single and 2 storeys. 5 unequal bays. L-plan. Windows are mostly C19 plain sashes. East front has to left, C19 addition with door in heavy stone jambs. To its right, lean-to addition has pair of carriage doors with timber lintel. To right again, single bay section has door and blocked carriage opening containing a sash. Main range, to right again, has to left, door recessed in chamfered opening. To right, 2 sashes and a similar doorway. Beyond, a sash. Above, to left, a casement, and to right a door in chamfered opening. Adjoining fragment of boundary wall has flat stone coping and doorway. North gable has to left, a sash. Above, a central casement, and above again, a similar casement. Both casements have moulded ashlar architraves. Single storey C19 addition, to west, has to south, a hatch, and to right, 2 sashes.</p>		

National Grid Reference	SK5401163324	Grade	II
Building Name	Burnaby House - and boundary wall		
Number	12		
Street	Church Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	7/30		
Description	<p>House. Early C18 with dwarf boundary wall. Coursed squared rubble. Partly rendered. Graduated stone slate roof. Projecting ashlar quoins and architraves. Moulded covered eaves. 2 gable and 2 ridge stacks. 2 storeys, 4 bays. Windows are glazing bar sashes. East front has to left, casement in blocked doorway with projecting architrave and splayed lintel. Flanked by single sashes. To right, projecting moulded ashlar doorcase with hood and fanlight, containing C18 panelled door. To right again, a sash. Above, 4 sashes. South gable has to left, door with round headed opening. Above, to left, glazing bar light. Above again, to right, a casement. North gable has gabled 2 storey addition with 2 string courses. Off-centre door and 3 small C20 lights. Above, central casement. West side has to left a cross casement and to its right, a sash. Above, central sash. Above again, a sash and to its right, a cross casement. Outside, dwarf boundary wall, ashlar, with half-round coping. To right, 4 ashlar steps with ramped, curved iron handrail, vase and stem newels and stick balusters.</p>		

National Grid Reference	SK5399663358	Grade	II
Building Name	Burnaby House - boundary wall to north		
Number	12		
Street	Church Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	6/31		
Description	Boundary wall. Mid C18. Irregularly coursed squared rubble. Ramped flat stone coping. East side has 2 plain gatepiers. Rounded corner to north with square pier with flat cap. West side has to left, chamfered blocked doorway. Approx. 65M long		

National Grid Reference	SK5397663350	Grade	II
Building Name	Cross Hill Cottage		
Number	15		
Street	Church Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	6/32		
Description	<p>House. Mid C18. Dressed stone. Partly rendered. Steep pitched pantile roof. Lean-to addition with slate roof. Stone dressings. Single gable and single ridge stacks. 2 storeys, 3 bays. Windows are plain sashes. East front has to left, 2 storey addition and garage with asbestos cement roof. Blocked central doorway flanked by single sashes. To right, doorway with timber jambs and C20 iron gate. Above, 2 sashes. Return angle to left has to north, C20 door and above, a sash. Adjoining outbuildings to south west, 2 storeys, single bay, dressed stone with pantile roof, has single coped gable with kneeler. To west, a casement with timber lintel.</p>		

National Grid Reference	SK5397563366	Grade	II
Building Name	property and adjoining boundary wall		
Number	17		
Street	Church Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	6/33		
Description	<p>House. Mid C18 with adjoining boundary wall. Coursed squared rubble and dressed stone. Welsh slate roof. Stone plinth. Single ridge and single gablestacks. 2 storeys, 3 bays. Windows are C19 and C20 glazing barsashes. East front has central pedimented doorcase with Gibbssurround and chamfered rustication. Panelled door. Flanked by small single sashes. Beyond, single large sashes. Above, 3 large sashes. Interior has early C19 stair with landings, turned newels and stick balusters. Re-sited timber panelling in central hall. Adjoining boundary wall, dressed stone and coursed squared rubble, has ramped segmental ashlar coping. Approx. 50M long. C20 addition to right not of special interest.</p>		

National Grid Reference	SK5399363375	Grade	II
Building Name	Market Cross		
Number			
Street	Church Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	6/34		
Description	Market cross. Early C14. Dressed stone. Square plinth of 4 steps. Moulded square base carrying stump of chamfered, broached octagonal shaft:		

National Grid Reference

SK5406961059

Grade

II*

Building Name

St Peter' s House

Number**Street**

Bridge Street

Town

Mansfield

Date Listed

19/12/1955

Serial Number

924-1/6/18

Description

House, now offices. Late C17, refenestrated C18, altered early C20, restored late C20. Coursed squared rubble with ashlar dressings and hipped slate roof with 2 prominent coped stone ridge stacks. Ground floor sill band, quoins, moulded eaves, projecting surrounds to windows. Square plan. 2 storeys plus attics; 5-window range of 18-pane sashes. Above, 3 segment-headed dormers with 2-light glazing bar casements. Moulded stone doorcase with key block and segmental pediment on consoles, with fielded 6-panel door and overlight. On either side, two 18-pane sashes. Left return has 3 stone mullioned cross casements and below, a single casement to left and two 2-light stone mullioned casements to right, the right one smaller. Right return has a central 2-light stair window with 2 transoms, flanked to right by a stone cross casement. Below, a doorway flanked by a 2-light casement to left and a cross casement to right, all with renewed stonework. Rear has off-centre 2-light stair window with transom, flanked by single stone cross casement to left and 2 to right. Above, 2 segment-headed dormers with 2-light casements. INTERIOR : has late C17 dogleg oak stair, restored C20, with alternating twist and vase and stem balusters and moulded handrail. Ramped fielded panelled dado. Moulded stone fireplace and C18 two-panel door on first floor.

National Grid Reference	SK5311162872	Grade	II
Building Name	Debdale Hall		
Number			
Street	Debdale Lane		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	3/35		
Description	<p>Country house, now Old People's Home. C.1730 and c.1830. Ashlar. Partly rendered. Hipped slate roof. Ashlar dressings. Plinth, parapet, sills, moulded eaves, coped pediment. Single gable and ridge stacks, 2 side wall stacks, 3 roof stacks. 2 storeys, 6 bays wide by 7 bays deep. Square plan. Windows are mostly glazing bar sashes, some to ground floor have panelled aprons. South front has to left, 2 storey canted, hipped bay window with 3 sashes. To its right, a sash and portico with 2 Doric columns, flat roof, and single glazing bar light each side. Half glazed C19 door with fanlight. To right, a sash. Above, 6 sashes. Pedimented east front has projecting central bay. Central sash flanked by 2 plain sashes. Above, similar fenestration. Above again, oval window in pediment. To right, rear addition, 2 storeys, 2 bays, has a sash, blocked door and blocked window. Above, 2 sashes. West front has narrow central recess between flanking wings. North wing has to west, door with glazing bar over light. Above, blocked opening flanked by single sashes. Adjoining single storey lean-to outbuilding, brick with slate roof, is of no special interest. North wing has to south, a barred Yorkshire sash. To its right, C20 Yorkshire sash and door with overlight. Above, to right, a Yorkshire sash and a casement. South wing has, to north, a sash to left, and to its right, a casement, a blocked doorway and to right again, 2 casements and a Yorkshire sash. Above, 3 sashes and a casement. To west, parapeted rendered porch with 2 sashes in moulded architraves. To its left, hipped bay window with 6 casements. To its right, a sash. Above, 3 glazing bar sashes. Adjoining outbuildings are of no special interest. North front has projecting single bay wing to west. To left, triple sash and a plain sash. To right, blocked opening and a Yorkshire sash. Above, a casement and a sash. Return angle has, above, a sash. Interior has early C19 cantilevered stone dogleg stair with intermediate landing. Scrolled handrail, decorated wrought iron newels and balusters, some with scroll brackets. Landing has round headed recess. Ground floor has 2 panelled Classical doorcases with fanlights, one blocked. 2 C19 doors. Moulded and foliate plaster cornices. 6 C18 doors.</p>		

National Grid Reference	SK5307062848	Grade	II
Building Name	Debdale Hall - stable range		
Number			
Street	Debdale Lane		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	3/36		
Description	<p>Stable range. Now stables and workshops. Early C18 and mid C19. Dressed stone with hipped plain tile and slate roofs. Ashlar dressings. Plinth, first floor and eaves bands, coped gable. Single side wall and 2 rear wall stacks. 2 storeys, 7 plus 5 bays. C19 range has central stable yard. Segmental headed doorways have keystones. C18 range has to left, C19 addition with segmental headed carriage door and C20 fenestration. East front has projecting pedimented central bay with pair of carriage doors. To left, a garage door and to left again, blocked window. To right, door, blocked doorway and a casement. To right again, recessed bay with pair of garage doors. Above, 4 metal casements, blocked window and plain sash. Pediment has a round opening. Return angle to south has casement and above, a blocked window. C19 range has to east, to left, blocked door and doorway. To right, boundary wall with flat coping. Stable yard has to south, 2 casements with segmental heads and C20 doors and windows. Above, 4 windows with plastic glazing. East side has central pair of carriage doors with elliptical heads. Above, to right, a door. North side has 4 carriage openings with elliptical heads, and to right, 2 doors. Above, 4 bay hay barn and to right, plastic glazed window. West front has central blocked carriage opening flanked by single doors with overlights, plus C20 casement. Above, 2 plastic glazed windows. C18 range has, to west, blocked carriage entry with segmental head and inserted casement. Above, central round window. To left, plain sash. To right, 3 different casements. Adjoining C19 stables, L-plan, have to west a casement flanked by single stable doors. To north, 2 stable doors. Adjoining curved boundary wall has half-round coping. Approx. 5M long.</p>		

National Grid Reference

SK5310062844

Grade

II

Building Name

Debdale Hall - pavilion

Number**Street**

Debdale Lane

TownMansfield
Woodhouse**Date Listed**

22/10/1986

Serial Number

3/37

Description

Pavilion. Used as stable. Early C18. Dressed stone with remains of hipped slate kingpost roof. Corbelled eaves. Single storey, 3 bays, square plan. Openings have keystones. East front has central round headed opening flanked by single flat- arched openings, all blank. South front has to left, ramped boundary wall with flat stone coping. To its right, round headed door and unglazed casement. West front has to left, large opening and to right, door with offset overlight. North front has remains of round headed opening. Interior has 3 round headed recesses for mangers. '

National Grid Reference

SK5304862892

Grade

II

Building Name

Debdale Hall - cartshed

Number**Street**

Debdale Lane

TownMansfield
Woodhouse**Date Listed**

22/10/1986

Serial Number

3/38

Description

Cartshed north of stables at Debdale Hall. Now cowshed. Mid C19. Dressed stone with plain tile roof. Single storey, 5 bays. South gable has screen wall with flat stone coping and to left, lean-to addition. To left, door, and above, to right, 2 blocked windows. East front has 4 cart openings with rounded piers. North gable has, above unglazed opening. Kingpost roof.

National Grid Reference

SK5312262734

Grade

II

Building Name

Debdale Hall - ice house

Number**Street**

Debdale Lane

TownMansfield
Woodhouse**Date Listed**

22/10/1986

Serial Number

3/39

Description

Ice house at Debdale Hall. Early C18. Dressed stone. Ashlar dressings. Single storey, single bay. Square plan. East side has remains of C18 Royal Arms in moulded frame. South west corner partly destroyed and replaced in brick. Roofed with 3 dressed stone slabs

National Grid Reference	SK5646163357	Grade	II
Building Name	Warren Farmhouse		
Number			
Street	Green Lane		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	4/40		
Description	Farmhouse. Mid C18. Dressed stone with pantile roof. Ashlar dressings. First and second floor bands, rebated eaves. 3 gable stacks. 3 storeys, 3 bays. L-plan. South front has central ashlar door case with reeded curved brackets to hood. C20 door with overlight. Flanked by single French windows with flanking lights. Above, central C19 mullioned casement flanked by single casements. Above again, central C19 mullioned casement flanked by single plain sashes. Rear wing has to east C20 door with hood and large C20 casement. Above to left, 2 small casements. North front has to left, 2 round headed C20 casements. Addition to right has C20 door and casement. Above, to left, 2 casements with segmental heads. To right, 2 casements. Above again, to left, 2 glazing bar sashes.		

National Grid Reference

SK5418663477

Grade

II

Building Name**Number**

21

Street

High Street

TownMansfield
Woodhouse**Date Listed**

28/01/1957

Serial Number

7/41

Description

Hotel. Mid C18. Now flats c.1970. Ashlar with concrete tile roof. Ashlar dressings. Sill band, plinth, projecting quoins and architraves, moulded eaves. Coped gables with kneelers. 2 gable stacks. 3 storeys, 5 bays. South front has central Classical doorcase with pilasters, keystone and pediment. Panelled door with fanlight. Flanked by single ogee headed footscrapers, and beyond, 2 sashes. Above, central sash with moulded shouldered architrave with hood, flanked by 2 sashes. Above again, 5 smaller C20 casements. Rendered rear elevation has C20 fenestration and 2 C20 flat roofed additions.

National Grid Reference

SK5421063540

Grade

II

Building Name

stables adjoining no.49

Number

49

Street

High Street

TownMansfield
Woodhouse**Date Listed**

22/10/1986

Serial Number

5/42

Description

Stable. Mid C19. Coursed squared rubble with pantile roof. Single storey, 3 bays. Lower addition at south end. East side has stable door flanked by single slatted casements. Beyond, to right, a pair of garage doors. South gable has 2 doors.

National Grid Reference	SK5422163493	Grade	II
Building Name			
Number	51, 53 and 55		
Street	High Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	5/43		
Description	3 cottages. Early C19. Coursed rubble, dressed stone and brick, with pantile roofs. Stone lean-to addition with pantile roof, to south west. 2 ridge and single gable stacks. 2 storeys, 7 bays. Windows are C20 casements and C19 sashes. No.51, to left, has to west, central door flanked by single windows. No.53 has off-centre door flanked by single windows. No.55 has central lean-to wooden porch, flanked by single windows. Above, 5 casements and to right, a Yorkshire sash. South gable has a plain sash on each floor. East side has to right, projecting rear of No.51. To left, a casement. To its right, 2 tiny casements. To right again, a Yorkshire sash. Above, 3 casements. Return angle, to south, has a Yorkshire sash, and above, a casement. North gable has, above, a casement.		

National Grid Reference

SK5422263527

Grade

II

Building Name

Number

57

Street

High Street

Town

Mansfield
Woodhouse

Date Listed

28/01/1957

Serial Number

5/44

Description

Farmhouse. Early C17 - Listed In Pevsner As 'Winstanley's House'. Coursed squared rubble with C20 pantile roof. Ashlar dressings. 2 gable and single ridge stacks, one external. 2 storeys, 5 bays. Single range with rear lean-to addition and catslide roof. Windows are mullioned casements with chamfered reveals. Those to ground floor front have hood moulds. South front has central door with heavy lintel and hood mould. Flanked by 2 casements. Beyond, to right, adjoining cartshed with a doorway. Above, central framed blank panel flanked by 2 casements. Rear elevation has to left, cartshed with brick pier. To its right, a Yorkshire sash and a door. Beyond, 2 mullioned casements. Beyond again, lean-to addition with slate roof and a pair of garage doors. Above, to left, tiny casement. To right, a Yorkshire sash. West end has 2 doors. Interior has cased jowled bay post, 3 span beams with ogee stops, chamfered span beam and fireplace bressummer. Winder stair with square newel and stick balusters. Plain winder stair. 2 stud partitions. Panelled dado in entrance hall. 9 plank doors and 2 C18 panelled doors. Early C19 hob grate and C19 register grate.

National Grid Reference

SK5413161026

Grade

II

Building Name

Town Mill Public House and adjoining boundary wall

Number**Street**

Bridge Street

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/6/19

Description

Water mill, now public house, and adjoining boundary wall. C1775, restored and converted late C20. Coursed squared stone with ashlar dressings and plain tile roof topped with a hipped square ventilator. Sill and lintel bands to first floor, single coped gable. 2 storeys plus attics; 10-window range of top-hung glazing bar casements, the second one blank. Above, to left, 4 gabled dormers with similar windows, the left one smaller. Ground floor has to left a 7-bay elliptical-arched arcade with square piers and impost. Left arch has louvered panels, second arch infill panel. The remaining 5 arches have glazed infill panels with transoms, the central arch including a doorway. To right, 3 top-hung casements. Right gable has single top-hung casements and beyond, single blanks. Above, 3 blanks. Below, a blocked door to left, and a C20 double door to right. Attached to the left corner, a length of stone boundary wall with half-round coping and a pointed-arched gateway under a square gable. Rear has to left 2 blanks, then 2 top-hung casements. To right, 3 similar casements. Below, to left, a tailrace opening with 5 square stone shafts set diagonally, with square capitals. To left, a blocked brick segmental arch.

National Grid Reference	SK5422663556	Grade	II
Building Name	farm buildings adjoining no.57 and 59		
Number	57 and 59		
Street	High Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	5/45		
Description	<p>Threshing barn, hay barn and stables. Mid C18 and late C19. Coursed squared rubble, dressed stone and brick, with gabled and hipped pantile roofs. Dressed stone quoins. Single ridge stack. 2 storeys. 3 bays wide by 6 bays long. Windows are casements, mostly unglazed or blocked. Barn, to north has to south, altered barn door with wooden lintel and inserted stable door. To left, a small light and a breather. Above, 2 rows of 3 breathers. West gable has a casement and a breather. Above, 2 breathers, and above again, casement flanked by 2 breathers. Above again, a breather. Rear has to right, ruined lean-to addition with garage door to west. Altered off-centre barn doors with wooden lintel, flanked to left by a hatch. Above, to left, metal casement. 3 rows of breathers. Common rafter roof with butt purlins. A single C19 king post truss. Hay barn, to east, has to west central stable door flanked by single windows, one slatted, and beyond, single doors. Above, 3 bay hay barn with brick piers. To south, stable, 3 unequal bays. To left, stable door flanked by single casements. To right, garage door with wooden lintel and brick cheeks. Beyond again, 2 casements. Above, a casement to left. Adjoining stable and flat, to south, blank. East side has to left, C20 casement and to its right, 2 doors and a casement with common wood lintel. To right again, Yorkshire sash and door with overlight. Above, to left, a casement. To right, 3 gabled cross eaves dormers with casements. Remainder of east side covered by C20 farm buildings.</p>		

National Grid Reference

SK5424463519

Grade

II

Building Name**Number**

59

Street

High Street

TownMansfield
Woodhouse**Date Listed**

22/10/1986

Serial Number

5/46

Description

Farmhouse. Early C19 - now residential care home. Rubble, dressed stone and ashlar, with hipped and gabled concrete tile roof. Moulded eaves, single coped gable. Single side wall and gable stacks, 2 ridge stacks. 3 storeys, 3 bays. Windows are late C19 plain sashes. East front has central porch with plinth and parapet and a sash. Glazed door to left and blocked window to right. Flanked to left by a sash. To right, French window with overlight. Beyond, a sash. To right again, C20 flat roofed addition. Above, to left, dummy sash. To its right, sash with overlight with Gothick tracery. To right again, 2 sashes. Above again, to left, dummy sash and to right, 2 sashes. South end has a plain sash on each floor. West side has 2 two storey lean-to additions with 2 plain and single glazing bar sashes. To right, a smaller sash. Above, a casement and a glazing bar sash. To right, a round headed stair light. Above again, a Yorkshire sash. Return angle to south has a small sash on each floor. Interior has dogleg stair with landing and turned balusters. Winder stair with stick balusters. Some plaster friezes. Single C18 and several C19 panelled doors.

National Grid Reference	SK5404563407	Grade	II
Building Name	Allens Chemist		
Number	12		
Street	High Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	7/47		
Description	House, now shop and flat. Early C19 - Now Lloyds Pharmacy. Stone, rendered and pebble-dashed. Welsh slate roof. Moulded architraves. Single gable stack. 3 storeys, 3 bays. Windows are glazing bar sashes. Off-centre door flanked by single shop windows with stone surrounds. To right, recessed door. All C20. Above, 3 sashes on each floor. Rear has extensive C20 brick additions.		

National Grid Reference

SK5406363408

Grade

II

Building Name

Number

16

Street

High Street

Town

Mansfield
Woodhouse

Date Listed

22/10/1986

Serial Number

7/48

Description

House. Early C19 - Now shop. Dressed stone with concrete tile roof. Single gable and single ridge stacks. 2 storeys, single bay. Front has to left, cellar opening with stone lintel. Above it, plain sash. To right, pair of doors with projecting stone architraves. Above, to left, a sash.

National Grid Reference	SK5406863406	Grade	II
Building Name	Army Stores		
Number	18		
Street	High Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	7/49		
Description	House. Mid C18, altered C19, now shop. Coursed squared rubble. Welsh slate roof with lower pitch at rear. Single gable stack. 3 storeys, 2 bays. Windows are plain sashes. Front has off-centre recessed door with a pilaster to left. To left, shop window with pilaster and curved fascia brackets. To right, C20 shop window with pilaster. Above, 2 sashes with keystone segmental heads. Above again, 2 sashes. East gable has to left, C19 mullioned casement. To its right, 2 doors in chamfered stone surrounds. Above, to left, wooden cross casement, and to right, C18 chamfered mullioned casement. Known as the Wolf Hunt House and reputed to have been the home of the Sherwood Forest wolfcatcher.		

National Grid Reference	SK5408063407	Grade	II
Building Name	G. Betts and Son		
Number	26		
Street	High Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	7/50		
Description	<p>House. Early C19. Raised and added to at rear, mid C19. Coursed and squared rubble, partly rendered. Gabled M roof, pantile with stone slate verge. 2 gable stacks. 2 storey, single bay. Double depth square plan. Windows are C19 sashes. North front, to street, has C19 shopfront with door to left and moulded hood. Above, central sash. Rear elevation has to left a casement and a door, both with heavy stone lintels. To right, single storey outbuilding, brick, rendered, with slate roof. Above, 2 Yorkshire sashes with stone lintels.</p>		

National Grid Reference

SK5409663408

Grade

II

Building Name**Number**

32 and 34

Street

High Street

TownMansfield
Woodhouse**Date Listed**

22/10/1986

Serial Number

7/51

Description

House, now office and store. Mid C18. Coursed squared rubble, partly rendered, with traces of timber framing. Steep pitched pantile roof. Single gable and side wall stacks, 2 ridge stacks. 2 storeys plus garrets, 3 bays. L-plan, with gabled rear wing. Windows are mainly C19 plain sashes with projecting ashlar surrounds. Street front has off-centre door in chamfered surround, and to left, a plain sash. To right, small late C19 shop window with moulded hood. Above, central margin-pane stair light, flanked above by single sashes. East gable has to right, blocked door with heavy stone lintel. Garret has blocked opening. Rear elevation has to left, projecting wing with a casement. To right, door with timber lintel. Return angle to east has stone mullioned casement. Above, a Yorkshire sash. To its right, a fragment of a bay post and a casement. To right again, 2 C19 lean-to additions, brick and stone, with pantile and slate roofs. To south, off-centre casement flanked by single doors. Above, to left, blocked sloping dormer.

National Grid Reference	SK5413763420	Grade	II
Building Name	The Angel Inn		
Number	40		
Street	High Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	7/52		
Description	<p>Public house. Early C19. Restored 1984. Dressed stone and coursed squared rubble. Hipped concrete tile roof. Plinth. Single ridge and 2 gable stacks. 2 storeys, 5 bays wide by 5 bays deep. L-plan. Windows are glazing bar sashes, C19 and C20. Main north front has to left, C20 addition with paired sash and to its right, a single sash. To right again, a door and a triple sash. Above, to left, 2 sashes. To their right, a stair light, and to right again, 2 sashes. West front has to left 2 sashes. To their right, a casement. To right again, C20 lean-to porch in return angle, with a pair of doors. To right again, 2 sashes. Above, to left, a blocked opening and to its right, a plain sash. To right again, a sash and a casement. South gable has a tiny window and above, 2 C20 casements.</p>		

National Grid Reference	SK5632762162	Grade	II
Building Name	Kingsway Hall		
Number			
Street	Kingsway		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	4/A52		
Description	<p>Public hall. Formerly Miners' Welfare Hall. 1909. For the Bolsover Colliery Company Ltd. Stripped Jacobean Revival style. Brick, partly rendered, with stone dressings. Double pitched Westmorland slate roof. Sill band, linked hood moulds, coped gables with kneelers. Single and 2 storeys. 3 bays wide by 8 bays deep. T-plan. Windows are flush mullioned casements. South front has gabled central bay with rusticated flanking pilasters and beyond, flanking wings. Central pair of round headed half-glazed doors with moulded eared architrave and hood. Single flanking casements. Beyond, single casements. Above, large central round headed mullioned casement with hood, scroll brackets and keystone. Flanked by single casements. Above, central plaque inscribed 'The Bolsover Colliery Company Ltd. 1909'. Buttressed west front has to left, projecting gabled bay and to right, projecting gabled wing. To left, a casement. To its right, 2 round-headed casements and altered casement with C20 door. Beyond, 3 round headed casements. To right again, gabled wing has 2 storey canted bay window with 3 casements on each floor. Above, central leaded cupola with drum and leaded dome with finial. Similar east front has additional door in gabled wing. North gable has central pair of round headed doors with moulded architrave, scroll brackets and hood, and a pair of integral flanking lights. Beyond, single casements. Above, 5 light casement with hood mould. Above again, plaque with wreath. Interior has double return staircase with ramped handrail and paired stick balusters. 2 first floor rooms have large fireplaces with corbelled concrete lintels and polished steel fire hoods with coronet in ring and motto 'Staunch and True'.</p>		

National Grid Reference	SK5436163587	Grade	II
Building Name	3 and adjoining barn		
Number	3		
Street	Ley Lane		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	5/53		
Description	<p>Farmhouse. Early C17 with C19 alterations. Coursed rubble and square dressed stone. C20 pantile roof. Ashlar dressings. Single external gable stack, single ridge stack. 2 storeys plus garrets, 3 bays. Irregular L-plan. West front has to left, French window and flanking lights, with timber lintel. To right, lean-to addition with central door flanked by single casements. Above, to left mullioned casement. To right, a casement. Above again, to right, a casement. North front has to left C20 flat roofed addition with coped end walls and 2 casements. To its right, lean-to addition with pantile roof and 2 casements. To right again, gabled wing with external stack. Gable peak has 2 small chamfered ashlar openings. Above, to left, a casement. Return angle to east has blocked doorway with hood mould and above, a mullioned casement. East gable has a lean-to addition with pantile roof. Central door flanked by single casements. Above, to right, tiny casement and blocked opening, C17. Above again, central casement. South front has off-centre door with chamfered surround, flanked to left by single and to right by 2 casements. Above, 3 casements. Interior has principal rafter roof with ridge piece, double notched purlins and 4 wind braces. C19 dogleg stair with landing and stick balusters. 4 chamfered span beams, one with ogee stops. C17 chamfered stone fireplace. C18 stone fireplace with cornice, and kitchen range. C19 slate fireplace. Adjoining barn, to south, C18. Dressed stone with pantile roof. 2 storeys, 2 bays. West front has to left, entry and to its right, stable door flanked by breathers. Both have segmental heads. Above, off-centre blocked opening flanked by single breathers. East front has central door with segmental head, flanked by single breathers. To right, door with timber lintel. Above, to left, pitch hole flanked by single breathers. South gable has, above, a C20 casement. Interior has half-height loft at north end. Principal rafter roof with clasp purlins, collars and struts</p>		

National Grid Reference

SK5387660924

Grade

II

Building Name**Number**

17 - 19

Street

Albert Street

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/7/2

Description

House, now 2 shops. Mid C18, with mid C19 and C20 alterations. Coursed squared stone with stone dressings and slate roof. 2 storeys plus attics; 3-window range of plain sashes with stone surrounds. Above, 3 box dormers with 3-light glazing bar casements. Two of these casements have been replaced with casements with shorter central lights. Below, two C20 wooden shop fronts and between them, an entry door. Partly rendered right gable has a blocked single-light window to the attic.

National Grid Reference

SK5054764240

Grade

II

Building Name

Pleasley Bridge

Number

Street

Chesterfield Road North

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/1/157

Description

Road Bridge spanning the River Meden - c.1800 with C20th Alterations. Coursed squared stone and coursed rubble, with ashlar dressings. Bridge south side has 2 round arches with keystones, and smaller round arch to east. Impost band and parapet wall with rubble coping. North side has 2 plain round arches and to west, a smaller round arch. Parapet wall has slab coping and end piers with concave-sided square domed caps. The western section of this structure is within the parish of Pleasley, Bolsover District, Derbyshire. (LISTED 01/12/1997)

National Grid Reference

SK5296464325

Grade

II

Building Name

North Lodge Farmhouse

Number**Street**

Northfield Lane

TownMansfield
Woodhouse**Date Listed**

22/10/1986

Serial Number

3/54

Description

Farmhouse. 1816. Ashlar, with concrete tile roof. Ashlar dressings. Projecting quoins, moulded eaves, projecting architraves. 2 gable and single ridge stacks. 3 storeys, 3 bays. L-plan. Windows are glazing bar sashes, 2 of them full height. South front has central C19 latticed scroll work porch with slate roof and panelled door. Above it, datestone inscribed 'W C 1816'. Flanked by single sashes. Above, 3 sashes. Above again, 3 smaller sashes, the central one a dummy. Gable ends are blank.

National Grid Reference	SK5376163204	Grade	II*
Building Name	The Priory		
Number			
Street	Priory Road		
Town	Mansfield Woodhouse		
Date Listed	28/01/1957		
Serial Number	6/55		
Description	<p>Priory, now house. C15, C16, refronted C19. Coursed squared rubble and dressed stone, ashlar dressings. Steep pitched and hipped stone slate and artificial slate roofs. Chamfered plinth, stone gutter brackets, coped gables with kneelers. 3 gablestacks, one of them external. 2 storeys plus garrets, 8 bays. Windows are cross casements with projecting architraves. Those to ground floor have moulded hoods. South front has 2 panelled doors with moulded and chamfered reveal, mullioned overlight and hood. Between them, 2 casements. Beyond, to left, a Tudor arched lancet. Beyond again, 2 casements. Beyond, to right, 2 casements. Above, central oval cartouche. Above again, 8 cross casements. Above again, central cross gable has blind quatrefoil opening. To west, adjoining outbuildings, C16, altered C19 and C20. Single storey, 3 unequal bays. Flat parapeted and lean-to pantile roofs. To left, C20 brick garage. To its right, external stack, flanked by moulded square openings. To right again, segmental headed recess containing C14 chamfered and rebated doorway. North side has 3 blocked lancets. West front has C20 flat roofed brick addition. 2 casements. Above, to left, 2 relieving arches. To right, C20 casement. North front has to left, C20 addition, 2 storeys, brick, rendered. To its right, double gabled wing. To right again, single gabled wing. To left, C20 bay window. Double gable has glazing bar sash and C20 gabled porch with lean-to addition each side and 5 casements. Beyond, a glazing bar sash, 2 casements and a glazing bar sash. Above, to left, 4 glazing bar sashes. Above again, to left, 2 similar smaller sashes and above them, small rectangular openings in gables. To right, quatrefoil opening with C20 casement. East front has to left, projecting cross-gabled wing and to right, C20 2 storey addition. To left, tiny light. Recessed central bay has lean-to over stairway, with a ground level casement. Above it, a plain sash. Return angle has to south, blocked Tudor arched window with square reveal and hood mould. C20 addition has square timber bay window with French window and 4 casements. Above, to left, plain sash and to its right 2 casements. Above again, to left, a leaded casement. Return angle has, above, blocked fireplace and above again, a blocked window. Interior has 6 jowled bay posts and 2 sections of stud wall. Principal rafter roof with tenoned purlins and wind braces. Early C19 dogleg stair with curved landing. Coved, clustered quatrefoil newels, stick balusters, curved moulded hand rail. 2 span beams, one with ogee stops. West end has large C16 chamfered segmental headed fireplace with re-sited crane and pothook. To its left, inserted pointed arched door. C17 ashlar fireplace with four centred arched head, moulded surround and cornice. 2 moulded Tudor arched fireplaces with square stops. 2 moulded square headed fireplaces. Early C19 hob grate. 7 studded Tudor arched doors with shaped reveals. Single C19 pointed arched door. C19 ceiling with moulded cornice and cased beams.</p>		

National Grid Reference	SK5387263156	Grade	II
Building Name	Hardstaff Homes		
Number	1, 2, 3 and 4		
Street	Priory Road		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	6/56		
Description	<p>Retirement homes for miners, now Old People's Homes. 1914. Stripped Jacobean revival style. Brick with ashlar dressings and hipped and gabled Westmorland slate roofs. Coped gables with kneelers. 2 external side wall stacks, each containing a small casement, and single roof stack. 2 storeys, 4 bays. C-plan. Windows are metal casements with moulded ashlar mullions and reveals and hood moulds. Doors have moulded architraves with elliptical heads and hood moulds and original furniture. Rainwater heads are dated 1914. South front has projecting gabled wing at each end. To left, a door flanked to left by single and to right by 2 casements. Beyond, door flanked to right by a casement and to right again, tiny casement in chimney breast. Return angles have each a door. Above, to left, late C20 casement flanked to left by single and to right by 3 casements. Return angle to east has a late C20 casement. East end has to left, chimney breast with framed tablet inscribed 'The Hardstaff Homes. These houses have been erected in accordance with the will of Miss Mary Hardstaff, who died at Nottingham on the 29th day of October 1899. Erected 1914.' To right, a casement. Above, flat-roofed cross eaves dormer. Rear elevation has 4 gabled single storey outbuildings and regular fenestration with leaded casements with segmental heads.</p>		

National Grid Reference	SK5390263160	Grade	II
Building Name	Hardstaff Homes		
Number	5, 6, 7 and 8		
Street	Priory Road		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	6/57		
Description	<p>Retirement homes for miners. Now Old People's Homes. 1914. Stripped Jacobean revival style. Brick with ashlar dressings and hipped and gabled Westmorland slate roofs. Coped gables with kneelers. 2 external side wall stacks, each containing a small casement, and single roof stack. 2 storeys, 4 bays. C-plan. Windows are metal casements with moulded ashlar mullions and reveals and hood moulds. Doors have moulded architraves with elliptical heads and hood moulds and original furniture. Rainwater heads are dated 1914. South front has projecting gabled wing at each end. To right, a door flanked to left by single and to right by 2 casements. Beyond, door flanked to right by a casement and to right again, tiny casement in chimney breast. Return angles have each a door. Above, 4 casements. East end has late C20 flat roofed glazed porch and door. To right, a casement. Above, flat-roofed cross eaves dormer. Rear elevation has 4 gabled single storey outbuildings and regular fenestration with leaded casements with segmental heads.</p>		

National Grid Reference	SK5388363134	Grade	II
Building Name	boundary wall - Hardstaff Homes		
Number			
Street	Priory Road		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	6/58		
Description	Boundary wall. 1914. Brick with ramped, moulded ashlar coping. 6 minor square piers with moulded square caps. Dwarf wall carrying paling fence in place of railing. Pair of larger piers to blocked central gateway, with larger caps and ball finials. Approx. 50M long. To east, adjoining boundary wall to Castle Street, coursed squared rubble with plinth and half round coping. 4 square piers with pyramidal caps. To north pair of late C20 gates. Approx. 150M long		

National Grid Reference

SK5396863218

Grade

II

Building Name

The Manor House and adjoining boundary wall

Number**Street**

Priory Road

TownMansfield
Woodhouse**Date Listed**

28/01/1957

Serial Number

6/59

Description

Manor house. Now offices. Early C17. Alterations and additions C18 and early C19 and adjoining boundary wall. Largely in the Gothick style. Coursed rubble, coursed squared rubble, roughcast and pebbledash. Hipped and gabled graduated slate roof. Ashlar dressings. Projecting quoins, moulded eaves band, crenellated and plain coped parapets, coped gables. 2 gable and 3 ridge stacks. 2 and 3 storeys plus garrets. 15 bays. Modified H-plan with additions. Windows are mostly mid C19 glazing bar sashes. Most have projecting eared and keystone architraves. South front has to left, flat-roofed single bay addition with door. To its right, blocked opening with C20 door and beyond, paired and single sashes. To right again, parapeted porch with C16 Tudor arched doorway. Above it, blank niche. To right again, 2 sashes. Projecting 3 storey bay has C20 Tudor arched door flanked by 2 sashes. In return angle to east, quarter-round portico with 4 columns and crenellated parapet. 2 storey wing to right has 4 tall sashes and to right, C20 canted bay window with 3 sashes. Above, to left, paired sash flanked by single sashes. To right, 10 sashes of different sizes. Beyond, blocked opening and a single sash. Above again, 3 sashes. Return angle has to west, 3 sashes and above, 2 sashes and 2 blocked openings. West front has central louvred opening and above, central C20 casement. Rear elevation has to left, C20 flat-roofed addition, 2 storeys, 3 bays. To its right, 3 bay gabled wing and double gabled 3 storey wing with 2 C20 flat-roofed single bay additions. Between the wings, 3 bay recess with C20 2 storey infill. To left, recessed panelled doorway with fanlight, flanked to left by 2 and to right by 5 sashes. Beyond, to left, a casement. Beyond, to right, a cross casement and a plain casement. To right again, casement flanked by single sashes. Beyond again, casement flanked by single doors. Above, to left, 4 sashes and oval dummy window. To right, 4 sashes and oval dummy window flanked by single cross casements. Beyond, sash and cross casement, and to their right, a casement and 3 sashes. Above again, to left, 2 sashes and to their right, 2 mullioned casements flanked by single blocked mullioned casements. Beyond, another mullioned casement. East front has at each end a projecting wing, that to right hipped. Between them, single storey flat roofed C20 addition. To left, 6 metal casements, and to right, double door and single casement, all C20. Above, to left, central Venetian window with keystone, flanked by single sashes. Beyond, to right, a sash. Above again, to left, flat roofed dormer with sash, and to right, 3 gabled dormers with casements. Return angle to north has, above, a casement and a round headed casement with fanlight. Interior has to south east, main staircase, late C17. Square well, 3 flights plus landings. Square panelled newels, double vase, vase and stem and barley sugar balusters. Ramped handrail. Scroll carved string and undertread with scroll brackets and bosses. Heavily moulded stair wall and dado. Stair well has door way with Corinthian Interior has to south east, main staircase, late C17. Square well, 3 flights plus landings. Square

panelled newels, double vase, vase and stem and barley sugar balusters. Ramped handrail. Scroll carved string and undertread with scroll brackets and bosses. Heavily moulded stair wall and dado. Stair well has door way with Corinthian pilasters and mask keystone and decorative carving. C19 minor staircase, dogleg with landing, has square newels and vase and stem balusters. Second minor winder staircase has scrolled ramped handrail and stick balusters. Principal room on north side has framed timber panelling, dado and chair rail. Deep Classical cornice. Remains of similar panelling in corridor. Corresponding room on south side has plaster panels with moulded frames and C19 Classical timber fireplace with guilloche. Single moulded doorcase. First floor has to east, timber panelled room with deep cornice and keystone window head. Bolection moulded fireplace with pulvinated frieze. To south east, similar panelled room with similar fireplace and 2 C18 doors. Panelled hallway. North side has panelled room with eared timber fireplaces and overmantel mirror with scroll brackets. 11 C18 2 panel doors. 2 late C18 iron doors with Tudor arched heads. Bolection moulded fireplace with bow fronted Adam style grate, early C19. West end has C17 principal rafter roof, hipped. East end has similar C17 roof with double purlins above the rafters. Outside, adjoining boundary wall to south, C18, coursed squared rubble with flat ramped coping. Approx. 50M long.

National Grid Reference

SK5388363317

Grade

II

Building Name**Number**

9, 11 and 13

Street

Station Street

TownMansfield
Woodhouse**Date Listed**

22/10/1986

Serial Number

6/69

Description

House, now shops and store. Early C18. Coursed squared rubble, partly rendered and colourwashed. Concrete tile roof. 2 gable and single ridge stacks. 2 storeys, 4 bays. L-plan. Windows are flush mullioned casements. No.9, to left, has C20 shop window and to its right, a door. To right again, blocked door and shop window. No.11 has flush mullioned casement and to its right, panelled door with overlight. To right again, shop front with modillioned hood on gabled brackets. To right again, shop window. Above, 4 mullioned casements. West gable has C20 casement to right. East gable has, above, to left, blocked window. Rear elevation has to left, C19 addition, 2 storeys, 2 bays, coursed squared rubble with slate roof. To south a plain sash. Above, 2 sashes of different sizes. To right, recessed bay with C20 lean-to porch. Above, small C19 glazing bar casement.

National Grid Reference	SK5387063297	Grade	II
Building Name	15, 17, 19 and adjoining outbuildings		
Number	15, 17, 19		
Street	Station Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	6/70		
Description	<p>House with adjoining cottages and outbuildings. Now also a shop. Early and mid C17, C18 alterations and C19 additions. Coursed squared rubble and brick, partly rendered and colourwashed. Partly timber framed. Steep pitched pantile and concrete tile roofs. Rendered plinth. 3 gable stacks, one external and single ridge stack. 2 storeys plus garret. 1/2/3 bays wide by 5 bays deep. Irregular Z-plan. Street front has to left, door flanked by single shop windows and to right again, another shop window. To right again, shop front with blocked central door flanked by single windows. To right, door and shop window. Above, to left, a casement and 2 Yorkshire sashes. To right, 3 Yorkshire sashes. To right again, C20 flat-roofed addition with door and shop window. West end has off-centre flat roofed rendered brick porch with re-set early C19 panelled door. To right, 2 C20 casements. Adjoining rubble boundary wall with doorway to west and flat stone coping. Above, west gable has 2 small C17 blocked openings. To left, in return angle, C20 casement and squint. To their right, sash, casement, large Yorkshire sash, and a blocked opening. Outbuildings to west have to north, door, and above 3 casements and door. East side has to left, blocked opening. To its right, doorway and 3 windows, all blocked. To right again, door. Above, 2 blocked stone mullioned casements. To right, a smaller similar casement. Beyond, a blocked opening and beyond again, casement in moulded ashlar reveal. Rear elevation has to left, 2 blocked openings. Above, to right, 2 casements. Interior has remains of external rear wall stack. 6 jowled bay posts with moulded span beams. Chamfered span beams, some with ogee stops. Early C17 strutted principal rafter roof, 2 builds, with single and double butt purlins and ridge piece and curved wind braces. Mid C17 principal rafter roof with double purlins and collars. Small plaster cornices. No.19 has on first floor early C18 full height panelled room with moulded beads and cornice. Panelled overmantel with stepped cornices above. Square ashlar fireplace with bolection moulding. Early C19 hob grate with decorative panels and curved back. Mid C17 chamfered ashlar fireplace with ogee stops and early C19 hob grate with curved cheeks. C17 stone mullioned leaded window, blocked. Door made from C16 framed panelling. 4 C17 2 panel doors. C18 3 panel door. C19 stair with turned newels, stick balusters and ramped handrail. No.15 has winder stair and 2 late C18 panelled doors.</p>		

National Grid Reference	SK5384363292	Grade	II
Building Name	Leeds Permanent Building Society Office		
Number	21		
Street	Station Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	6/71		
Description	<p>Framework knitters' cottages, now offices. Early C19. Restored c.1978. Squared dressed stone with pantile roof. 2 storeys, 4 bays. L-plan. Main north front has central door flanked by large single windows, all C20. Above, 3 large Yorkshire sashes, and to right, a smaller similar sash. Gable ends blank. South front has to left, door. Above, 3 large Yorkshire sashes. Adjoining single bay cottage to south has to east, plank door and to right, a casement. Linked single bay outbuilding to south has a casement to east and west and to north, close boarded door.</p>		

National Grid Reference

SK5383763283

Grade

II

Building Name

Mansfield District Council Offices

Number

23 and 25

Street

Station Street

TownMansfield
Woodhouse**Date Listed**

22/10/1986

Serial Number

6/72

Description

Former Chapel and Sunday School, c.1800 and c.1820. Ashlar and dressed stone. Gabled slate and flat parapeted roofs. Rusticated lintels. Eaves band. 2 storeys, 3 plus single bays. Classical style. Square plan. Windows are glazing bar sashes. Chapel, to left, has central door case with Tuscan columns and plain hood. Panelled door with C20 flanking glazing and overlight. To left, a sash. To right, door with overlight. Above, 3 sashes, the central sash with rusticated lintel. Sunday School, to right, has a sash on each floor. Adjoining boundary wall, coursed squared rubble, has saddleback ashlar coping. Approx. 20M long. At rear, flat-roofed addition, altered C20.

National Grid Reference	SK5053964217	Grade	II
Building Name	Pleasley Dam and sluices 5 metres south west of Pleasley Bridge		
Number			
Street	Chesterfield Road North		
Town	Mansfield		
Date Listed	21/03/1994		
Serial Number	924-1/1/156		
Description	Dam and sluices. Late C18. Coursed squared stone and ashlar. Dam wall approx 3m thick and 20m wide, has a central cutwater flanked by single elliptical-arched sluices, closed on the water side by side by vertical wooden sluice gates and operating gear. On either side, flanking walls. To east, a stepped spillway. The western section of this structure is within the parish of Pleasley, Bolsover District, Derbyshire (LISTED 01/12/1997)		

National Grid Reference	SK5383463262	Grade	II
Building Name	The Grange and adjoining boundary wall		
Number			
Street	Station Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	6/73		
Description	<p>Farmhouse. Mid C17. Altered C19. Squared rubble in unequal courses. Ashlar dressings. Slate roof. Chamfered plinth, ashlar quoins, coped gables with kneelers. 2 storeys plus garrets, 4 bays. Double range, square plan. Windows are mainly c19 plain sashes and early C20 leaded casements. South front has off-centre C20 hipped porch with rockfaced plinth. To its left, round C19 bay window with 5 casements. To its right, a casement and a square, slated C19 bay window with 5 casements. To right again, adjoining cross-gabled conservatory with brick plinth, central door to south and gables with finials. Above, 3 plain sashes. Above again, to right, a casement. West front has central rendered brick addition, C19, and to its left, C20 timber porch. To left, a casement and a sash, to right, a glazing bar sash and a casement. Above, 2 casements. Rear elevation has C19 lean-to addition, brick with slate roof. To west, 2 doors and blocked opening, with timber lintel. Adjoining boundary wall, coursed rubble, has flat stone coping. To east, a casement and a door. To left again, 2 blocked stone mullioned cellar windows with chamfered reveals. Above, 4 cross-transom casements and a plain casement. Above again, to left, 2 blocked openings. To their right, a cross casement. To right again, a plain sash, a blocked opening and a cross casement. East end has large C20 flat roofed addition with parapet. To east, 2 casements. To north, 3 casements. Main east front has to right, a cross casement. Above, a plain sash. Above again, 2 small casements.</p>		

National Grid Reference

SK5057256051

Grade

II

Building Name**Number**

27, 29 and 31

Street

Station Street

TownMansfield
Woodhouse**Date Listed**

22/10/1986

Serial Number

6/74

Description

Pair of cottages and adjoining malthouse. Late C18. Coursed squared rubble and dressed stone with slate roof. 2 gable stacks. 2 storeys. 2/2/4 bays. Single range. Single sash. Most windows boarded over. No.27. to left, has central door flanked by single windows. Above, 3 windows. No.29 has central door flanked to left by a window and to right by carriage entry with segmental head and pair of doors. Above, 2 windows. No.31 has, to left, square hatch with stone lintel, and to right, large blocked window. To right again, garage door with wooden lintel. Above, 4 blocked windows. West gable has, above, a square opening. Above again, timber mullioned casement. Rear elevation has to left, blocked opening, and to its right, door and carriage opening. To right, lean-to addition with corrugated iron roof, 2 doors and a casement. To right, glazing bar casement. Above, to left, blocked opening with alighting shelf. To right, a casement. To right again, blocked window and door. Above, a central casement.

National Grid Reference	SK5423663316	Grade	II
Building Name	St. Edmund's Church of England School, with teacher's house and boundary wall		
Number			
Street	Welbeck Road		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	7/75		
Description	<p>School, teacher's house and boundary wall. 1845 and 1883 Tudor Revival style. Dressed stone with slate roof. Ashlar dressings. Plinth, chamfered eaves, coped gables with kneelers. Single side wall stack. Single and 2 storeys, 5 unequal bays. Irregular square plan. Windows are casements and lancets, most with hood moulds. Several doors have Tudor arched heads and hood moulds. South front has a gabled bay each end. To left, door flanked to left by 4 light lancet and to right by 2 casements. To its right, door with mullioned overlight and to its right, 2 casements. To right again, door, and to right, 4 light lancet. Above, to left, shield with hood mould, inscribed 'A D 1883'. To right, corbelled gabled bell turret, its base inscribed 'National School 1845'. East front has 2 buttresses. To left, 2 cross casements, and to their right, C20 casement. Above, to right, a gabled dormer. To right, projecting porch, 2 bays, with to south, Tudor arched door and mullioned casement. East gable has, above stone inscribed 'Girls'. North side has a cross casement. Teacher's house, adjoining to north, has link to left with door and parapet. East gable has a central mullioned casement on each floor. North gable has casement and door. Above, 2 casements. West front has C20 door flanked by single C19 and C20 casements. Above, to right, 2 different casements. Rear elevation has 2 C20 brick additions and to right, gabled stone porch. C20 casements. West end has central recess flanked by gabled bays. Mainly C20 casements. Return angle to south has stone cross casement. Adjoining boundary wall, dressed stone with gabled coping, has 2 square chamfered gatepiers. Approx. 60M long.</p>		

National Grid Reference

SK5403863134

Grade

II

Building Name

War Memorial

Number**Street**

Yeoman Hill Park

TownMansfield
Woodhouse**Date Listed**

22/10/1986

Serial Number

7/77

Description

War memorial. 1923. Ashlar and polished Cornish granite. Square plinth of 2 steps. Coved and rebated square base. To east, bronze tablet with wreath. Above, dedicatory inscription. Other sides have bronze plaques with lists of names. Above, tapered shaft with coved and rebated foot. 4 crosses formed in the head. Bronze sword to east. Inscribed on the 4 sides 'France ... Belgium ... Gallipoli... Italy'.

National Grid Reference

SK5676768882

Grade

II

Building Name

Barn, cottage and outbuilding at Moorfield Farm

Number**Street**

Bishops Walk

Town

Warsop

Date Listed

22/10/1986

Serial Number

2/139

Description

Barn, integral cottage, adjoining outbuilding. Early C17, late C18, late C19 with C20 additions / alterations. Coursed squared rubble and brick. Pantile and corrugated sheet roofs. Ashlar dressings. Single ridge stack. Single and 2 storeys plus garrets. L-plan. 5 bays wide by 4 bays deep. Windows are casements, some with flush mullions. West side has, to left, C20 corrugated iron and brick additions. To right, pair of barn doors with inserted overlight. To right, 2 breathers. Above, 6 breathers. Cottage, to right, has 2 casements, one with chamfered reveal. Above, 3 casements, one very small. South end has off-centre door with overlight flanked by single casements. To right, adjoining outbuilding has a hatch with segmental head. Above, to left, 2 casements and above again, blocked window. North gable has pair of C20 barn doors. Above, to right, door and flanking light. Various breathers. Outbuilding has to north, 3 doors. Cottage has to north, a Yorkshire sash and a door. Above, a Yorkshire sash. East side has gable to left with a casement. To right, cottage has door and 2 casements. Above, a casement. Barn has 2 C20 additions and altered openings. Above, 6 breathers. Barn has principal rafter roof, 4 bays, with double purlins, wind braces and ridge piece. Collars. Struts to purlins. To south, stud partition. To north, C19 loft. Cottage has 4 span beams, 2 with ogee stops. Winder stair. Stud partition. Principal rafter roof similar to barn. C19 corner register grate. Barn is now 3 dwellings, with 10 velux roof windows installed on the west side of the roof and c.6 on the east side.

National Grid Reference

SK5674468837

Grade

II*

Building Name

Warsop Parish Centre

Number**Street**

Bishop's Walk

Town

Warsop

Date Listed

28/08/1962

Serial Number

2/140

Description

Parish centre (formerly Warsop Old Hall). C14, C15, C16, C18. Converted 1972. Coursed squared rubble, dressed stone, steep pitched pantile roofs. Ashlar dressings. 2 gable and single ridge stacks. 2 storeys plus attics. 6 bays wide by 4 bays deep. C-plan. Windows are mainly C20 casements. East front has to left, blocked door flanked to left by a casement and to right by 2 flush mullioned casements. Beyond, louvered opening and 2 casements. Above, to left, casement in moulded reveal flanked to left by plain casement and to right by 2 flush mullioned casements. Beyond, 2 casements. Above again, to left, 2 flat roofed dormers. To right, barn east gable has a square breather. Barn north wall, rebuilt 1972, has 3 rubble buttresses, 2 central blocked doors flanked by single full height glazed panels replacing barn doors. Above, 2 breathers. West gable has blocked door and above, central blocked opening. South side has, to left, C20 door and flanking light. To its right, 3 blocked doors. To right again, French window with overlight under relieving arch. Above, to right, blocked C14 window. West front, 3 bays, has external wooden stair, C20 and C20 fenestration. Rear wing, to west, 2 bays, has 2 coped gables with kneelers. North side has casement with segmental head, flanked by single doors, that to right with segmental head. Above, to left, chamfered mullioned casement. To right, similar blocked casement. To west, C19 lean-to brick addition with slate roof. South front has to left, 2 storey canted bay window with crenulated parapet and 3 light mullioned casement with hood mould. To its right, external stack. To right again, chamfered pointed blocked doorway with restored Gothic overlight. Projecting gable to right has 2 leaded mullioned casements. Above, to left, 5 light C15 lancet with elliptical heads with moulded reveal and hood mould, flanked by single similar lancets. To right, a similar triple lancet with hood mould. To right again, 3 unequally spaced trefoil headed single lancets. Above again, to right, blocked chamfered pointed lancet. Interior has chamfered C14 aumbry and above it, pair of square, chamfered mullioned openings. Single large chamfered doorway. Barn has restored 7 bay principal rafter roof. Cambered tie beams, butt purlins, collars and wind braces. Flat rafters. East end has half height C19 loft forming gallery. Reputed to be the most important medieval house in the county. Probably the seat of the De Sutton family. Sold in 1349 to John Nunnes of London and re-sold in 1350 to Sir John de Roos. Later belonged to the Earls of Rutland. Latterly a farmhouse.

National Grid Reference

SK5687468570

Grade

II

Building Name

Mill bridge and adjoining weir

Number**Street**

Church Road

Town

Warsop

Date Listed

29/07/1966

Serial Number

2/141

Description

Bridge and adjoining weir. 1767. Coursed and coursed squared rubble. Ashlar dressings. String course and saddleback coping. Bridge has projecting central bay with segmental arch. To left, single opening and to right, 4 unequally spaced openings, all with round heads. Central balustrade has flat vase-shaped balusters. Curved and straight flanking walls have 6 square piers with concave domed caps. Each approx. 25M long. Adjoining weir, to south, has C20 concrete coping.

National Grid Reference

SK5687368605

Grade

II

Building Name

Warsop Mill

Number**Street**

Church Road

Town

Warsop

Date Listed

29/07/1966

Serial Number

2/142

Description

Water mill. 1767. 2 storey addition at each end, early C19, now shop and dwellings. Dressed stone with asbestos cement roof. Partial string course and sill band. 2 storeys plus garrets, 6 bays. Windows are flush mullioned casements. These and door have heavy rock faced architraves. Other windows are C19 iron casements. West front has to left, round headed wheel opening. To its right, door with datestone in lintel inscribed '1767', flanked by single casements. To right again, 2 casements and external stone stair. Above, to left, 3 mullioned casements. To their right, 2 C19 casements and a close-boarded door. South gable has to left, close boarded door with segmental head. Each gable has a semi-circular window to garret. At rear, small C19 and C20 lean-to additions. Adjoining boundary walls to north and south, dressed stone with half-round copings, have 4 C20 square piers. Approx. 45M and 30M long. Interior has mid C19 kingpost roof. Mid and late C19 roller mill and processing machinery. Early C20 water turbine.

National Grid Reference

SK5684768695

Grade

II

Building Name

Old Mill House

Number**Street**

Church Road

Town

Warsop

Date Listed

13/07/1976

Serial Number

2/143

Description

Mill house. Early C18. Coursed squared rubble with pantile roof and catslide to rear. Single corner and 3 ridge stacks. 2 storeys plus garrets. 3 bays. L-plan. Windows are mainly C20 casements, some with glazing bars. South front has off-centre door flanked to left by 2 casements and to right by a margin light sash. Above, 3 casements. To east, single storey flat-roofed addition, 3 bays, C20, with door, garage door and 3 casements. Above, east gable has a leaded casement and above again, to left, a casement. North side has to left, projecting gable. To its right, lean-to addition. To left; 2 casements, one in a round headed recess. To right, leaded casement with elliptical head. Above, flat roofed leaded dormer flanked by single casements. Return angle to west has door with C20 stone hood and bracket. West gable has single casement to garret. Outside, adjoining curved boundary wall to north, coursed rubble with rubble coping.

National Grid Reference

SK5686868703

Grade

II

Building Name

Farm buildings to east of Old Mill House

Number

Street

Church Road

Town

Warsop

Date Listed

13/07/1976

Serial Number

2/144

Description

Cartshed, barn and stable in continuous range. Mid and late C18. Dressed stone with pantile roof and stone slate verge. Single and 2 storeys. 2/5/2 bays. West side has to left, lower cartshed, now garage, with pair of doors. Barn, to right, has 3 elliptical headed openings with pairs of doors, flanked to left by a door and to right by a slatted casement, both with segmental heads. Beyond, to right, close boarded door with heavy stone surround. Above, 3 square hatches. South gable has brick and stone steps to close boarded door with segmental head. To right again, 2 bay cartshed with restored principal rafter roof with butt purlins.

National Grid Reference

SK5358461465

Grade

II

Building NameWestgate House and adjoining Coach House and
Boundary Walls**Number**

1 and 1A

Street

Chesterfield Road South

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/21

Description

House, now offices, and adjoining coach house and boundary walls. C1780, with mid C19 alterations and additions. Coursed squared stone with ashlar front and dressings and slate roof with 2 brick gable stacks and coped gables. Plinth and eaves cornice, projecting painted stone surrounds to windows. 3 storeys; 3-window range of margin light sashes, and above, 3 similar smaller sashes. Moulded ashlar doorcase with pediment on scroll brackets and moulded margin stile door with overlight, flanked by single Venetian windows with glazing bar lights. To right, lower hipped coach house with 2 small quatrefoil windows above, and 2 small French windows below. Right return has a blocked pitching eye and below, a C20 glazing bar casement. To right, a lean-to addition with ramped coped wall and side wall stack, with, to right, a half-glazed door and a 9-pane window. Beyond, a ramped coped boundary wall approx 40m long, with an off-centre double gate. SUBSIDIARY FEATURES: semicircular curved boundary wall with flat coping plus iron railings and a central pair of square gate piers with moulded caps.

National Grid Reference	SK5682168688	Grade	II
Building Name	War Memorial		
Number			
Street	Church Road		
Town	Warsop		
Date Listed	22/10/1986		
Serial Number	2/145		
Description	War memorial. c.1920. Limestone ashlar and granite. Square plinth of 2 steps. Bolection moulded square pedestal with inscription to east. Panelled square shaft with pilastered panelled frieze and cornice. East side has granite panel dated 1939-45. Above, panel with sword and above again, inscription 'Pro Patria 1914-1918'. North and south sides have inscribed panels.		

National Grid Reference

SK5681668820

Grade

II

Building Name

Boundary wall, gates, piers and overthrow at
Church of St. Peter and St. Paul

Number

Street

Church Road

Town

Warsop

Date Listed

22/10/1986

Serial Number

2/146

Description

Boundary wall. Mid C19. Coursed squared rubble with gabled stone coping. L-plan with rounded corner. To south, gate with panelled ashlar piers with hipped ashlar caps - Caps are seen to be renewed as of 01/10/2007. Pair of iron spearhead gates. Scrolled foliate wrought iron overthrow and lamp bracket. To north, gateway with similar piers and C20 gates

National Grid Reference

SK5676268803

Grade

II

Building Name

Group of 4 headstones 10m west of tower at
Church of St. Peter and St. Paul

Number

Street

Church Road

Town

Warsop

Date Listed

22/10/1986

Serial Number

2/147

Description

Group of 4 headstones. C18. Ashlar. To left, moulded double stone with scrolled head, winged hourglass and winged serpent. To John and Mary Foster. 1725. To its right, scrolled head stone to Ann Mason. 1713. To right again, moulded arch headed stone to Richard Willee. 1724. To right again, panelled, arch headed double stone to Elizabeth Herring. 1750. Verse inscription.

National Grid Reference

SK5676868790

Grade

II

Building Name

Group of 3 headstones adjoining south side of tower at Church of St. Peter and St. Paul

Number

Street

Church Road

Town

Warsop

Date Listed

22/10/1986

Serial Number

2/148

Description

Group of 3 headstones. C17 and C18. Slate, ashlar and dressed stone. To left, stone with segmental head, to William Smith. 1681. To its right, slate stone to Joseph Hoore. 1754. Signed 'Wm Charles Sculp.'. To right, stone with chamfered corners inscribed '?K Middleton wife of Thomas A D 1649'.

National Grid Reference

SK5678568802

Grade

I

Building Name

Church of St. Peter and St. Paul

Number**Street**

Church Road

Town

Warsop

Date Listed

29/07/1966

Serial Number

2/149

Description

Parish church. C11, C13, C14, C15, C16. Restored and re-roofed and organ chamber built, 1878. Coursed and coursed squared rubble and dressed stone. Gabled and lean-to slate roofs. Ashlar dressings. Chamfered plinth, moulded parapets, coped gables with crosses. West tower, nave, north and south aisles, chancel, organ chamber, vestry, south porch. West tower, C11 and C14, 3 stages, has clasping and corner buttresses of different sizes, some gabled. String course, moulded crenulated parapet, 2 gargoyles, 4 crocketed pinnacles. First stage has to south additional buttress, 2 setoffs. To west, restored C11 round headed door with impost. Above, restored round headed window. Second stage has to south a round headed window and 2 stair lights. Above, clock, 1844, to south and east. Third stage has 4 C14 double lancet bell penings with cusped heads. Nave clerestory has on each side moulded band and 3 gargoyles. 3 restored late C14 triple lancets with cusped heads, square reveals and hood moulds. North side has 3 similar double lancets. North aisle, C14, has chamfered eaves and moulded parapet. Diagonal buttress to east, corner buttress to west, intermediate buttress to north, 2 setoffs. North side has to east, ogee headed triple lancet with square headed reveal. To west, blocked round headed door flanked by single similar C14 double lancets. Organ chamber has moulded plinth, eaves and sill band. To east, cusped trefoil headed lancet. To north, a pair of similar lancets. Chancel has moulded eaves and parapet and on each side, 2 gargoyles. To east, pair of corner buttresses, 3 setoffs. North side has to east, blocked late C14 window with four centred arched head and hood mould. East end has sill band and late C14 6 light lancet with cusped heads, panel tracery and hood mould. South side has additional off-centre buttress, 2 setoffs. Off-centre blocked C14 priest's door. To its left, late C14 triple lancet with cusped heads, trefoils, hood mould and mask stops. 2 bay vestry, c.1500, has chamfered and moulded plinth, eaves band, crenulated parapet and remains of 2 gargoyles. 3 buttresses, 2 setoffs, the central one with incised sundial. Windows are single lancets with cusped heads, square headed reveals and hood moulds, one with mask stops. East end has a single lancet and above, ogee headed niche in parapet. South side has 2 lancets. West end has door with four centred arched head and hood mould. South aisle, 3 bays, C13, has sill band and moulded eaves. To east, 3 corner buttresses plus intermediate buttress, 2 setoffs. East end has restored C13 triple lancet with cusped trefoil heads, hood mould and 3 mask stops. South side has 2 double lancets, 1878. West end has C15 triple lancet with cusped ogee heads and hood mould. South porch, C13, restored C19, has moulded eaves. 2 coped gables, one with cross. 2 flanking buttresses. South doorway double moulded and rebated, with shaft responds with water holding bases and waterleaf capitals. Interior has stone benches and scissor braced roof. Restored C13 inner doorway, cove and roll moulded with hood mould and mask stops. Single shafts with water holding bases and capitals with nailhead

bands. Nave south arcade, C13, 3 bays, has 2 piers and matching responds, square with 4 engaged filleted shafts. Water holding bases and integral round seats. Moulded quatrefoil capitals. Double chamfered and rebated arches with hood moulds. North arcade, C14, 3 bays. 2 octagonal piers and east respond with square plinths, water holding bases and octagonal capitals. West respond has moulded base and capital and keeled shaft. Double chamfered and rebated arches with hood moulds. Roof, C15 style, moulded timbers, arch braces on corbels, 2 mask and 2 foliate bosses. Tower arch, C11, has moulded round head with 2 rows of large zigzag moulding. Cable moulded round responds, square imposts and moulded scrolled capitals. Roll moulded flanking shafts with reel moulding. Baroque style oak screen, 1930. North aisle has to east, unglazed C14 double lancet, flanked to right by a C14 moulded bracket. Lean-to roof, 1878. South aisle has similar roof. East window has stained glass panel, C20. South side has window with stained glass, 1933. West end has window with stained glass Arms of Samuel Hallifax, 1781. Chancel arch, late C14, restored 1878. Double chamfered and rebated with octagonal responds with crenulated capitals. Chancel north side has to west, arched opening containing organ in Gothic case, 1892. East end has stained glass by Shrigley and Hunt to Richard Fitzherbert, 1906. South side has to east, combined sedilia and piscina, late C14, with 4 ogee headed openings in square headed opening with hood mould and mask stops. To its right, C11 priest's door. To west, window with stained glass, 1919. Restored C15 roof with arch braces on angel corbels, arched tie beams and 4 carved bosses. Vestry has fragments of C16 stained glass in all 3 windows. C19 lean-to roof. Fittings include octagonal font, C19. Traceried pulpit with marble shafts, C19. Traceried panelled octagonal font, C19, in C14 style. Moulded late C19 oak benches. Oak reredos in C15 style, 1913. Memorials include scrolled and draped cartouche to John Roileston, 1684. Brasses to Henricus Lukin, 1630; to George Fothergill, 1633; to Oliverus Dand, 1655. 6 brasses to Wylde family, 1694-1801. 5 brasses, C18. 4 brasses, C19. 8 brasses, C20. Marble tablet to Samuel Hallifax, Bishop of St. Asaph, 1790. Timber and brass war memorial.

National Grid Reference

SK5668367993

Grade

II

Building Name

Number

6 and 6A

Street

Church Street

Town

Warsop

Date Listed

05/01/1976

Serial Number

2/150

Description

House and office. Early C18. Dressed stone with pantile roof and stone slate verge. 2 coped gables with kneelers. Single gable, single ridge and single corner stacks. 2 storeys, 3 bays. Extended to east by single bay late C18. Windows are mainly C20 casements. South front has to left, blocked door flanked by casement to left and canted flat roofed bay window to right, containing door. To right again, late C19 shop front with curved fascia brackets and inset door to right. Above, 3 C20 casements of different sizes. East gable has, above, blocked window. West gable has, above, a casement. Rear has mainly C20 fenestration.

National Grid Reference	SK5668668010	Grade	II
Building Name	16 and adjoining malthouse		
Number	16		
Street	Church Street		
Town	Warsop		
Date Listed	05/01/1976		
Serial Number	2/151		
Description	<p>House and adjoining malthouse. Early and mid C18. Coursed rubble and dressed stone with C20 pantile roof. Single coped gable with kneelers. 2 gable and 2 ridge stacks. 2 and 3 storeys plus garret. L-plan. 5 bays wide by 4 bays deep. Windows have flush mullions and C20 casements. Front has to left, C20 door with flanking lights, flanked to left by single and to right by 3 casements of different sizes. Above, smaller central blank opening flanked by 2 casements. Outside, adjoining boundary wall, dressed stone with half round coping, 60M long. South side has to left, a Yorkshire sash. To its right, C20 casement and blocked door. To right again, 2 lean-to additions. Above, 2 casements and a blocked window. East gable has breathers and a C20 casement. Malthouse has to north, C20 garage door and to its right, stone steps. To their right, a casement and a door with heavy stone architrave. Above, 2 casements and door. Above again, 2 casements. Rear has 2 storey C19 lean-to addition. Above, a casement. North gable has single casement to garret. Interior has C18 stone Classical fireplace with panelled pilasters and reeded keystone. Early C19 basket grate. Late C19 kitchen range. Re-used C18 chamfered span beam. Winder stair. 4 C18 2 panel doors. C20 roof. Malthouse has mid C19 kingpost roof.</p>		

National Grid Reference

SK5669468028

Grade

II

Building Name**Number**

18

Street

Church Street

Town

Warsop

Date Listed

05/01/1976

Serial Number

2/152

Description

House. Early C18. Coursed squared rubble, partly rendered. C20 pantile roofs, some steep pitched. Dressed stone details. Single coped gable with kneelers. 2 gable and single ridge stacks, one set diagonally. 2 storeys, 4 bays, with lower 2 storey addition to east. Windows are C19 leaded casements and C20 casements. North front has to left, lean-to C19 addition and garage. To its right, setback 2 storey addition with pair of garage doors, and to right, a casement. Main north front has central door with heavy stone surround flanked by single casements. Above, central blocked opening flanked to left by C20 casement and to right by glazing bar sash. South side has to left, large C19 leaded casement and to right, 3 C20 casements. Above, 3 casements and tiny fixed light. Interior has 2 chamfered span beams and fireplace bresummer, all with stops, Unusual C19 6 panel door. Single bay to west demolished c.1975.

National Grid Reference	SK5688468769	Grade	II
Building Name	1 - 3, Blankley's Yard		
Number	1 - 3		
Street	Eastlands Lane		
Town	Warsop		
Date Listed	22/10/1986		
Serial Number	2/153		
Description	<p>Row of 3 cottages. Late C18 with C19 and C20 additions. Dressed stone with pantile roofs. Single coped gable with kneelers. 2 ridge and single gable stacks. 2 storeys, 6 bays. Windows are C19 and C20 casements. Most ground floor windows have segmental heads. East front has, to left, door flanked by single casements. To right, 3 casements flanked by single doors. Above, to left, a casement and a glazing bar light. To right, 4 C20 casements. North gable has 2 different casements. Rear has to right, C20 lean-to addition with pantile roof. C19 and C20 fenestration includes 2 Yorkshire sashes. This building adjoins the farm buildings belonging to Old Mill House.</p>		

National Grid Reference

SK5823166284

Grade

II

Building Name

Warsop Windmill

Number**Street**

Forest Road

Town

Warsop

Date Listed

22/10/1986

Serial Number

2/154

Description

Windmill. Early C19. Raised mid C19. Coursed squared rubble and brick. Roofless. Battered round tower, 3 stages. Windows are metal casements. First stage has to south east, close boarded door with concrete hood. Opposite door replaced by casement. 2 other casements. Second stage has 4 casements. Third stage has blocked window to south west and single casements to north west and south east. Interior has no significant remains.

National Grid Reference

SK5341061900

Grade

II

Building Name**Number**

82

Street

Chesterfield Road South

Town

Mansfield

Date Listed

09/04/1991

Serial Number

924-1/5/22

Description

House. Early C18, remodelled c1790, with C20 alterations. Coursed rubble sandstone, partly rendered and painted, with ashlar dressings. Slate roof with 2 brick gable stacks and a single coped gable to rear. 3 storeys; 2-window range. L-plan. South west front has two 12-pane sashes and above, two 9-pane sashes. Ground floor has 2 larger 12-pane sashes. All these have flush ashlar surrounds. North-west front has round-headed doorway with 6-panel door and fanlight. South-east front has 2-storey rear wing, a single 2-light flush mullion window on each floor. Rear, to north-east, has 2-light flush mullion windows lighting the stairs. INTERIOR has chamfered beams with stops. Early C18 dogleg staircase with replaced stick balusters, and on the first floor, a fine early C18 fireplace with panelled sides and a central large keystone with flushes. The other room has a simple late C18 fireplace with contemporary iron dog grate.

National Grid Reference

SK5655667729

Grade

II

Building Name

Number

41

Street

High Street

Town

Warsop

Date Listed

22/10/1986

Serial Number

2/155

Description

House, now surgery. Late C18. Coursed squared rubble and dressed stone, partly rendered, partly pebble dashed, with C20 plain tile roof. Dressed stone quoins and pair of kneelers at front. 2 gable stacks. 2 storeys plus garrets. 3 bays. Square plan. Windows are C20 cross casements with splayed stone lintels. West front has central plain stone doorcase with large curved brackets to plain hood. Flanked by single casements. Above, 3 casements. North gable has a leaded casement to garret. South gable has to right, 2 leaded casements and a similar casement to garret.

National Grid Reference

SK5711368867

Grade

II

Building Name**Number**

1

Street

Manor Road

Town

Warsop

Date Listed

22/10/1986

Serial Number

2/156

Description

Farmhouse and barn in continuous range. Early C18. Coursed squared rubble with pantile roof and stone slate verges. 2 coped gables with kneelers. Single ridge and single gable stacks. 2 storeys, 5 bays. Single range with off-centre rear lean-to. South front has to left, adjoining gabled pigsty with hatch in west gable and boundary wall with 2 openings. Barn, to right, has a slatted casement and to its right, 2 close boarded doors. House, to right, has close boarded door flanked by single C20 casements and beyond, to right, a similar door. To right again, small stone lean-to. Above, house has 3 C19 casements, 2 with segmental heads. Rear lean-to has to west, a barred casement with segmental head. Rear elevation has to right, a hatch flanked by single casements, that to right with timber lintel. Above, to right, a pitch hole.

National Grid Reference	SK5712568824	Grade	II
Building Name	Manor Farmhouse and adjoining boundary wall		
Number	2		
Street	Manor Road		
Town	Warsop		
Date Listed	22/10/1986		
Serial Number	2/157		
Description	<p>Farmhouse. Mid C18 and early C19. Coursed squared rubble and dressed stone, with glazed pantile roof and stone slate verges. Partial plinth. Deep eaves. 2 ridge and 4 gable stacks, one external. 2 storeys plus garrets. 3 bays wide by 4 bays deep. Windows are mostly glazing bar sashes. East front has to left range of adjoining lower outbuildings. Off-centre C20 French window flanked to left by C20 casement, and to right by 3 sashes. Above, to right, a smaller sash. North front has, in return angle, a sash and to its right, door with rockfaced architrave and overlight. North gable, to right, has central Yorkshire sash to garret. West front has 2 storey single bay C19 addition to right. To left, blocked window and door. To their right, 3 sashes. Above, to left, casement flanked by single Yorkshire sashes. To their right, 2 sashes. South end has 2 gables, one coped. To right, single storey, single bay addition with coped gable and kneelers. To left, casement and to right, door with overlight. Above, a C20 casement. Outbuildings and additions have, to west, to left, C20 lean-to porch and door with segmental head. To right, small casement and garage door. Beyond, adjoining boundary wall. Adjoining stable is of no special interest. Interior has late C18 Adam style fireplace removed from Nettleworth Manor. Early C19 hob grate with foliate panels. Mid C19 register grate with Classical surround. Mid C18 dogleg stair with landing. Ramped handrail, turned newels, stick balusters. Outside, to north and east, adjoining dressed stone boundary wall with half-round coping. Elaborate late C19 cast iron gate. Approx. 110M long.</p>		

National Grid Reference	SK5729368871	Grade	II
Building Name	Stable with loft		
Number	24		
Street	Manor Road		
Town	Warsop		
Date Listed	22/10/1986		
Serial Number	2/158		
Description	Stable with loft. C.1709. Dressed stone with pantile roof and stone slate verges. 2 coped gables with kneelers. 2 storeys, 2 bays. South east front has 2 doors with segmental heads. North east gable has, above, a square hatch with timber jambs. South west gable has lean-to toilet with pantile roof.		

National Grid Reference

SK5730168852

Grade

II

Building Name

Number

24

Street

Manor Road

Town

Warsop

Date Listed

22/10/1986

Serial Number

2/159

Description

Small farmhouse. C.1709. Dressed stone with gabled and catslide pantile roofs with stone slate verge. 2 coped gables with kneelers. Single central ridge stack. 2 storeys, 2 bays. L-plan. Windows are Yorkshire sashes with segmental heads. North east front has 2 windows on each floor. Rear has, in return angle to right, C20 timber porch with door and 2 casements. To south east, a casement. North west gable has, to left, door and to right, setback rear outshut with 2 casements.

National Grid Reference	SK5441565346	Grade	II
Building Name	Park Hall Stables		
Number			
Street	Park Hall Lane		
Town	Warsop		
Date Listed	22/10/1986		
Serial Number	1/161		
Description	<p>Stable block, now veterinary surgery. 1867. Early C17 revival style. Irregularly coursed ashlar with ashlar dressings and steep pitched gabled and hipped Westmorland slate roof. Chamfered plinth, first floor band, moulded eaves, coped gables with kneelers. 2 gable stacks. Windows are mullioned and cross casements and C20 casements. Single and 2 storeys, 3/3/3 unequal bays. C-plan. East front has stepped forward gabled central bay. Central Tudor arched carriage opening flanked by single casements. Above, 3 casements. Above again, central clock with hood mould, and above it, datestone inscribed 'F H 1867'. Flanking wings have each a central door flanked by single casements. Above, to left, 2 C20 flat roofed dormers. East gable has, above, unglazed opening. South wing has to north, 3 blocked carriage openings with four centred arched heads, containing C20 casement flanked by single doors. North wing has to south, 4 doors each flanked to right by a casement, one blocked</p>		

National Grid Reference

SK5483466907

Grade

I

Building Name

Church of St. Augustine

Number**Street**

Sookholme Lane

Town

Warsop

Date Listed

29/07/1966

Serial Number

1/162

Description

Parish church. Early C12, C13, C14. Restored C20. Coursed and squared rubble and dressed stone. Ashlar dressings. Concrete tile roof with coped gables. Single side wall stack. Nave, 2 bays, has gabled diagonal buttress at each corner. To south C15 triple lancet with four centred arched heads and square chamfered reveal. To right, C14 double lancet with hood mould and single mask stop. West end has central shouldered doorway, restored. Above, C14 double lancet with hood mould and mask stops. Blank north side mainly rebuilt. Chancel, single bay, has 2 gabled diagonal buttresses to east. East end has central C12 round headed window flanked by similar single windows at a lower level. South side has a C14 double lancet with ogee heads and square headed reveal. Nave has restored queen post roof with 2 C15 cambered moulded span beams and curved brackets on corbels. Single foliate boss and carved head. Round chancel arch, C12, has double roll moulding, chamfered impost, shafts with simple leaf capitals. Chancel has C19 queen post roof. North side has to east, restored square aumbry. East end has to right, half-round bracket. South side has to east, cusped headed piscina, early C14. To its right, broken C14 stone bench with arms. Fittings include C14 eggcup font with round stem. C20 chairs, desk and bookstand. Lectern 1982. C17 framed chest with chip carving. C17 bobbin turned chair. Altar rail with Gothick tracery, early C19. Pair of late C19 oil lamps on brackets.

National Grid Reference

SK5493567032

Grade

II

Building Name

Nettleworth Manor - mill Farmhouse and adjoining farm buildings and boundary wall

Number**Street**

Sookholme Lane

Town

Warsop

Date Listed

22/10/1986

Serial Number

1/163

Description

Farmhouse. Mid C18 and boundary wall. Stables and barn, mid C18 and early C19. Dressed stone with pantile roofs, some glazed, with stone slate verges. Ashlar reveals and dressings. Coped gables with kneelers. 3 gable and 2 ridge stacks. Single and 2 storeys. House, L-plan. Buildings arranged round 3 sides of yard. 7 bays wide by 3 bays deep. Windows are mullioned leaded casements and C20 casements. House has to south, 3 casements on each floor, of different sizes. Outside, adjoining boundary wall, dressed stone, with half round coping. West end has C20 fenestration. Off-centre glazed door flanked to left by bow window and to right by 2 casements. Above, 3 casements, 2 with segmental heads. East gable has a casement on each floor. To right, single storey C20 link building with 2 casements and 2 glazed doors. Single storey stable has to left, C20 casement and to right, 2 pairs of garage doors. Adjoining 2 storey stable has to south, 2 doors and above, 2 hatches, all with segmental heads. Barn has to west, pair of central barn doors with elliptical head, flanked to left by round headed doorway and to right by door with segmental head. Above, to left, hatch and 4 breathers. South gable has, above, casement with segmental head. East side has 2 C19 single storey additions. Stable adjoining to west has to north, 2 stable doors and in west gable, casement. All with segmental heads.

National Grid Reference	SK5473066870	Grade	II
Building Name	Hall Farmhouse		
Number			
Street	Sookholme Road		
Town	Warsop		
Date Listed	22/10/1986		
Serial Number	1/164		
Description	<p>Farmhouse. C.1745. Dressed stone with hipped and gabled glazed pantile roofs with stone slate verges. Some concrete tile roofs. Dressed stone quoins. Coped gables with kneelers. 2 ridge and single gable stacks. 1/3 bays. 2 storeys. L-plan. Windows are mainly casements with flush mullions. West front has lower 2 storey service wing to left. To left, round headed door with fanlight, flanked by single casements. To its right, gabled C19 porch with coped gable and kneelers. Chamfered doorway with overlight. On each side, a casement with segmental head. To right again, a casement. Above again, off-centre datestone with segmental head inscribed 'H S E 174?'. Above, small casement with elliptical head, flanked to left by 2 and to right by single casements. North front has to left, C20 door. To its right, blocked door and beyond, mullioned casement. Above, to left, 2 casements, that to right mullioned. Rear wing has to east, a C20 casement.</p>		

National Grid Reference

SK5471666852

Grade

II

Building Name

Barn and adjoining farm buildings at Hall Farm

Number**Street**

Sookholme Road

Town

Warsop

Date Listed

22/10/1986

Serial Number

1/165

Description

Barn with adjoining stables, cowshed and workshops. Early C19 and mid C19. Dressed stone with pantile and slate roofs. Rebated brick eaves. Windows are C20 casements. Barn, 3 bays, has to south, central pair of barn doors, these have now (2007) been replaced by a glazing unit, of 5 full height panes as part of an ongoing conversion to dwellings. To right, small door. Above, to left, 2 casements. East gable has central door and above, central casement, both with segmental heads. 7 breathers. North side has blocked barn doors with inserted segmental headed door. To right, 2 breathers and beyond, casement flanked by single doors with stone loading platforms. Above, 4 breathers. The roof, of red clay pantiles, has been slightly raised to accommodate insulation to meet building regulations for the change of use. Adjoining cowshed, 12 bays, has stone wall with brick gables. Timber framework and queenpost roof, C19. East side has to south, large close boarded door. Stable to north, single and 2 storeys. 3/2/3 bays. Single rear wall stack. South side has to left, 2 storey stable with to left, a casement. To its right, slatted casement flanked by single doors. To right again, a door and a slatted casement. Above, 2 slatted square openings. Single storey range, to right, has to left, 2 casements. To their right, casement flanked by single stable doors. To right again, door with overlight. All with segmental heads. To right again, 2 garage doors. West gable has brick and stone stair. To its right, a casement. Above, large central door. North side has to left, a casement and a slatted opening. To right, 2 small lean-to additions, brick and stone. Single door and single casement. Above, to left, slatted opening. To its right, 3 square breathers.

National Grid Reference

SK5353861536

Grade

II

Building Name

Church of St Philip Neri and attached Presbytery

Number**Street**

Chesterfield Road South

Town

Mansfield

Date Listed

18/01/1994

Serial Number

924-1/5/25

Description

Roman Catholic church and attached presbytery. Dated 1925. By Charles A Easdon of London. Brick with ashlar dressings and Roman tile roof. Chancel with apse and side chapels, nave with clerestory, aisles, north chapel and baptistry. Exterior: East end has blind apse with pilaster buttresses and copper dome, flanked by square side chapels with plain parapets and single round east windows. Chancel has square corner buttresses with caps, and a round-arched window set high on each side. East gable has a square bell turret with cornice and blocking course, topped with a Celtic cross. Single round-arched opening. Nave, 5 bays, has concave ramped buttresses. Clerestory has 5 round-arched windows on each side. Pedimented west gable has central round-arched niche with keystone and imposts, containing figure. On either side, a round-arched window with apron. Central doorway with double flanking shafts, cornice and double doors, with semicircular hood and relief carving in tympanum. On either side, a round-arched window with apron. Aisles have plain parapets, and single round windows in the west ends. No side windows. South aisle has to east a flat-roofed corridor linked to the presbytery, with a door to left and 2 windows to right. North aisle has to east a projecting chapel, with 3 flat-headed windows, flanked by large pedimented gables, each with a round window. Segmental curved west end has 3 flat-headed windows. The flat-headed windows have stone surrounds. Presbytery, to south, has hipped plain tile roof and 2 side wall and single ridge stacks. 2 storeys; 3 bays. Projecting central bay has rusticated brick pilasters. On each floor, a 12-pane sash flanked by single 8-pane sashes, all with keystones. To left, 2 small windows. To right, entrance bay with round-arched margin-glazed window and below, painted stone doorcase with cornice. To right again, projecting hipped bay with two 12-pane sashes, and below, a 3-light window. Garden front has in the centre two 12-pane sashes on each floor, with keystones. On either side, a canted 2-storey bay window with three 12-pane sashes on each floor. INTERIOR is plastered and painted. Chancel has moulded round arch with square marble piers with pedestals and moulded caps. Barrel vault with cross panel. Single moulded round arch on each side, leading to side chapels, with a round-headed window above it. Apse has panelled walls with paintings and Corinthian pilasters, and mosaic panelled dome. Side chapels have 2 bay blind arcades with wall paintings and wooden screens with pedimented central opening. Nave has 5-bay arcades with Ionic columns, moulded round arches and clerestory sill band. Panelled barrel vault with moulded wooden ribs on corbels. West end has panelled semicircular gallery with organ, and below it, a wooden porch with pairs of glazed doors. Aisles have moulded cornices and span beams on brackets. South aisle has 12 bay arcade with moulded arches, containing 5 doors. To east, a double door to the vestry, and an arch to the side chapel. North aisle has to east 3 large round arches, the central one with solid tympanum and round-headed niche with figure, flanked by shouldered doorways, the right one with a wrought-iron gate. Eastern arch to chapel of St Ann, with moulded wall

panels and irregular groin vault. Western arch with wrought-iron screen to Baptistry with panelled walls and groin vault. To west again, a 4-bay blind arcade. FITTINGS: fluted alabaster font on 4 volutes arranged as a cross. Marble altar with suspended canopy. Marble and alabaster balustrade altar rails with wrought-iron gates, to apse and side chapels. Folding panelled pulpit and lectern, panelled choir stalls and plain benches.

National Grid Reference

SK5509366031

Grade

II

Building Name

Nettleworth Farmhouse and adjoining stable block and boundary wall

Number**Street**

Sookholme Road

Town

Warsop

Date Listed

22/10/1986

Serial Number

2/166

Description

Farmhouse. Early C19. Dressed stone with glazed pantile roof and stone slateverges. Stone plinth and lintels. 2 gable stacks. 2 storeys plus garrets. 3 bays. L-plan. Windows are mostly glazing bar sashes with flat arches. Eastfront has central doorcase with curved brackets to hood and C19 half glazed door, flanked by single sashes. Above, 3 sashes. North front has 2 off centre doors flanked to left by 2 casements. To right, single storey addition with a casement. Above, barred casement and to right, blocked opening. Above again, a sash. West front has to left, single storey addition with coped gable. Off-centre C20 door flanked to left by a sash and to right by a casement. Above, a casement and a sash. Above again, a sash. South front has, to left, adjoining stable block, single storey, 5 bays, with a coped gable. 4 slatted casements and to right, door and C20 casement. To right again, sash flanked to left by casement and to right by blocked window. Above, 2 sashes and to right, blocked window. Above again, a sash to right. Outside, to east, adjoining dressed stone boundary wall with ramped slab coping. L-plan. 2 chamfered rusticated gate piers with concave domed caps. Approx 60 m long.

National Grid Reference	SK5408362498	Grade	II
Building Name	Woodhouse Place		
Number			
Street	Mansfield Road		
Town	Mansfield Woodhouse		
Date Listed	13/06/1988		
Serial Number	3/A39		
Description	<p>Farmhouse now house. C17, early C18 with alterations and additions late C18 for Major Rooke, plus C20 alterations. Sandstone with ashlar dressings, plus slate hipped and gabled roofs with 4 castellated stacks and Gothic finials. Battlemented parapet. Quoins. Double range plan. 2 storey 5 bay front. Off-centre door in 4-centred arched door surround and Gothic style projecting porch supported on cluster columns with a battlemented parapet and Gothic finials. To the left a 3 light shallow canted bay window with casements. To the right a larger C20 bay window with 4 metal casements and central double glazed doors, topped by battlements. Beyond to the right a C17 3 light chamfered mullion window. Above 5 late C18 pointed casements, each of 2 lights with Y-tracery and plain ashlar surrounds. West front has 2 bays, with 2, 2 light casements and above 2 late C18 pointed casements each of 2 lights with Y-tracery and plain ashlar surrounds. Rear acade has very irregular fenestration, with 2 large early C18 glazing bar sash windows with ashlar shouldered surrounds and keystones plus 3 late C18 flush mullion casement windows. Interior south-east ground floor room has good quality early C18 stone fireplace decorated with a fluted keystone, 2 similar fireplaces upstairs. A large stone Gothic fireplace with ogee top, and a smaller Gothic fireplace also survive. Most doors are early C18 2 panel doors with L-hinges. Various beams mostly boxed in but certainly early C18. Most windows have panelled shutters. The staircase is probably late C17, though it has been boxed in with C20 panelling.</p>		

National Grid Reference

SK5401463420

Grade

II

Building Name

K6 Telephone Kiosk

Number**Street**

High Street

TownMansfield
Woodhouse**Date Listed**

27/02/1986

Serial Number

7/64A

Description

Telephone kiosks. Type K6. Designed 1935 by Sir Giles Gilbert Scott - Made by Various Contractors. Cast iron. Square kiosks with domed roofs. Unperforated crowns to top panels and margin glazing to windows and doors.

National Grid Reference

SK5661467781

Grade

II

Building Name**Number**

29

Street

High Street

Town

Warsop

Date Listed

10/01/1991

Serial Number

A/2/166

Description

House, now including a shop- (Crates & Grapes Wine Bar 2007). Late C17, with early C19 additions and alterations. Coursed sandstone rubble with ashlar dressings, slate roofs and 3 rendered brick gable stacks. 2 storey plus attics. Street front, has single bay, projecting gable wing to right, with C20 shop front, and above a triple glazing bar sash in a raised plain ashlar surround. Above a similar, though smaller sash. Gable has ashlar coping and kneelers. Set back to left a lower 2 storey wing with pantile roof, with a single 3 light flush mullion window and a similar window above. South west side wall has a blocked 3 light chamfered mullion window, and a similar window above, to the left a blocked 3 light window with above a 2 light sliding sash with glazing bars. The rear court has a round headed staircase window, window in flush ashlar surround with raised keystone. Rear wing has plank doorway to right in flush ashlar painted surround, with to the left a 3 light sliding sash with glazing bars, and a similar larger window above. Attached to the left a large stone water trough.

National Grid Reference

SK5087062070

Grade

II

Building Name

Barn at Penniment Lodge Farm

Number**Street**

Penniment Lane

Town

Mansfield

Date Listed

06/05/2003

Serial Number

924-1/0/10006

Description

Barn and attached pigeon cote. 1700, with early C18 addition and C20 alterations. Coursed local sandstone rubble and brick with ashlar dressings. Asbestos clad roof. Single storey. South-east elevation has large threshing doors flanked by two rows of breathers on either side. Single loft opening to left. Beyond to left an added pigeoncote with stone ground floor and single plank door in ashlar surround reached up a flight of external stone steps. To right walling largely blank with a single loft opening with an ashlar surround. Beyond a former lean-to addition, now largely collapsed. North-west elevation has various doorways including a central blocked doorway with ashlar surround, above two loft openings. To right a stone lean-to addition with a pantile roof at the end with two plank doors either side of a single window. Pigeon cote at north-east end is brick on upper floor. This has raised brick gable and kneelers plus a pantile roof. Long brick flight-perch to south-east and north-east fronts, north-west front has flight holes.

National Grid Reference

SK5409759016

Grade

II

Building Name

Mansfield Cemetery

Number**Street**

Nottingham Road

Town

Mansfield

Date Listed

20/05/2003

Serial Number

GD2811

Description

LOCATION, AREA, BOUNDARIES, LANDFORM, SETTING : Mansfield Cemetery is located c. 2km South of the centre of Mansfield on elevated and undulating ground rising fairly steeply to the south. The c 8ha site is situated on the edge of the built-up area of Mansfield, with Nottingham Road and Forest Hill (Formerly Derby Road) forming a curved boundary running along the north-east and eastern edge of the cemetery. The boundary is defined by stone walls and retaining walls, with the surrounding land in mixed residential and commercial use beyond. The north-west boundary forms an arc from Nottingham Road at the Northern tip of the cemetery, running 220m to the south-west and south and defined by a stone wall beyond which lie residential development and former gravel pits and woodland. The wall then turns west-south-west for 200m with mature woodland to the north, then continues south for 165m forming the western boundary, to the west of which is woodland and the grounds and buildings of the Crematorium. The southern boundary of the site here registered (the original cemetery of 1857 and the first enlargement of 1898) is formed by a stone wall which runs 120m west-south-west from Forest Hill, 350m south of the main entrance. The wall ends abruptly, the boundary of the site here registered being the continuation of its line west-south-west to where it joins the western boundary. ENTRANCES & APPROACHES : The principal entrance to the cemetery is from Nottingham Road to the east, a major trunk road lined with mature lime trees on the northern approaches to the cemetery, part of a planting scheme financed by the Burial Board in 1858 (OS 1877). The gateway to the cemetery (Pritchett & Sons 1857, Listed grade II) is in Gothic Style, a gabled free-standing arch in coursed square stone and coursed rubble with ashlar dressings, with a pair of latticework wooden entrance gates. The steep pitched gable has a finial with double gables and a Celtic cross. An empty lancet situated in the centre of the gable was formerly the housing for a bell, used to signal the imminent approach of the funeral procession from the north (Gallon 2001) A lodge built in the vernacular idiom is situated 12m north-east of the gateway. Formerly the cemetery superintendent's house (Pritchett & Sons c 1857), it has steep gables reflecting that of the entrance arch. Another Entrance, situated 215m south of the principal entrance, is from Forest Hill (Formerly Derby Road). Here, a drive from a pair of simple stone gate piers and a pair of latticework wooden entrance gates leads to the cemetery chapels. Immediately south-west of the entrance is a lodge, formerly the sexton's house, in similar vernacular style. PRINCIPAL BUILDINGS : The cemetery chapels (Pritchett & Sons 1857, listed grade II), of modest almost domestic scale, are situated 250m south-south-east of the principal entrance at the centre of a broad level terrace, set into the slope, which forms the forecourt of the chapels. The chapels, in Decorated Gothic style and forming an almost identical pair, are joined by a porte-cochere and are the focal point of the cemetery. Under the arch of the porte-cochere, on either side is a pointed-arched double door with moulded surround giving access to each chapel through a small porch: to the west a

Nonconformist chapel, now used as a store (2001); to the east the Anglican chapel, restored c 1996, which still functions as a chapel (2001). Above the arch is a square tower surmounted by an octagonal bell turret with eight lancet bell openings with stone tracery and a plain octagonal spire with finial and cross. OTHER LAND : A war memorial (Sir Reginald Blomfield c. 1920, listed grade II) is situated 20m south-west of the principal entrance. The main avenue proceeds south, with a secondary path rising steeply to the south-west, and another secondary path rising gently to the south-east. The broad main avenue takes a curving approach rising to the south, lined on either side by mature Austrian pine trees. Curving paths spur off to either side 50m south-south-west of the principal entrance, following the undulating contours of the topography. Informal groups of headstones and monuments can be viewed on the grass slopes to either side of the avenue, interspersed by an impressive and varied collection of mature coniferous specimens informally planted and dating from the early years of the cemetery (Gallon 2001). Some 130m south-south-west of the principal entrance, the monument to Jabez Fish (1869, listed grade II) in Classical style, is the finest of a number of cast-iron monuments in the cemetery. The main avenue continues to curve, rising to the south where the view terminates at the chapel buildings. A number of secondary routes, serpentine paths following the undulating terrain of the cemetery, link to the forecourt of the chapels. Immediately south-east of the chapels one such secondary route follows rising ground and returns in a north-westerly direction past groups of headstones, monuments, and mature coniferous and broadleaved specimens including beech, following a line along the north-west boundary of the cemetery. To the west and south of the chapels, in the late C19 extension area, curving paths follow the contours, adopting a style similar to that of the original layout, and link to a straight drive running parallel to the western boundary. In this area the planting is of mixed evergreen and deciduous trees with large open glades; the backcloth of mature woodland beyond the western boundary, which predates the cemetery, creates a visual boundary. Returning to that part of the cemetery completed in 1857, 320m south-south-west of the principal entrance the stone boundary wall becomes visible to the west of the path. Excellent views would have been afforded from here, these now partially obscured by tree growth (2001). At this point a spur path descends towards the main avenue. The path following the north-west boundary proceeds, dipping steeply down to the north, in the past affording dramatic views across the cemetery and beyond, now (2001) largely lost due to tree growth. There is a gated access to Gravel Hill Plantation, situated west of the cemetery, 130m south-west of the principal entrance. A number of cleared headstones, monuments, and stone surrounds are thought to have been buried here (Gallon 2001). East of the path, on ground sloping down to the east towards the main avenue, are a number of monuments of important local trades people and a cast-iron monument to Henry Thompson (1878). The path proceeds parallel to the western boundary, descending towards the north-east. The area to the west, which is presently overgrown (2001), forms part of the unconsecrated section of the cemetery. A group of monuments and headstones survives complete with stone surrounds. A second path from the war memorial runs south-east to follow the eastern edge of the cemetery. Rising to the south-east, a number of important monuments stand immediately west of the path including that located 90m south-south-east of the principal entrance to those who died in the Crimean War and the Indian Mutiny. Erected in 1859, it was designed by a seventeen-year-old, William Thrall. The path curves to the south offering direct views east towards the A60, Nottingham Road, the level of the cemetery being above the road at this point. Some 300m south of the principal entrance, close to the eastern boundary, the large area of open grass and new planting overlies a pit of headstones and stone surrounds recently (late C20) cleared from the cemetery. West of the path, situated on an elevated ridge, are a number of prominent and impressive monuments. The Walkden tomb (c.1857, Listed grade II) situated 130m south of the principal entrance, in classical revival style, is built in rock-faced stone with a stone slab roof. George Walkden was a solicitor and steward to the Manor of Mansfield. The Walker mausoleum (1858, listed grade II) situated 165m south of the principal entrance, is in Greek Revival style built in rock-faced stone with a flat roof. The west front has a moulded

Egyptian-style doorcase with cornice and a frieze with a Greek inscription. The memorial, in Gothic Style, to Colonel Thomas and Lady Louisa Wildman (1859, listed grade II) is situated 175m south of the principal entrance. Colonel Wildman (1787-1859, whose inherited wealth came from sugar plantations in the West Indies, brought Newstead Abbey (qv) from the poet Byron in 1817 for £94,900 (ibid)

National Grid Reference	SK5356861546	Grade	II
Building Name	Boundary wall and gates at Church of St Philip Neri		
Number			
Street	Chesterfield Road South		
Town	Mansfield		
Date Listed	21/03/1994		
Serial Number	924-1/5/24		
Description	Boundary wall and gates. Mid C19, altered 1925. Brick and coursed squared stone with ashlar dressings. Central splayed opening with square brick gate piers with rebated corners and flat moulded caps. Pair of wrought-iron gates. On either side, boundary wall with half-round coping, approx 120m long. To left, a pair of square vermiculated gate piers with pyramidal caps and a pair of wrought-iron gates.		

National Grid Reference

SK5404560983

Grade

II

Building Name

Number

10 - 16

Street

Church Side

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/8/27

Description

4 houses, now shop. Early C19, with late C20 alterations (EVEN NOS.)Coursed rubble with painted stone dressings and slate roofs, that to Nos 14 & 16 steeper pitched. Projecting surrounds to windows, those to Nos 14 & 16 rendered, the remainder stone. Windows are late C20 fixed single panes. 2 storeys; 4-window range. 2 pairs of windows on each floor. Ground floor has a full-width late C20 shop front with fascia and 4 large windows, the third one with a doorway. To left, a doorway with stone lintel.

National Grid Reference

SK5405360971

Grade

II

Building Name

Church House

Number

18

Street

Church Side

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/8/28

Description

House. C1775 (formerly Church House now 'Bentinick'). Coursed squared rubble with ashlar front and painted stone dressings. Slate roof with coped gables and 2 brick gable stacks. Moulded eaves, gutter on brackets, projecting surrounds to windows and doors. 3 storeys plus garrets; 3-window range. Front has three 12-pane sashes on the lower floors and above, three 9-pane sashes. To left, a single-storey porch with stepped coped wall and to right, an unpainted round-arched doorway with keystone and impost, containing a glazing bar window. To left, a plain doorway with stone lintel. Right gable has a tall central round-arched stair window with impost and keystone, flanked on the first floor by single 12-pane sashes, Above, to right, a similar sash, and above again, an off-centre 9-pane sash. Below, to right, a 12-pane sash to the ground floor. Below the stair window, a small single-light window, and 2 cellar openings at ground level.

National Grid Reference

SK5407761010

Grade

I

Building Name

Church of St Peter and St Paul

Number**Street**

Church Side

Town

Mansfield

Date Listed

19/12/1955

Serial Number

924-1/6/29

Description

Parish church. West tower late C12, raised C14, spire 1666, restored 1897. North aisle C13 and C14. Nave C14. Clerestory, south aisle north and south chapels and transept C15. Chancel c1475, incorporating C12 fragments. North and south porches C19. Vestry c1905. Restored C19. MATERIALS: coursed rubble and ashlar, with ashlar dressings and leaded and plain tile roofs. EXTERIOR: plinth, sill band, impost band and crenulated parapets. Vestry has moulded plain parapet, porches have coped gables. Chancel east end has flush side chapels, each with a diagonal buttress. Central 5-light pointed-arch window with Decorated tracery flanked by single 3-light pointed-arch windows with Perpendicular tracery, all with hoodmoulds and stops. South chapel has to south a flat-headed 3-light window with Perpendicular tracery. North chapel has a central pointed arched door with hoodmould and stops, flanked by stepped single buttresses. Beyond, to east, a 2-light, and to west a 3-light window, both with flat heads. Single-storey vestry, to east, has clerestory roof and to south, 2 flat-headed plain 3-light windows. In the return angle, a porch with door to east and single window to south. Nave clerestory has on each side 4 restored flat-headed 3-light windows. South transept has a 3-light pointed arch window with Perpendicular tracery to south and a similar flat-headed 2-light window to east. South aisle, 4 bays, has 3 flat-headed 3-light windows with Reticulated tracery, the smaller one to west of the porch with less tracery. West end has a 4-light pointed arch window. North aisle, 4 bays, has to east a 3-light pointed-arch window with Decorated tracery, then to west a 2-light pointed-arch window, and beyond the porch, a single lancet, all with hoodmoulds. West end has a 3-light pointed-arch window with Perpendicular tracery. North and south porches have flanking buttresses and moulded pointed-arched doorways with shafts, hoodmoulds and stops, and wooden gates. On either side, double lancets. Arch braced roofs and moulded doorways with hoodmoulds, that to north flanked by tomb slabs. Square unbuttressed west tower, 3 stages, has string courses and crenulated parapet with gargoyles. Ground stage has to west a round-arched doorway with hoodmould, and above it, a small round-arched window. Second stage has on 3 sides a round-arched double bell opening with round shafts and waterleaf capitals. Bell stage has on each side a 2-light pointed-arch bell opening with hoodmould. Set back octagonal spire has a single tier of pedimented lucarnes, ball finial and weathercock. INTERIOR: double chamfered chancel arch with clustered responds and hoodmould. Low pitched renewed roof with moulded beams, panelled ceiling and bosses. Arch braces on corbels. East end has sill band and stained-glass window by Kempe, 1905, flanked to right by an ogee headed door. Elaborate corniced reredos. North and south sides have 2 chamfered pointed arches with half-octagon responds and C19 Perpendicular style traceried screens, with leaded glass in the west bays. South side has to east a chamfered pointed piscina and elliptical arched aumbry. Side chapels have renewed low pitched lean-to roofs with arch braces and traceried spandrels. South chapel has stained-glass east window, 1875,

flanked by ogee-headed door to left, and to right by an incised slab to a priest, c1280. South side has an elliptical arched piscina, and the north side a squint. Transept contains organ in Baroque-style case. North chapel of St George has traceried panelled reredos, c1918, and stained-glass east window, C19. North-west window has stained glass, 1912. Nave has 4-bay arcades with tall slender square piers with demi-shafts with fillets, double chamfered arches with hoodmoulds and mask stops. Renewed low pitched roof with arch braces on corbels. West end has late C12 rebated tower arch with square responds, and above it, a large round-arched opening. Tower chamber has splayed corner with round-arched doorway, and west window with stained glass, 1900. Aisles have renewed roofs with traceried spandrels, internal porches, and at their east ends, double chamfered arches with Perpendicular style traceried wooden screens. South aisle has to east a chamfered C13 piscina and square aumbry, and above them a stained-glass window, c1870. To west, a segment-arched tomb recess with a male figure c1300, and above it, a stained-glass window c1889. South-west and west windows have stained glass c1890. North aisle has 2 windows flanking the porch with stained glass c1872, and north east window with stained glass, 1902. FITTINGS: C19 round ashlar pulpit with alabaster dressings, chamfered square ashlar font with marble shafts, and brass eagle lectern. C19 plain stalls and benches with mayor's pew with crest and motto. MONUMENTS: numerous brasses, early C17 to early C19. Restored painted stone inscribed tablet with scroll top and crest in oval cartouche, 1634. Charity board c1670. Mid C18 double tablet with scrolls and cornice. 4 marble and slate tablets, late C18 and early C19. Segment headed war memorial tablet, c1918.

National Grid Reference	SK5404561016	Grade	II
Building Name	Boundary wall and gates to Churchyard of St Peter and St Paul		
Number			
Street	Church Side		
Town	Mansfield		
Date Listed	12/05/1993		
Serial Number	924-1/6/30		
Description	<p>Churchyard boundary wall and gates. Dated 1832, with early C20 addition. Curved layout, flanking Church Street and Bridge Street. Approx 200m long. Coursed squared stone wall with moulded ashlar coping, formerly topped with a railing. Main gateway has steps flanked by ogee-curved walls topped with cast-iron railing. Square piers on pedestals, topped with tapered shafts of cast-iron lamps. Pair of renewed wrought-iron gates with openwork iron piers. To its left, an early C20 stone arch containing a notice board, with a swept hipped slate roof. Side gate, to Bridge Street, has similar gate and steps flanked by ogee-curved walls, with date.</p>		

National Grid Reference	SK5388760916	Grade	II
Building Name	Portland Arms Public House		
Number	21		
Street	Albert Street		
Town	Mansfield		
Date Listed	17/03/1978		
Serial Number	924-1/7/3		
Description	Public House. Early C19 with mid C19 and late C20 alterations. Stucco with slate roof and 2 rendered gable stacks. Plinth. 2 storeys plus attics; 2-window range of top-hung glazing bar casements with keystone lintels. Above, 2 gabled dormers with 2-light casements and barge-boards. Below, reeded wooden doorcase with shallow pediment and C20 half-glazed door, flanked by top-hung glazing bar casements with keystone lintels, and waist high spearhead railings.		

National Grid Reference

SK5406560989

Grade

II

Building NameWar memorial 5 metres south of Church of St
Peter and St Paul**Number****Street**

Church Side

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/8/26

DescriptionWar memorial. c1920. Ashlar. Octagonal base, 3 steps, carrying octagonal pedestal with plinth and inscribed
granite tablets. Tapered octagonal shaft with moulded base, topped with a crucifix

National Grid Reference

SK5408860966

Grade

II

Building Name

Old Grammar School

Number**Street**

Church Side

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/8/31

Description

Former grammar school, now parish hall. Founded 1551, rebuilt 1714-19, restored and extended 1851, further extensions late C19 Coursed rubble, coursed squared stone and ashlar, with ashlar dressings and slate roofs. Main block, facing churchyard, has plinth, moulded eaves, and 2 coped rear corner stacks. 2 storeys; 6-window range of reglazed 2-light casements with stone flush mullions. Below, off-centre porch with steep pitched coped gable and round-arched doorway with keystone and impost. Above the door, a panel with Latin inscription. To left, 3 reglazed 2-light casements with stone flush mullions, and to right, 2 similar windows. Above, between floors, 2 small square casements with glazing bars. In each gable, a large segment-headed 3-light transomed casement on each floor. Adjoining the right gable, a hipped 2-storey porch with a doorway with stone lintel. Its right return has a 3-light transomed casement to the first floor. To its right, a lower 2-storey flat-roofed addition with a 2-light casement to the ground floor. Its right return has a 2-light casement, and below, a door. 2-storey rear wing has side wall stack and 2 wooden-framed cross casements to the first floor. Late C19 schoolroom addition, to right, has contrasting first-floor band and coped gables, one with a gabled single bellcote, the other with a finial. Slate roof with central hipped blind dormer and 2 gabled ventilators. 2 storeys; 3-window range of shouldered 3-light lancets with stone mullions, and below, three 3-light stone mullioned cross casements. Each gable has a segmental pointed 4-light transomed window with hoodmould, and above it, a pointed-arched louvred opening. Below, a 4-light stone-mullioned cross casement.

National Grid Reference	SK5407160961	Grade	II
Building Name	Boundary wall and gate piers at Old Grammar School		
Number			
Street	Church Side		
Town	Mansfield		
Date Listed	21/03/1994		
Serial Number	924-1/8/32		
Description	Boundary wall and gate piers. Late C19. Ashlar with gabled coping. Curved layout, approx 200m long. Central gateway has a pair of square piers with pyramidal caps. At the left end, a smaller gateway with similar piers and caps.		

National Grid Reference	SK5583658007	Grade	II
Building Name	Forest Stone		
Number			
Street	Black Scotch Lane, Lindhurst		
Town	Mansfield		
Date Listed	13/05/1986		
Serial Number	1/123		
Description	Commemorative stone. Erected 1752 by Henrietta Cavendish Holles Harley. Ashlar, some rubble. Square stone over 2 metres high set into a rubble platform. The corners of the stone being chamfered in the central sections with remains of ogee stops. West side has C20 plaque. Marking the site of the great forrest court and swain-moot.		

National Grid Reference

SK5391161092

Grade

II

Building Name

Number

5 and 7

Street

Church Street

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/33

Description

2 house, now 2 shops. Early C19, with late C20 alterations. Coursed squared stone with stone dressings and concrete tile roofs. No.7, to right, slightly higher. 3 storeys; 4-window range of plain sashes. Above, to left, two 12-pane sashes. To right, 2 similar sashes, the right one partly reglazed. Ground floor has a central entry doorway flanked by late C20 shop fronts.

National Grid Reference

SK5389561062

Grade

II

Building Name

The Swan Hotel

Number

6

Street

Church Street

Town

Mansfield

Date Listed

19/12/1955

Serial Number

924-1/5/34

Description

Hotel. C1584, remodelled C18, with addition c1870; restored and remodelled c1990. Rendered and painted front with stone dressings, mainly renewed, and plain tile roofs. C19 addition, to left, has coped gables and 2 coped stone gable stacks. Plinth. Windows are mainly renewed glazing bar sashes with projecting rendered surrounds. Double gabled main block, to right, 3 storeys plus attics; 4-window range of 12-pane sashes and above, 4 similar sashes. Above again, in each gable, an unequally hung 9-pane sash. Below, to right, a painted stone doorcase with Ionic columns and pilasters, and round-arched opening with keystone and voussoirs. Reset datestone, 1584, and C20 door. To left, two 12-pane windows. Above, between floors, a full-width glazed canopy on cast-iron brackets. Slightly recessed addition, to left, 2 storeys plus attics; 3-window range of 12-pane sashes and above, 2 through-eaves dormers with coped gables, each with a renewed 2-light stone mullioned casement. Below, 3 round-arched windows with 2-light casements and fanlights.

National Grid Reference	SK5392561066	Grade	II
Building Name	The White Hart Public House		
Number	10		
Street	Church Street		
Town	Mansfield		
Date Listed	17/03/1978		
Serial Number	924-1/5/35		
Description	Public house. Late C18, altered mid C19, restored late C20. Ashlar with ashlar dressings and slate roof with coped gables and kneelers, and 2 coped stone gable stacks. Off-centre facing gable with loop and smaller coped stack. Plinth, eaves band, projecting surrounds to windows. 3 storeys; 6-window range of 12-pane sashes, and above, 6 smaller 12-pane sashes. Off-centre moulded stone doorcase with cornice and 4-panel double door and overlight, flanked to left by three 12-pane sashes and to right by 2 similar sashes.		

National Grid Reference

SK5393361087

Grade

II

Building Name**Number**

11 and 13

Street

Church Street

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/36

Description

2 houses, now 2 shops. C1800, with late C20 alterations. Coursed squared stone with stone dressings and slate roofs. Eaves band, projecting surrounds to windows and door. 3 storeys; 5-window range of 12-pane sashes, and above, 5 similar sashes. Plain central doorcase with 6-panel door and overlight, flanked by late C20 shop fronts. Right return has irregular fenestration with four 12-pane sashes.

National Grid Reference

SK5396361074

Grade

II

Building Name

Number

15

Street

Church Street

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/37

Description

2 houses, now a shop. C1800, with late C19 alterations. Coursed squared stone with stone dressings and concrete tile roof with single brick gable stack. Eaves band, projecting surrounds to windows. 3 storeys; 2 plus 2-window range of 12-pane sashes and above, 2 plus 2 similar sashes. Ground floor has late C19 double shop front with wooden pilasters and brackets to full-width fascia. Recessed entrance and glazed door to right, flanked by 2-light shop windows. To left, 3-light shop window.

National Grid Reference

SK5396761069

Grade

II

Building Name**Number**

17 and 19

Street

Church Street

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/38

Description

House, now shop. Early C19, with mid C19 and late C20 alterations. Rendered front with stone dressings and concrete tile roof with 2 brick gable stacks. Stone quoins and projecting stone surrounds to first-floor windows. 3 storeys; 4-window range of plain sashes. Above, 2 smaller plain sashes. Ground floor has late C20 shop front with fascia, and to right, an entry doorway with incomplete stone surround.

National Grid Reference

SK5397661071

Grade

II

Building Name**Number**

21

Street

Church Street

Town

Mansfield

Date Listed

08/10/1993

Serial Number

924-1/5/165

Description

House, now shop. C1600, altered c1780 and street front added c1880. Ashlar with ashlar dressings and slate roof with a single white brick stack. Rear house, C1600 altered c1780. Coursed sandstone rubble with ashlar dressings and pantile roof with a single gable stack. Chamfered bands and moulded eaves. 3 storeys. Ground floor has C20 shop front and above a pair of plain sashes in chamfered ashlar surrounds on each floor. Rear house, 2-storey; 2-room plan. West front has central doorway with double panel doors, flanked by single boarded sashes, and above 2 similar windows, all openings with flush ashlar surrounds. The top left and bottom right windows show clear evidence of larger earlier window surrounds, evidence on the other windows is hidden by later render. East front has 2 glazing bar windows and a small blocked opening between, and a section of chamfered band. Above another small blocked opening and to the left a 2-light glazing bar casement set within a large, partly blocked, 6-light chamfered, cross mullion window. INTERIOR: rear range has a good quality late C18 fireplace on the ground floor and above a fine stone fireplace with 4-centred arch c1600. The roof timbers have been dendro dated to 1584-5; three trusses with lapped collars and queen post struts on tie beams, the northern truss partly collapsed; the purlins survive and some braces to the principal rafters.

National Grid Reference

SK5214461077

Grade

II

Building Name

Intake Farm School

Number**Street**

Armstrong Road

Town

Mansfield

Date Listed

30/03/1993

Serial Number

924-1/1/166

Description

Primary school. Completed 1957. For Nottinghamshire County Council. Steel frame with some horizontal precast concrete panels, decorative tile-hung panels and vertical timber boarding beneath the classroom windows. Low pitched roof to hall; flat roofs to the classrooms. Hall fully glazed to front (4 main bays of glazing with 3 subdivisions each) and with decorative tile-hung gables. Classrooms with deep strip windows and narrow solid panels beneath and above. Timber window frames. Hall and dining rooms opening into each other, the latter lower. Classrooms compactly arranged on L plan. The first school constructed on what became known as the CLASP system.

National Grid Reference

SK5401261021

Grade

II

Building Name**Number**

32 and 32B

Street

Church Street

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/6/39

Description

House, now offices and shop. C1800, with late C19 and mid C20 alterations. Brick with coursed squared stone front, stone dressings and concrete slab roof with 2 gable stacks, one rendered. Eaves band, projecting surrounds to windows. 3 storeys; 3-window range of wooden-framed 2-light casements with transoms and glazing bar top lights. Above, 3 similar smaller windows. Ground floor has a late C19 wooden shop front with panelled pilasters and ornamented brackets to fascia. Splayed central recess with shop window and doorway, flanked by larger 2-light shop windows.

National Grid Reference	SK5401961010	Grade	II
Building Name	The Old Ram Public House		
Number	34		
Street	Church Street		
Town	Mansfield		
Date Listed	17/03/1978		
Serial Number	924-1/6/40		
Description	<p>Public house. Late C16, remodelled c1777, with C19 addition. Restored 1927 and late C20. Sham timber-framed front with rendered noggin and steep pitched slate roof with coped brick gable stack. Original close studding with rendered noggin and rubble plinth to right gable. Plinth. 2 storeys; 2-window range of C20 glazing bar casements. Below, central doorway with wooden hood, flanked to right by a C20 glazing bar casement and beyond, a doorway to a side passage. The front has the inscribed date 1777. To left, a single-storey lean-to addition with concrete tile roof and a C20 two-light glazing bar casement. Its right return has a single casement. Rear elevation rendered, with pantile roof.</p>		

National Grid Reference

SK5402461015

Grade

II

Building Name

Number

36

Street

Church Street

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/6/41

Description

House, now shop. C1800, with late C19 alterations. Coursed squared stone, the front painted, with stone dressings. Concrete slab roof and single brick gable stack. Eaves band, projecting surrounds to windows. 2 storeys; 2-window range of 12-pane sashes, and above, two 9-pane sashes. Ground floor has to right, a late C19 wooden shop front with pilasters and small cornice. Glazed door to right, flanked by 2 single-pane windows to let. To left again, a stone doorcase containing a single-pane window.

National Grid Reference

SK5396161033

Grade

II

Building Name

Head Post Office

Number**Street**

Church Street

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/42

Description

Head post office. C1925. Brick with ashlar front; roof not visible. Single side wall ashlar stack. Baroque Revival style. Plain angle pilasters, moulded main cornice. 3 storeys; 8-window range of metal-framed glazing bar casements arranged 1:5:2. Slightly projecting central block, 5 windows, flanked by entrance bays. Main block has the upper floors articulated by giant Ionic pilasters and flanked by rusticated strips with ornamented capitals, carried through the cornice to form pedestals. In each bay, a single casement with double keystone, and above, a smaller casement with keyblock and ornamented apron. Rusticated ground floor has moulded cornice and moulded central doorway with keyblock and cornice. 6-pane double doors with margin-glazed overlight, flanked by 2 large casements. 3 of these windows have posting boxes and stamp machines below them. Double entrance bay, to right, has 2 casements on each floor, the upper ones smaller, all with double keystones. Below, a round-arched cart entrance with double keystone and swept-top wrought-iron gates. Single entrance bay, to left, has a single casement on each floor, the upper one smaller, with double keystones. Below, a plain stone doorcase with keyblock and 6-panel double door. Above it, a louvred round opening with double keystone.

National Grid Reference	SK5361461615	Grade	II*
Building Name	Innisdoon, and attached garden wall and gate piers		
Number	1		
Street	Crow Hill Drive		
Town	Mansfield		
Date Listed	07/10/1977		
Serial Number	924-1/5/44		
Description	<p>House and attached service wing and flat, boundary wall and gate piers. 1904-05, with late C20 alterations now medical centre. By Barry Parker and Raymond Unwin. For Walter Barringer of Mansfield Arts and Crafts style. White painted roughcast walls with hipped and gabled plain tile roofs with 2 ridge and single side wall stacks. Irregular triangular plan. 2 storeys; 3 bays. Windows are mainly wooden-framed casements on the first floor and frameless casements below, all with leaded glazing. Northern entrance front has a central jettied gable with a 6-light window, overhanging a deeply recessed splayed entrance with wooden lintel with Gaelic inscription and the initials "WB-LB 1905". Half-glazed door flanked by 3 small square windows. To right, 2 similar windows. Beyond, to left, an angled corridor with 3 single windows. To right, an angled bay with a single small window, topped with a stack with 4 square flues set diagonally. Garden front, to west, has a continuous first-floor window, 16 lights, 4 of them with transoms. Below, full-width tiled hipped canopy covering central French window, flanked to left by a 3-light wooden-framed window and to right by 2 larger windows. Beyond, on either side, a canted bay window with 4 lights. Left return has two 2-light windows and below, 4 single windows. South front has to left a triple gabled projection with three 4-light windows. Below, attached greenhouse to left and 4 reglazed windows to right. To right again, rear wing with elliptical-arched carriage opening and above it, 2-light and 3-light windows. On the opposite side, a 3-light window above the arch, and a similar window to right. Below, 2 single windows. Under the archway, 2 small windows and a door on each side. 2-storey service wing projects to south-east, with a lower hipped garage at the south end. Large side wall stack to left, adjoining carriage arch, and to right, a large flat-roofed through-eaves dormer and a smaller dormer under the eaves. Boundary wall, to south, coursed squared stone with half-round coping and a pair of vermiculated square gate piers. INTERIOR: detailing attributed to Cecil Hignett. Polygonal lobby and 2-storey central hall with galleried landings. Hall contains fitted settle and limestone fireplace with segmental arch and enormous floriated keystone. Wooden dogleg staircase with pierced splat balusters. Dining recess has folding double doors on one side, to the former schoolroom, and double sliding doors on the other. Sliding doors have exposed wrought-iron hangers and tracks, and both sets of doors have 6 small leaded lights with stylised flower designs. Living room has inglenook fireplace with curved brass hood, and former schoolroom has fireplace with copper hood and recessed ashbox. Former kitchen has original fitted cupboards and settle. First floor library has an oriel window with leaded glazing looking onto the hall. Wrought-iron latches, locks, hinges, stained glass and carving all part of original design. An important and little altered example of the work of this partnership.</p>		

National Grid Reference

SK5380661719

Grade

II

Building Name

Stoneleigh

Number**Street**

Crow Hill Drive

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/45

Description

House, now house and offices. Dated 1877. Rock-faced stone with ashlar dressings and hipped slate roofs with 3 coped side wall stacks. Blue brick plinth, string courses, eaves band. High Victorian style. Entrance front has to right a round tower, with a round-arched polychrome-headed double lancet on each floor, with central shaft, leaf corbel and hoodmould. Above, an octagonal wooden turret with semicircular lead aprons and an elliptical-arched glazing bar window on each side. Pyramidal roof topped with a weather vane. To left, a round-arched doorway with steps and parapet walls, single shafts and shouldered hoodmould enclosing a dated panel. Studded round-arched panelled doors with 2 glazed panels. Above, a segment-headed plain sash. To right, a wing with a pair of plain sashes flanked to left by a small casement and to right by a 16-pane sash. Below, similar fenestration with a door between the windows to left. All the openings are segment-headed. To right again, a coped garden wall with a segment-headed door. Garden front has to left a canted 2-storey bay window with hipped roof and 3 plain sashes on each floor. To right, a tent-roofed verandah with cast-iron posts, covering 2 segment-headed plain sashes. Above, 2 similar windows.

National Grid Reference

SK5240859882

Grade

II

Building Name

Hermitage Mill

Number**Street**

Hermitage Lane

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/3/46

Description

Former water-powered textile mill, now builders' supplies warehouse. Late C18, with early, mid and late C19 and C20 alterations and additions. Coursed squared rubble and brick, partly rendered, with hipped and gabled concrete tile roofs. Windows are mainly cast-iron glazing bar casements with 3 UPVC windows on g. floor in similar style. Main block, 3 storeys plus basement; 20-window range. Mainly obscured by late C20 flat-roofed addition. Mid C19 brick section, to left, has 8 segment-headed windows to the first and second floors, the left ones blocked. Above, 8 smaller segment-headed C20 casements. Basement has 2 altered round-arched openings, and to left a late C19 lean-to addition. To right, in the return angle, a hipped 3-storey block with a single segment-headed window on each floor. To right again, late C19 addition, 4 storeys; 4 x 6 windows. Plain coped parapet. Upper floors have each 4 windows. Below, off-centre round-arched doorway with heavy voussoirs, flanked to left by 2 smaller windows. Right return has 5 tapering buttresses up to the third floor. Regular fenestration, with one window on each upper floor altered to form a fire escape. Ground floor second bay has a flat-roofed porch. Rear has 2 windows on each floor, those to third floor segment-headed, with central loft doors on the upper floors, the top one blocked and flanked by an iron crane. Exposed parts of rear elevation have mainly original windows on the lower floors and late C20 casements to the third floor. INTERIOR has original front wall with blocked openings and Norwich Union fire insurance plaque. Timber floors, those to the basement with iron columns clad in brick.

National Grid Reference	SK5229459895	Grade	II
Building Name	Railway bridge 100 metres west of Hermitage Mill		
Number			
Street	Hermitage Lane		
Town	Mansfield		
Date Listed	21/03/1994		
Serial Number	924-1/3/47		
Description	Railway bridge. C1875 probably for the Midland Railway. Single skew span with wrought-iron beams and pierced cast-iron balustrade with moulded handrail. Rock-faced stone abutments with ashlar impost band, and piers at each end of the bridge with moulded ashlar caps.		

National Grid Reference

SK5055964010

Grade

II

Building Name

Pleasley Hill House

Number

24

Street

High Street, Pleasley Hill

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/1/159

Description

Farmhouse, now house. Early C19, with mid C20 alterations. Stucco with stone dressings and slate roof with 2 rendered brick gable stacks. 2 storeys; 3-window range of 12-pane sashes. Central round-headed doorway with coved recess and C20 flush door with fanlight. On either side, a wooden-framed tripartite sash. Right gable has a flat-roofed square porch with a round-arched blind recess. Rear has an altered central stair window, flanked to right by a segment-headed 12-pane sash.

National Grid Reference	SK5054064056	Grade	II
Building Name	Property and attached boundary wall		
Number	35		
Street	High Street, Pleasley Hill		
Town	Mansfield		
Date Listed	21/03/1994		
Serial Number	924-1/1/160		
Description	<p>Farmhouse, now house, and adjoining boundary wall. Mid C18, with C19 and mid C20 alterations and additions. Coursed rubble with ashlar dressings and steep pitched concrete tile roof. 2 storeys plus garrets; 2-window range of 3-light casements with painted stone flush mullions. Below, 2 similar windows, flanked to right by a board door and to left by a C20 flat-roofed glazed porch. Right gable has a single-storey lean-to addition with pantile roof. Left gable has a 2-light wooden framed casement, and a single light garret casement. Rear has an off-centre single casement with stone surround. Below, to left, a 2-light casement with stone flush mullions, and to right, a panelled door. SUBSIDIARY FEATURES: attached boundary wall, coursed squared rubble with half-round coping, enclosing a square garden.</p>		

National Grid Reference

SK5479061713

Grade

II

Building Name

Bath Mill

Number**Street**

Bath Lane

Town

Mansfield

Date Listed

18/04/1986

Serial Number

924-1/6/4

Description

Also known as: Goldie's Mill, Bath Lane. Former water powered textile mill, now disused. And partly converted to flats. 1822-31, converted and extended c1880, with late C20 alterations. Coursed squared rubble with stone dressings and slate roofs. External square brick factory chimney stack at the north west corner. 4 storeys plus garrets, 3 and 2 storeys; 20-window range. Windows are mainly 20-pane cast-iron glazing bar casements. Main block has on the west side 11 windows on each floor arranged 1:10. Some ground-floor windows blocked. Left gable has blank first floor and above, 3 blanks with smaller window inserted between the left pair. Above again, central window flanked by single blanks. Single central window to garret. Below, 2 windows to left, and door to right. 2-storey central block has 6 windows, the 2nd and 5th blocked, the 6th boarded. Below, off-centre cart entrance with wooden lintel, flanked to left by single window with basement opening below it, and to right by 2 windows. To left, a gabled 3-storey staircase projection with single windows on the upper floors and below, to right, a late C20 door. To right, a gable with 2 late C20 windows and below, 2 casements flanked by single doors. Rear elevation has similar fenestration. INTERIOR has king post truss roof. Built originally for the making of cotton and lace thread, later converted to cotton doubling. Converted c1880 by W Goldie & Co., for use as a hosiery mill. In use until c1984.

National Grid Reference

SK5047163939

Grade

II

Building Name

Pleasley Hill Farmhouse

Number**Street**

High Street, Pleasley Hill,

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/1/164

Description

Farmhouse and adjoining garden wall and gate piers. Mid C18 and early C19, with mid C19 additions and C20 alterations. Coursed squared stone with ashlar dressings and plain tile and slate roofs. Early C19 front, to west, has plinth, eaves band, coped gables and 2 brick gable stacks. 2 storeys; 3-window range of 12-pane sashes with projecting painted stone surrounds, and cornice. Central mid C19 square porch with cornice and moulded round-arched doorway with half-glazed double door and fanlight, flanked by single Doric columns. Left gable has a 12-pane sash to ground floor. Rear wing, C18, has a 3-light window with stone flush mullions. Below, a similar window, and to its right, a beaded 6-panel door. Lower 2-storey C19 rear wing has C20 casements and doors. SUBSIDIARY FEATURES: attached to the left gable, an S-curved stone garden wall with half-round coping and a gateway with square gate piers.

National Grid Reference

SK5049263911

Grade

II

Building Name

Coach House -Pleasley Hill Farmhouse

Number**Street**

High Street, Pleasley Hill.

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/1/163

Description

Coach house 10 metres south-east of Pleasley Hill farmhouse. Mid C18, with mid C20 alterations. Coursed squared stone with ashlar dressings and hipped pantile roof. 2 storeys; 3-window range. West front has central 3-light casement, flanked to left by a 2-light flush mullioned window, and to right by a similar window, both blocked. Central round-arched carriage opening with double board doors, flanked by single stable doors with stone lintels. Rear has a plank loft door to left, and a reduced brick external stack to right.

National Grid Reference	SK5197659808	Grade	II
Building Name	Railway viaduct		
Number			
Street	King's Mill Lane		
Town	Mansfield		
Date Listed	17/03/1978		
Serial Number	924-1/3/48		
Description	Railway viaduct. Possibly 1819, 1847, restored c1990. For the Mansfield to Pinxton railway. Coursed squared stone with ashlar dressings, largely renewed. 5 round arches separated by pilaster buttresses, with wall ties and impost band. Keystone of central arch dated 1847. Plain parapet with flat coping. This line was constructed c1819 for pre-locomotive traffic, and this viaduct may date from this early period, and have been altered when locomotive traffic was introduced in 1847.		

National Grid Reference

Grade

II

Building Name

Number

11

Street

Leeming Street

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/49

Description

Shop, now café and shop. C1900, with late C20 alterations. Built c.1900 for Boot's Chemists Faience front; roof not visible. Eclectic style with Decorated Gothic and Renaissance Revival details. 3 storeys; 5-window range. First-floor bays divided by Ionic columns with moulded impost band under a main cornice with breaks over the columns. Frieze has roundels with the letter B. In each bay, a moulded elliptical-arched opening containing a 3-light cross casement, the central light incorporating a pediment and fanlight. Second floor has a central bay flanked by Ionic columns on pedestals and topped with a shouldered dentillated semicircular gable, with supporting volutes and finial. Elliptical arched 3-light mullioned window with keystone, Gothic tracery, and short columns and pedestals fronting the mullions. Side bays are divided by short Ionic columns on pedestals, under a cornice with breaks. In each bay, 3 flat-headed windows with Gothic tracery and voussoirs. All these windows except the extreme left have leaded glazing. Above again, a pierced coped balustrade with pedestals and finials. Ground floor has 2 late C20 shop fronts with shared central entrance and continuous fascia.

National Grid Reference	SK5393461190	Grade	II
Building Name	Imperial Buildings		
Number	28A, 30 and 32		
Street	Leeming Street		
Town	Mansfield		
Date Listed	21/03/1994		
Serial Number	924-1/5/50		
Description	<p>Office building with shops to ground floor. Dated 1901, with mid and late C20 alterationsBrick with ashlar dressings; roof not visible. First-floor band and string course, main cornice with breaks, pierced balustrade with moulded coping. 3 storeys; 7-window range. 3 bays. Windows are mainly composite sashes with plain lower lights and glazing bar upper lights. Central bay has flanking pilasters rising through the cornice and topped with pedestals and ball finials. Canted stone oriel window with 3 sashes. Above, a tripartite sash with brick pilasters, fronted by a small canted balcony with floral panels. Above again, a plain parapet with tablet inscribed "Imperial Buildings", topped with a coped pediment dated 1901. Side bays have similar flanking pilasters and on each floor a tripartite sash. Between floors, aprons with floral panels. Ground floor has 3 shop fronts, mid and late C20, within original granite-faced plinth and pilasters with enriched capitals. Fluted curved brackets topped with pediments, carrying a continuous cornice with central break. The cornice and brackets are painted.</p>		

National Grid Reference	SK5395361217	Grade	II
Building Name	Brunt's Buildings		
Number	34 - 42 (including 4&6, Toothill Lane)		
Street	Leeming Street		
Town	Mansfield		
Date Listed	21/03/1994		
Serial Number	924-1/5/51		
Description	<p># 34 - 42 (EVEN ONLY) includes nos 4-6 Toothill Lane. Office building with shops below. Dated 1915, with late C20 alterations. Brick with ashlar and concrete dressings with slate roofs, coped gables and single gable and 3 ridge stacks with stone bands and coping. Quoins, first-floor lintel band, modillion eaves. 3 storeys and 2 storeys; 9 x 10 windows. On corner site with angled corner feature. Windows are mainly 15-pane glazing bar sashes to the first floor, and 12-pane sashes above. Some have single-pane lower sashes. First-floor windows have keystones. Corner feature has banded pilasters with cornice breaks. Composite sash with moulded surround and cornice, and above, a round-headed niche containing a life-size sculpture of man in late C17 costume. Above again, square clock turret with corner volutes and clock face set in panel, topped with modillion cornice, square lead dome and weather vane. Leeming Street front has 2 projecting bays each with 2 sashes on each floor, topped with dentillated pediments, each with a half-round tablet inscribed "Brunt's Buildings". In centre of each bay, cartouche set in leaves, the left with arms of the Dand family, the right with inscription. Between projecting bays, 2 windows on each floor, and beyond, on either side, a set-back bay, the left with single window on each floor, the right with 2. Toothill Lane front has 3-storey block to right, 4 windows, with projecting central bay under pediment containing a half-round datestone. 2 windows on each floor. On either side, single windows on each floor. To left, a 2-storey range, 6 windows, with a slightly projecting central bay, 2 windows, under a plain pediment. Ground floor has continuous run of shop fronts and shop windows along both fronts, linked by rounded corner. Original wooden pilasters with curved double brackets and moulded square hoods, and continuous dentillated cornice. 3 right-hand bays to Leeming Street have cornice removed. Toothill Lane front has plain cart entrance in second bay. Erected by trustees of Brunt's charity on site of the house of one Rowland Dand (inscription on Leeming Street front).</p>		

National Grid Reference

SK5396161235

Grade

II

Building Name**Number**

46 - 52 (including 5, Toothill Lane)

Street

Leeming Street

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/52

Description

EVEN NUMBERS ONLY includes no.5 Toothill Lane. House, now offices and shops. Early C18 and early C19, with late C19 and C20 alterations. Coursed squared stone, clad throughout in sham timber-framing with rendered nogging, with ashlar dressings and hipped and gabled concrete tile roofs. Leeming Street front has painted ashlar cornice. 3 storeys; 5 x 4 windows. Windows are mainly casements with stone surrounds and flush mullions. Leeming Street front has a central single casement flanked by two 3-light casements. Above, central single casement flanked by two 2-light casements, all blocked. Ground floor has 4 mid and late C20 shop fronts, that to the right, with a recessed corner entrance, returned along Toothill Lane front. Toothill Lane front has to right two 3-light stone mullioned casements, and above, two similar 2-light casements. Below, late C19 and early C20 shop fronts. To right, a lower 2-storey block, early C19, with a plain sash to left and a 12-pane sash to right. Above, 2 unequally hung 12-pane sashes. Ground floor has early C20 wooden shopfont with toplight window, recessed glazed door and brackets to fascia cornice.

National Grid Reference

SK5397561268

Grade

II

Building Name

Mansfield Community Arts Centre

Number**Street**

Leeming Street

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/54

Description

Former Carnegie library, now community centre. Dated 1904, converted c1975. Brick with ashlar front and dressings, and hipped slate roof behind parapet. Baroque Revival style. Plinth, first-floor sill band, main cornice, plain coped parapet with stepped panelled central pedestal. 2 storeys; 1:3:1 bays. Recessed central bay flanked by single 12-pane sashes in the side bays. Beyond, set back narrow single bays, the right one with an 8-pane sash. Central loggia with 2 Doric columns in antis, linked by a railing. Glazing bar cross casement flanked by smaller 10-pane casements. Above, massive central pediment extending to the main cornice, with swagged keystone and containing a moulded semicircular recess. In the recess, a renewed inscribed panel with swags, flanked by enriched pilasters and allegorical figures. On either side, a square porch with Doric pilasters and broken pediment, the left one with a wooden-framed glazing bar casement with apron, the right one with a late C20 wrought-iron screen and door. INTERIOR has entrance hall with wooden paybox in Baroque Revival style, with round-headed window under broken pediment, flanked by single windows, and to right, a door. Cantilever concrete dogleg stair with wrought-iron balustrade. Single-storey reading room has 5-bay blind arcade and gabled glazed clerestorey roof.

National Grid Reference

Grade

II

Building Name

Charter Arms Public House

Number

Street

Market House Place

Town

Mansfield

Date Listed

30/04/1975

Serial Number

924-1/5/56

Description

Public house. Late C18, remodelled mid C19, with late C20 alterations. Painted stucco with ashlar dressings and hipped slate roof with 2 brick ridge stacks. Plinth, ground floor cornice, quoins, string course, second floor sill band, dentillated eaves. 3 storeys; 3-window range of 12-pane sashes with projecting surrounds and closed pediments on consoles. Above, three 9-pane sashes with eared and shouldered surrounds. Ground floor has a central casement flanked by single wooden-frame cross casements, all late C20. At each corner, a recessed entrance with curved 6-panel double door and overlight. Right return has three 12-pane sashes arranged 1:2, and above, three 9-pane sashes similarly placed. These windows have similar surrounds to those at the front. Below, 2 late C20 casements, and to right, a door with overlight. Left return has 2 sashes on each floor similar to those at the front. Below, 2 casements to right, and a door with overlight to left.

National Grid Reference	SK5450561540	Grade	II
Building Name	Stanton's Mill and adjoining outbuildings		
Number			
Street	Bath Lane		
Town	Mansfield		
Date Listed	21/03/1994		
Serial Number	924-1/6/5		
Description	<p>Former water-powered textile mill, now workshops, and adjoining outbuildings. Late C18 and early C19, with C19 and late C20 alterations and additions. Probably constructed for the fourth Duke of Portland, who established several such mills in the area. Coursed rubble with stone dressings, and concrete tile, corrugated asbestos and hipped slate roofs. Windows are mainly C20 top hung casements in original segment-headed openings. Late C18 block, to south, 3 storeys; 8-window range, has regular fenestration. At the rear, several of the first- and second-floor windows are boarded. Basement has 2 wheel openings with concrete lintel and piers, with 3 small blocked openings above them. To left, 3 windows. Larger early C19 block, to north, has steeper pitched roof. 3 storeys plus basement and garret; 13-window range. Regular fenestration above the basement. Basement has to right a large sliding door, flanked to left by 4 windows, one of them altered, and to right by a C20 door and another window. North gable has a garret window. To north again, a largely rebuilt block, 2 storeys plus basement; 3-window range, with flat roof. First floor has 2 windows to left, and door to right. Sliding door to basement. To north-east, former office building with hipped roof and brick side wall stack. 3 storeys; 3-window range. Windows mainly late C20, some of them with projecting surrounds. Central plain painted stone doorcase. Rear elevation, to Bath Lane, has to left 2 small 2-light casements with below a boarded door to left. To right, a single-storey flat-roofed link with a C20 casement and to right, a double board door with overlight. To right again, a single-storey stable with hipped slate roof. Central round-arched door flanked to left by a board door and to right by a boarded and blocked cart entrance with wooden lintel. Probably the oldest of the textile mills in Mansfield.</p>		

National Grid Reference

SK5382861009

Grade

II

Building Name**Number**

1

Street

Market Place

Town

Mansfield

Date Listed

22/10/1992

Serial Number

924-1/5/57

Description

Former bank, now Public House. Late C19, with mid C20 alterations, Ashlar, with granite plinth and doorcase, ashlar dressings and slate mansard roof. Single ridge and 2 gable stacks, all coped and with cornices. Baroque Revival style. Plinth, quoins, dentillated main cornice, secondary cornice, balustrade with volutes. 3 storeys plus attics; 5 x 4 bays. Corner site with angled corner entrance bay. Entrance bay, topped with a lead dome and stone finial, has a doorcase with dentillated cornice and heavily rusticated Doric columns, containing a cross panelled double door. Above, a round-arched recess with hood on pilasters, and above it, a plain sash with bracketed sill and scroll keystone. Above again, a round-arched window with panelled surround and keystone. Left front, to Church Street, has the lower 2 floors articulated by Doric half-columns on tall rusticated pedestals. 5 plain sashes with moulded surrounds and keyblocks, and aprons with festoons. Ground floor has round-arched single-pane windows with fanlights, rusticated voussoirs and scroll keystones. Second floor has 5 plain sashes with small cornices, divided by panelled pilasters. Attic has 4 shouldered round-headed dormers with 2-light glazing bar casements. Right front, to Market Place, has 3 bays of the same design, with 2 dormers to the attic. To right, a slightly projecting entrance bay with a recessed doorway under a scroll keystone. Above it, a semicircular window with rusticated voussoirs. Above, a plain sash with keyblock and apron, under a triangular pediment. Above again, a plain sash with moulded surround and segmental pediment, under a stepped parapet.

National Grid Reference

SK5386161058

Grade

II

Building Name

Number

6 and 7

Street

Market Place

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/58

Description

2 houses, now office and shop. Early C19, with mid and late C20 alterations. Coursed squared stone, painted, with stone dressings and slate roof with single brick ridge stack. Moulded cornice. 3 storeys; 3-window range, arranged 2:1. Three 12-pane sashes, the lower lights reglazed, with projecting stone surrounds. Above, 3 late C20 louvre windows with similar surrounds. Below, full-width late C20 tiled shop front with a pair of doors to left divided by a rusticated pilaster.

National Grid Reference

SK5386361050

Grade

II

Building Name

Number

8

Street

Market Place

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/59

Description

House, now consulting rooms. Early C19, with late C20 alterations. Coursed squared stone with ashlar dressings and slate roof. First-floor and eaves bands. 3 storeys; single-window range, with a 12-pane sash and above, a 9-pane sash. Ground floor has a full-width late C20 shop front with tiled surround and plastic fascia.

National Grid Reference	SK5380261065	Grade	II
Building Name	The Dial Public House		
Number	15		
Street	Market Place		
Town	Mansfield		
Date Listed	30/04/1975		
Serial Number	924-1/5/60		
Description	Public house. Early C19, with late C20 alterations. Ashlar, painted, with rendered ground floor and concrete tile roof with single ridge and 2 gable brick stacks, all renewed. Plinth, rebated eaves. 3 storeys; 5-window range of margin-light sashes with projecting ashlar surrounds, above 5 similar smaller windows. Ground floor has 4 round-arched windows flanked by single panelled doors, all with fanlights.		

National Grid Reference	SK5381061080	Grade	II
Building Name	The Market Inn		
Number	16		
Street	Market Place		
Town	Mansfield		
Date Listed	30/04/1975		
Serial Number	924-1/5/61		
Description	Public house. C1830, with later C19 and C20 alterations. Renewed rendered front and ashlar dressings, with slate roof and 2 brick gable stacks. Plinth, string course, moulded eaves cornice, 2 fire insurance plaques. Angled convex front. 3 storeys plus attics; 4-window range of plain sashes with projecting stone surrounds to the first and second floors. Above, 2 gabled dormers with traceried barge-boards and finials and 2-light casements. Ground floor has central moulded round-arched doorcase with blank fanlight and moulded 4-panel door. On either side, a pair of wooden-framed cross casements with flanking pilasters, under a common cornice. To left, another round-arched doorcase with plain fanlight and 4-panel door.		

National Grid Reference

SK5380561087

Grade

II

Building Name

Number

17 and 18

Street

Market Place

Town

Mansfield

Date Listed

30/04/1975

Serial Number

924-1/5/62

Description

2 houses, now building society offices. c1820, with late C20 alterations Ashlar, painted, with ashlar dressings. Roof not visible. Single side wall brick stack. String courses, sill band, low coped parapet. 3 storeys; 4 x 3 windows. Market Place front has four 12-pane sashes and above, four 9-pane sashes. Right return, to Stockwell Gate has similar fenestration with 3 windows. Ground floor has full-width late C20 shop front on both sides, with granite piers and wooden fascia. Recessed corner entrance with glazed double door.

National Grid Reference

SK5382461129

Grade

II

Building Name

Number

23A

Street

Market Place

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/63

Description

Former bank, now disused. C1875, with mid C20 alterations. Ashlar with polychrome ashlar dressings and plain tile roof with a coped gable stack. Angle pilasters, rebated eaves. 3 storeys; 3-window range of round-headed plain sashes with impost band, hoodmould and fluted keystones. Above, 3 segment-headed plain sashes divided by fluted terms, with lintel band and moulded sill band. Ground floor has moulded painted ashlar shop front with panelled pilasters and enriched cornice. Mid C20 reconstituted stone infill with a central glazing bar window flanked to left by a blank and to right by a panelled double door with overlight.

National Grid Reference

SK5384161092

Grade

II*

Building Name

Cavendish Monument and attached railings

Number**Street**

Market Place

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/64

Description

Monument and railings. Dated 1849, restored 1979 and 1990 By TC Hine. To George Frederick Cavendish Bentinck. Executed In Ashlar. Gothic Revival style. Square base, 3 steps, with chamfered corners and renewed iron railing with spiked corner posts. Canted square pedestal with plinth and inscription. Corner pedestals each with a seated lion carrying a gilt metal banner. Square canopy with gabled angle buttresses and panelled base with shields. On each side, a cusped arch with hoodmould under a crocketed gable. Above, an elaborate crocketed spire with finial and a single tier of traceried gabled lucarnes.

National Grid Reference

SK5383361133

Grade

II

Building Name

Former Moot Hall

Number**Street**

Market Place

Town

Mansfield

Date Listed

19/12/1955

Serial Number

924-1/5/65

Description

Former moot hall at north corner of Market Place, now bank and shop. Dated 1752. Refenestrated and ground floor remodelled mid and late C20. Paid for by Lady Oxford of Welbeck. Coursed squared stone with ashlar dressings, reconstituted stone ground floor, and hipped slate roof. Projecting quoins and window surrounds, moulded main cornice. 3 storeys; 2:3:2 windows. First- and second-floor windows are top-hung glazing bar casements, those to the second floor smaller. Projecting centre, 3 windows, has pediment containing an achievement of arms in high relief, and a frieze inscribed '17 - HCHOM - 52', interspersed with paterae. Beyond, on either side, 2 windows. Ground floor has central 3 bays with reeded pilasters and scroll brackets to cornice supporting the projecting upper bays. To left, 2 glazing bar windows with panelled aprons, and to right, a double door with overlight. Beyond, on either side, 2 similar windows. Right return, 2 windows, has similar fenestration to front. Ground floor has a glazing bar window to left and a panelled double door and overlight to right, both with projecting surrounds.

National Grid Reference

SK5380661050

Grade

II

Building Name

The Court House PH

Number**Street**

Market Place

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/67

Description

Former probate office former savings bank and courthouse, probate office now Public House. 1840, with alterations 1867. Ashlar, with ashlar dressings and hipped slate roof with 2 coped ashlar side wall stacks. Rusticated plinth, string courses and sill bands, dentillated main cornice. 2 storeys; 3-window range of unusual wooden-framed cross casements, with projecting surrounds and pediments. Central portico with Doric pilasters and cornice, covering a fielded 8-panel door with margin-glazed overlight. On either side, a 12-pane sash with flanking pilasters and small cornice, set in a recessed panel. Left return has a pedimented cross casement to left. Below, a pair of 12-pane sashes similar to those at the front. Lower set back rear range has dentillated eaves and two 12-pane sashes on each floor. At the rear, 2 hipped 2-storey pavilions, the left one with a 12-pane sash. Central moulded round-cornered doorway with stencilled pattern, dated 1867.

National Grid Reference

SK5498159576

Grade

II

Building Name

Berry Hill Hall

Number**Street**

Berry Hill Lane

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/3/7

Description

Country house. Early C18, with large scale additions for William Bilbie c1770, and further additions C19 and mid C20. North wing, probably early C18, enlarged c1770, with early and late C19 additions. Ashlar and coursed squared stone with ashlar dressings and hipped slate roofs with 4 coped stone ridge stacks. EXTERIOR: ground-floor sill band, dentillated eaves. East front, 3 storeys plus attics; 6-window range, with single bay addition to right and 2-storey service wing beyond. To left, C19 addition, 2 storeys; 3-window range. Central block has 6 boarded sashes and above, 6 smaller plain sashes, all with projecting surrounds. Above again, 2 late C19 hipped dormers. Below, to left, 4 boarded sashes with projecting surrounds and to right, a canted hipped bay window with 3 boarded sashes. Additional bay, to right, has a tall boarded sash and above, 2 smaller windows, one a sash, the other a casement. Below, a boarded tripartite sash. Service wing has 2 large boarded sashes to left, and a smaller boarded window to right. C19 addition to left has a canted bay window to the first floor, with 3 boarded sashes. Below, projecting flat-roofed single storey with a tripartite boarded window on each side, flanked by boarded single sashes. To left, 2 sashes on each floor, the upper ones fake, the lower ones boarded. Rear, to west, has a 3-storey block, 4 windows, with boarded first-floor windows and smaller plain sashes above. To west, another service block, 2 storeys, with 7-window south front of boarded sashes with stone surrounds. Linked to the 3-storey block by a pyramid-roofed bridge on the first floor, with a tripartite window. South wing, early C19 with late C19 additions, 2 storeys; 7-window range of tall sashes, all boarded. Projecting ground floor topped with a balustrade. Projecting central bay with boarded double doors and overlight, flanked by pilaster buttresses and topped with a pediment. On either side, 3 sashes. Ground floor has projecting central bay with boarded double doors and overlight, flanked by pilaster buttresses. To left, 3 sashes and a pilaster buttress. To right, 2 sashes, then a projecting square bay with a single sash flanked by pilaster buttresses. West side, 5 windows, has 4 boarded sashes to left and a blank to right. Below, to right, a square bay with boarded double doors flanked by pilaster buttresses and topped with a balustrade. To left, central boarded double doors flanked by single boarded sashes. INTERIOR contains a fine cantilevered single flight and return staircase with ornate iron balustrade, mahogany handrail and ramped dado with fielded panels, lit by an oval skylight. Most reception rooms have dado panelling and fine wooden doorcases and doors. One has a fine Adam-style plaster ceiling. Used until c1990 as a miners' rehabilitation centre. (Buildings of England: Pevsner N & Williamson E: Nottinghamshire: Harmondsworth: 1979-: 174). THE FOLLOWING EXTRACTED FROM "The Buildings Of England : Nottinghamshire" 2nd Edition 1979 : Towards the road the stable-yard with an arcaded outer wall and a pretty polygonal tower with an ogee cap. The hall itself is a spacious, plain early C19 building with a pediment feature on the main front. Recent additions. A small house has stood on the site since the early C18th.

National Grid Reference

SK5382461046

Grade

II*

Building Name

The Old Town Hall

Number**Street**

Market Place

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/5/66

Description

The Old Town Hall and attached piers and railings. Former town hall, now offices, and area wall. 1836, with mid C20 alterations - Also Includes shops to R/O. Ashlar with hipped slate roofs and various stacks. Greek Revival style. Plinth, rusticated ground floor, string course, cornice and blocking course. 2 storeys plus basement; 3 x 4 windows. Windows are mainly 12-pane sashes of various sizes. Front has projecting central bay with a single window and above it, a raised parapet with a clock face on scrolls in a central panel. On either side, single windows. All these windows have projecting surrounds and cornices on consoles. Below, a tetrastyle Greek Doric portico with full entablature, covering a central glazed double door flanked by 4-pane windows with overlights. On either side, a single window. Outside, central steps flanked by a spiked railing with square ashlar piers and flat caps. At either end, steps to the basement. Returns have a single first-floor window with projecting surround and cornice on consoles. Below, a shallow square bay window with pilasters and tripartite sash. Set back rear ranges have 3 first-floor windows with linked cornice and recessed panels below. Below, left return has 3 windows. Right return has, to left, a recessed door with a recessed panel and a small 9-pane window above it. To its right, a small window, then two 12-pane windows. Beyond, to right, a coped yard wall, with 2 doors to left, and 2 small windows to right. To right again, a 3-storey rear range with a coped ridge stack. Single windows on the upper floors, and below, a blocked carriage entrance with wooden lintel and inserted small casement. INTERIOR has entrance hall with plaster wall panels and cross beam carried on 2 Doric columns. Stairwell has moulded cross beam ceiling with skylight and good quality dogleg staircase with turned wooden balusters. Both rooms have moulded doorcases and fielded 4-panel doors. Transverse council chamber has guilloche frieze, moulded cornice and panelled ceiling with rosettes. Windows have enriched surrounds and cornices on consoles. Central entrance has panelled recess, moulded surround and cornice on consoles, with panelled double doors. On either side, a smaller single door with similar surround. Fittings include a panelled wooden war memorial, c1920. Ante room has enriched cornice and plain marble fireplace. Front ground-floor rooms have moulded cornices and mid C20 ashlar fireplaces.

National Grid Reference	SK5382660990	Grade	II
Building Name			
Number	3		
Street	Market Street		
Town	Mansfield		
Date Listed	21/03/1994		
Serial Number	924-1/7/68		
Description	Former bank, now disused. Dated 1889. Ashlar with ashlar dressings and slate roof. Plinth. Single storey plus attics. To left, ashlar doorcase with plain pilasters and pediment on fluted curved brackets. 6-panel door with leaded glazed segment-headed overlight. To right, elliptical-arched window with moulded surround, keystone and imposts. Single-pane glazing with transom and toplight. Above the moulded main cornice, a large central dormer with shouldered shaped coped gable and cornice, topped with a pedimented datestone and flanked by a coped parapet. Single segment-headed plain sash.		

National Grid Reference

SK5382461002

Grade

II

Building Name

Public House - former bank (Bryon PH)

Number

2

Street

Market Street

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/5/71

Description

Former bank at junction with Queen's walk, now Public House. C1900, with late C20 alterations. Ashlar and brick, with granite plinth and slate mansard roof. 2 gable and single ridge stacks, with shaped double cornices. Renaissance Revival style. Plinth, ground-floor cornice, first-floor sill band, main cornice, ramped coped parapet supported by volutes. First floor has bays defined by paired, fluted Ionic pilasters. Ground-floor bays are defined by rusticated quoins. 2 storeys plus attics; 2 x 2 windows, with angled corner. On the first floor, 5 wooden mullioned cross casements with glazing bar top lights and moulded rusticated surrounds with scroll keystones. Attic has 5 large dormers with flanking Ionic pilasters, open pediments containing cartouches, and 2-light casements with round heads and scroll keystones. Ground floor has elliptical-arched doorway with triple scroll keystones and panelled flanking pilasters. Above it, a round window with scroll keystone set in a strapwork panel and flanked by fluted scroll brackets carrying a cornice with mutules. On either side, 2 elliptical-arched single-pane windows with toplights and triple scroll keystones linked by a curved band. Between the windows, a strapwork cartouche.

National Grid Reference

SK5397360958

Grade

II

Building Name

The Old Maltings

Number**Street**

Midworth Street

Town

Mansfield

Date Listed

08/08/1975

Serial Number

924-1/7/72

Description

Also known as: Malt House Range MIDWORTH STREET. Former maltings, now nightclub. C1800, with late C20 alterations. Coursed squared stone with stone dressings and gabled and hipped slate roofs. 2 storeys. Openings are mainly square, and all have stone or concrete surrounds. Malthouse range has a long single-storey street front with a near-central late C20 door and 9 small openings, with their surrounds renewed in concrete. Left gable has a single blocked opening, and at the rear, an altered cart opening. Rear elevation has a symmetrical range of buildings flanked by kilns. Central hipped building with gabled roof ventilator and small front gable. On the first floor, 4 windows and above, a central window in the gable. Below, a central doorway flanked by single blocked openings and to left, a truncated square chimney stack. Beyond, on either side, 2 gables, the inner ones with single blocked openings in the peaks, the outer ones with 2 first-floor windows and below, a doorway on the inner side, flanked by a blocked window. Beyond again, square kilns, each with 3 windows. Left kiln has gabled roof vent. Below, door to right and 2 blocked openings to left. Right kiln has a tall, tapered roof cowl with square pyramidal cap. Single blocked opening to ground floor. Right return has a blocked opening and a C20 fire escape to right. Below, central round-arched opening to stokehole. (Buildings of England: Pevsner N & Williamson E: Nottinghamshire: Harmondsworth: 1979-: 172).

National Grid Reference	SK5360461143	Grade	II*
Building Name	The Old Meeting House		
Number			
Street	Mill Walk		
Town	Mansfield		
Date Listed	19/12/1955		
Serial Number	924-1/5/74		
Description	<p>Unitarian church. 1702, with alterations and additions 1870, 1882 and c1930 Coursed rubble and ashlar, with ashlar dressings and hipped slate roof. C20 concrete porch. Plinth and quoins to main block. Square main block, 2 storeys; 4-window range. Front has 4 single-light windows with leaded glazing. Below, 4 tall single-light transomed windows, the central ones partly covered by porch. Porch has plinth, cornice and coped parapet. Rebated central doorway with hood and double doors, flanked by single narrow windows. At either end, a single window. Each side of main block has 4 stone mullioned cross casements. Rear, now chancel, has a moulded round window flanked by single stone-mullioned cross casements. East side has to right a hipped projection with a single stone mullioned window, and a round-arched door in the return angle. Side wall stack. At the north-west corner, a hipped addition with a C19 board door flanked to right by a single-light transomed window. INTERIOR has shallow chancel with 2 moulded round arches on a square wooden post with moulded capital. Panelled ceiling with roundels. Single round arch at each end, that to left containing organ. In the centre, 2 gabled round-headed niches containing inscribed tablets, surrounded by a wrought-iron railing and flanked by stained-glass windows, 1892, by Swaine & Bourne. Main space has central lengthwise arcade with 3 round arches springing from the chancel arcade, with similar square wooden columns. Panelled cross beam ceiling with brackets. Panelled dado. At the rear, 2 plain round-headed doors with pedimented wooden doorcases, linked by panelled frieze. Side windows have stained glass, 3 of the windows by Morris & Co., 1913, 1928 and 1929. Others late C19, early and mid C20. Porch has plywood panelling and 3-bay ceiling with round rooflights. FITTINGS: C18 octagonal oak pulpit with fielded panels, and C18 Parliament clock by Thomas Haley of Norwich. Late C19 choir stalls and benches. MEMORIALS: small C19 and C20 tablets, one of them to William Hollins of Pleasley Vale, a major benefactor of this church, and manufacturer of Viyella fabric.</p>		

National Grid Reference

SK5365161082

Grade

II

Building Name

The Old Parsonage

Number**Street**

Mill Walk

Town

Mansfield

Date Listed

19/12/1955

Serial Number

924-1/5/73

Description

Also known as: Old Meeting House, Mill Walk. House, now offices. Mid C17, with mid and late C19 and late C20 alterations. Coursed squared stone with brick gables, ashlar dressings and steep pitched plain tile roof with 2 brick gable stacks. Rear wing has pantile roof and single ridge stack. 2 storeys plus attics; 4-window range, with 2 pairs of stone flush-mullioned cross casements with projecting surrounds. Above, 2 late C19 gabled dormers with 2-light casements. Below, off-centre late C20 glazed double door and overlight, flanked to left by two 12-pane sashes and to right by a similar sash. These windows have projecting surrounds. Rear wing has to left, a 3-light Yorkshire sash and to right, a 5-light casement with stone flush mullions, the centre light blocked. Below, to left, a stone doorcase and a plain casement, and to right, a stone mullioned 5-light casement, also with the centre light blocked.

National Grid Reference	SK5013763246	Grade	II
Building Name	Moorhaigh Farmhouse		
Number			
Street	Moorhaigh Lane, Moorhaigh		
Town	Mansfield		
Date Listed	17/03/1978		
Serial Number	924-1/1/153		
Description	Moorhaigh farmhouse and adjoining garden wall. Mid C18 and early C19, with mid C19 and C20 additions and alterations. Late C20 roughcast with stone dressings and late C20 pantile roof with 2 coped party walls and 2 gable and single ridge brick stacks. 2 storeys; 3-window range, with single bay addition to left. Windows are late C20 top hung glazing bar casements. Main block has 3 casements and below, central gabled porch, coursed rubble with renewed stone lintel and late C19 half-glazed inner door with etched glass panels. On either side, a casement. Set back addition, to left, has a single casement on each floor. Rear wing has in the return angle a 2-light window with stone flush mullions and below, a similar window flanked to left by a board door with stone surround. Windows have late C20 glazing. SUBSIDIARY FEATURES: adjoining garden wall, coursed rubble with chamfered coping and 2 round-topped stone gate piers.		

National Grid Reference	SK5016863249	Grade	II
Building Name	Old Moorhaigh Farmhouse		
Number			
Street	Moorhaigh Lane, Moorhaigh		
Town	Mansfield		
Date Listed	17/03/1978		
Serial Number	924-1/1/154		
Description	<p>Old Moorhaigh farmhouse and adjoining stable and wall, now disused, and adjoining stable. Late C17 and late C18. Coursed rubble with stone dressings and pantile roof with a coped gable and kneelers and single brick gable stack. 2 storeys; 2-window range of 2-light casements with stone flush mullions, both boarded. Off-centre board door with heavy stone surround, flanked to left by a 2-light flush mullioned boarded window and to right by a single-light blocked window. Partly rendered blank right gable. Rear has to left a 2-light flush mullioned window, unglazed, and to right a similar smaller window set higher. Attached to the rear, a short drystone wall and a single-cell stable, coursed rubble with pantile roof. In the gable, a moulded ashlar window surround, altered to form a door. On the side nearest the house, a board door flanked to right by a small window, both with stone surrounds. An iron bar approx 1" in diameter runs around the building at approx 2m from the ground. INTERIOR: reputed to contain a fireplace with stone lintel and stop-chamfered beams.</p>		

National Grid Reference

SK5391560619

Grade

II

Building Name

Former Cattle Market Tavern

Number

15

Street

Nottingham Road

Town

Mansfield

Date Listed

06/01/1989

Serial Number

924-1/7/75

Description

Former cattle market tavern PH and attached gates. Dated 1877. Red brick with blue brick and ashlar dressings and gabled and hipped plain tile roofs with decorative ridge tiles. Single panelled brick ridge stack. Chamfered rock-faced stone plinth, moulded brick eaves. 2 storeys; 4-window range. Central block with recessed centre flanked by gabled and hipped wings. In the centre, two 2-light mullioned windows, the left one without its mullion. Below, a lean-to porch between the wings, with a doorway to left with double doors, and 2 small square windows to right. Gabled left wing has a large 3-light cross mullion window with decorative relieving arch. To its left, a lean-to porch with single window, and plank door under a hood. Left return has 2 small windows. Hipped right wing has a hipped oriel window on corbels, with a 3-light mullion window. Below, a drinking fountain with a single lancet above, and to right, a plank door with shouldered arch. Right return, to Nottingham Road, has projecting rock-faced stone ground floor. To right, a round corner tower with machicolated eaves and conical roof topped with a wind vane. Ground floor has central 3-light stone cross casement flanked to right by a small 2-light window and to left by a panelled door with door and shouldered ashlar surround. Attached to the north-west corner, a pair of chamfered square ashlar gate piers with chamfered octagonal caps and a pair of ornate wrought-iron gates, made by The Meadow Foundry Co Ltd, Mansfield.

National Grid Reference	SK5391260786	Grade	II
Building Name	Heath's Almshouses		
Number	18 - 40		
Street	Nottingham Road		
Town	Mansfield		
Date Listed	17/03/1978		
Serial Number	924-1/7/77		
Description	<p>Heath's Almshouses and adjoining boundary wall. Dated 1855, restored late C20. Coursed squared stone with ashlar dressings and plain tile roofs with coped gables and 4 ridge and 4 gable brick stacks. Plinth. Single storey; 2 blocks, each of 6 windows, linked by an archway. Windows are flat-headed 2-light casements with wooden mullions. Central archway has a segment-headed pair of doors with label mould, and above it, an inscribed and dated scroll. Stepped coped gable with string course and central shield. Each block of 6 houses has a central projecting double-gabled porch with 2 Tudor-arched doorways and board doors. Flanked on either side by two 2-light windows in chamfered surrounds, then further pairs of double-gabled porches, then single 2-light windows in chamfered surrounds. SUBSIDIARY FEATURES: adjoining boundary wall, coursed squared stone with moulded ashlar coping and a central pair of square gate piers with gabled caps.</p>		

National Grid Reference

SK5497859534

Grade

II

Building Name

Sundial 20 metres west of Berry Hill Hall.

Number

Street

Berry Hill Lane

Town

Mansfield

Date Listed

16/01/1991

Serial Number

924-1/3/11

Description

Sundial. C1770Ashlar. Circular base, 2 steps, topped by a circular pedestal carrying a fluted and cabled vase supporting a deeply moulded top with brass dial plate, now missing.

National Grid Reference

SK5389760719

Grade

II

Building Name**Number**

46

Street

Nottingham Road

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/7/79

Description

House, now Probation Service office. 1858, with late C19 front and mid C20 rear additions. Coursed squared stone with ashlar dressings and steep pitched plain tile roofs with coped gables, kneelers and finials, and single gable, ridge and side wall stacks. Gothic Revival style. Cast-iron rainwater heads dated 1858. L-plan. 2 storeys plus attics; 4-window range. Front, to Commercial Gate, has a tall off-centre wing with a 2-storey canted stone bay window with 2 ogee-headed lights, flanked by similar single lights. Below, similar taller windows. Above, a blank triangle in the gable. To left, 2 trefoil-headed single lancets. Below, a single storey lean-to addition, rock-faced stone with slate roof, with a C20 two-light casement. To right, 2 pairs of trefoil-headed single lancets, and above, 2 through-eaves dormers the left with a single lancet, the right with a double lancet, all trefoil-headed. Below, in the return angle, a steeply gabled porch with coped gable and finial, moulded pointed-arched doorway with hoodmould and stops, and board door. Inscribed tablet and blank triangle above the door. To left, a single lancet. To right, a triple lancet, both trefoil-headed. Right gable, to Nottingham Road, has a canted 2-storey bay window with ogee-headed lights similar to that at the front. Above it, a single lancet. Wing to right has a double lancet on each floor. INTERIOR: hallway has a pointed arch and wooden dogleg stair with wrought-iron balustrade and wooden handrail.

National Grid Reference

SK5377060448

Grade

II*

Building Name

Church of St Mark

Number**Street**

Nottingham Road

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/7/89

Description

Parish church. 1897. By Temple Moore. Uncoursed ashlar, with ashlar dressings and plain tile roofs. Perpendicular Revival style. Nave and chancel under continuous roof, eastern vestry and sacristy, south east tower, northern lady chapel, transverse west porch. Buttressed nave has at the east end a 5-light pointed arch window with Decorated tracery, and at the west end a simpler 4-light window, both with hoodmoulds and stops. South side has 4 segmental pointed arch 3-light windows, and north side has 3 similar windows. Triple gabled vestry, to east, has buttresses and 3 narrow 2-light windows. To south, a single lancet, and to north, a shouldered doorway. Square south-east tower, 2 stages, has battered plinth, string courses, and crenellated parapet. Square stair turret to east. Lower stage has, to south, 2 small windows one above the other. Bell stage has a small square headed 2-light bell opening on each side, with stone mullion. Gabled lady chapel has a single buttress on the north side, flanked to east by a small double lancet and to west by a much larger 4-light pointed arch window. East end has 3 small loops with louvres. West end has a 2-light point arch window with hoodmould and stops. Nave west end has a lean-to porch with 4 tall buttresses to west, and the end walls projecting. 5 small traceried 2-light pointed arch windows. North and south ends have sloped coping below the gable, and a central chamfered pointed arched door with hoodmould, flanked by single small lancets. INTERIOR: 5-bay arcades with square ashlar piers and rendered plain pointed arches, with lower inner arches. Narrow side passages with round arches. Close boarded roof with moulded arch braces, corbels and wall plate. East end has a screen wall with wide central pier flanked by single pointed arches with traceried wooden screens. Chancel arcades have similar screens. Stained-glass east window probably by Kempe. North-east and south-east windows have stained glass c1920 and c1890. West end has screen wall with central octagonal pier flanked by large pointed arches. Plain west window. Vestry and sacristy have dividing arches springing from the screen wall, and side passages with small stained-glass windows, 1904 and 1965. 2 east windows have stained glass, 1907, and the central window has fragments of medieval glass. Lady chapel has panelled dado and panelled wooden reredos with text. Wooden aumbry and ogee-headed piscina. West end has wooden sedilia. West window has stained glass, 1927, and north windows have stained glass 1922 and late C20. West porch has lean-to roof with arch braces and corbels. Canted internal porch at each end. To west, stained-glass windows, 1916 and 1917, probably by Kempe, and others mid C20. FITTINGS: altar, reredos, crucifix and canopy, probably by Leslie Moore. Inscribed octagonal panelled font, traceried octagonal wooden pulpit, good quality brass eagle lectern, traceried stalls and sedilia, all C19. Chairs throughout. MEMORIALS: wooden war memorial plaque, c1918. SUBSIDIARY FEATURES: attached boundary wall to south, coursed squared stone with ramped half-round coping. Pair of square gate piers with square domed caps.

National Grid Reference	SK5377660438	Grade	II
Building Name	War memorial		
Number			
Street	Nottingham Road		
Town	Mansfield		
Date Listed	21/03/1994		
Serial Number	924-1/7/88		
Description	War memorial and railings c1920. 1 metre south of Church of St Mark. Portland stone gabled crucifix set on an inscribed square pedestal with moulded plinth and cornice. Circular base of 2 steps. Enclosing railing has short cast-iron posts with crocketed finials, linked by a spiked chain.		

National Grid Reference

SK5372560315

Grade

II

Building Name

Field Mill House

Number

128

Street

Nottingham Road

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/7/90

Description

House, now public house. Mid C18 and c1800, partly demolished and the remainder restored and extended, late C20. Coursed squared stone, partly roughcast, with ashlar dressings and gabled and hipped slate roofs. 2 restored stepped brick side wall stacks. Plain coped parapets and single coped gable. 2 and 3 storeys; 4-window range. Main block has three 12-pane sashes and below, 2 similar windows, boarded up. All these windows have projecting stone surrounds. To right, steps to a renewed round-arched 6-panel door with fanlight. To right, a 3-storey block with a tripartite plain sash and above, a single plain sash. Below, a single window, boarded up. To left, late C20 two-storey addition with four 2-light windows, and below, a full-width hipped porch with square piers, covering off-centre entrance. Blank roughcast right return has 3 buttresses. Rear has off-centre 2-storey lean-to projection with a window on each floor.

National Grid Reference

SK5414358938

Grade

II

Building Name

Mansfield Cemetery Chapel

Number**Street**

Nottingham Road

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/3/81

Description

Cemetery chapel, partly used as a store. 1857. Rock-faced stone with ashlar dressings and steep pitched patterned slate roofs. Gothic Revival style. Plinth, short gabled angle buttresses, coped gables with kneelers and crosses. Central tower entrance with bell turret and spire, flanked by chapels with side porches. Square tower, 2 stages, has small flanking buttresses and chamfered string courses at each stage. Ground stage has moulded segmental pointed archway with hoodmould and stops, and above it, 2 small lancets. At the rear, a shouldered window. Under the arch, on either side, a pointed-arched double door with moulded surround. Blind second stage has stepped diagonal buttresses topped with crocketed pinnacles. Octagonal bell turret has stepped base and 8 closely spaced lancet bell openings with stone tracery, separated by thin buttresses, under steep gables with finials. Plain octagonal spire with finial and cross. Chapels front and rear gables each have a 3-light pointed arch window with varying Decorated tracery, hoodmoulds and stops. Outer sides have, towards the rear, two 2-light pointed arch windows with tracery, hoodmoulds and stops. Between them, a stepped buttress. Towards the front, a steeply gabled porch with a pointed-arched doorway, hoodmould and stops. On either side, a single lancet. Chapel inner sides have similar double lancets with a buttress between them. East chapel has an external side wall stack. INTERIOR: functional east chapel has rendered interior with arch braced roof. At the front, a stone reading desk. To its right, a large tablet with crocketed gable. At the rear, double doors on each side. Plain benches set lengthwise.

National Grid Reference

SK5416359182

Grade

II

Building Name

Mansfield Cemetery Gateway

Number

Street

Nottingham Road

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/3/83

Description

Gateway at cemetery. 1857. Coursed squared stone, and coursed rubble with ashlar dressings. Gothic Revival style. Entrance gateway has steep pitched gable with ashlar coping and finial with double gables and Celtic cross. In the gable, a single cusped lancet. Chamfered segmental-pointed gateway with hoodmould and a pair of latticework wooden gates.

National Grid Reference

SK5415459021

Grade

II

Building Name

Mansfield Cemetery Mausoleum

Number**Street**

Nottingham Road

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/3/84

Description

Mausoleum 75 metres north - east of chapel. 1858, with later C19 alterations. Rock-faced stone with ashlar dressings and flat roof. Greek Revival style. Plinth, plain impost band and blocking course. Rock-faced acroteria at the corners. Square plan with battered walls. West front has moulded Egyptian-style doorcase with cornice, and frieze with Greek inscription. Blocked doorway with inscribed marble tablet dated 1864 and 1874. There was formerly a rock-faced pediment, now dislodged. East front has a cross-shaped opening. Blocking course inscribed 1858.

National Grid Reference

SK5412659123

Grade

II

Building Name

Mansfield Cemetery Monument

Number

Street

Nottingham Road

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/3/82

Description

Monument 75 metres south of north gate at Mansfield Cemetery. Dated 1869. Erected to Jabez Fish. Cast-iron. Classical style. Square pedestal with framed inscribed panel on each face, round corner shafts, and moulded plinth and cornice. Stepped cap topped with an urn. Single step square base.

National Grid Reference

SK5416759059

Grade

II

Building Name

Mansfield Cemetery Tomb

Number

Street

Nottingham Road

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/3/85

Description

Tomb 90 metres north-east of cemetery chapel at Mansfield Cemetery. C1857. Rock-faced stone with ashlar dressings and stone slab roof. Classical Revival style. Plinth, frieze and moulded cornice, with pediment at each end and Doric corner pilasters. West end has blocked doorway flanked by Doric pilasters.

National Grid Reference	SK5415159170	Grade	II
Building Name	Mansfield Cemetery War Memorial		
Number			
Street	Nottingham Road		
Town	Mansfield		
Date Listed	21/03/1994		
Serial Number	924-1/3/86		
Description	War memorial 10 metres south of north gate at Mansfield Cemetery. C1920. Designed by Sir Reginald Blomfield. Portland stone. Tapered octagonal cross with bronze sword on front face, octagonal pedestal with inscribed plinth, octagonal base of 2 steps, the upper step with chamfered cornice. There is no list of those commemorated.		

National Grid Reference

SK5499059597

Grade

II

Building NameCoach house and attached gate piers at Berry Hill
Hall**Number****Street**

Berry Hill Lane

Town

Mansfield

Date Listed

17/03/1978

Serial Number

924-1/3/9

Description

Coach house and attached gate piers. C1770, with C19 additions. Coursed squared stone with ashlar dressings and hipped slate roof with single rear wall brick stack. Plinth, quoins, first-floor band and eaves band. 2 storeys; 3-window range. South front has a projecting central square tower, 3 stages, with a mounting block at the base. First floor has a single segment-headed opening, and the floor above has a similar smaller opening to each face. Above again, an octagonal 2-storey cupola, with a circular clock dial to each of the major faces. Above, 4 bell openings with louvre shutters, the whole topped with a leaded ogee cap. Ground-level return angle has a doorway leading to a stone winder stair. On either side, single boarded windows, and below, single segment-headed carriage entrances with double plank doors. Attached to the east side, a pair of square rusticated ashlar gate piers.

National Grid Reference	SK5416258986	Grade	II
Building Name	Mansfield Cemetery Wildman Memorial		
Number			
Street	Nottingham Road		
Town	Mansfield		
Date Listed	21/03/1994		
Serial Number	924-1/3/87		
Description	<p>Wildman Memorial 60 metres north - east of chapel at Mansfield Cemetery. Memorial to Colonel Thomas and Lady Louisa Wildman, of Newstead Abbey. Dated 1859Gothic Revival style. Ashlar with granite dressings and brass tablets with enamelled inscriptions. Rectangular base with moulded plinth and chamfered top, with an inscription on the long sides. Large canopy carried on arcades of pink granite columns, with moulded cusped arches. Steep pitched hipped stone slab roof, with moulded ridge and cross-gabled finial surmounted by a cross. On each side, a steeply gabled lucarne with a cusped blind recess. At each corner, an octagonal shaft, formerly topped with a seated lion carrying a banner. Under the canopy, a chamfered slab with inscribed brass tablets on the long sides.</p>		

National Grid Reference

SK5395060696

Grade

II

Building Name

Nottingham Road Methodist Church

Number**Street**

Nottingham Road

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/7/91

Description

Methodist church. 1913. Probably by Brewill & Baily. Rock-faced ashlar and yellow brick, with ashlar dressings and gabled and hipped Westmorland slate roofs. Free Gothic style. Apsidal east end with vestries and meeting rooms, aisleless nave with double transepts, south-west tower with spire. Canted apse has central 3-light pointed-arch window with panel tracery, and to south a single window. Meeting room, placed crosswise at the east end, has hipped north end with ridge stack. Coped south gable with finial and square flanking buttresses with flat caps, and 3-light pointed arch window with panel tracery. East side has four 3-light leaded casements and a door with sidelights, all with segmental heads. Vestry, to south of apse, has lintel band, string course and blocking course, and hipped roof. Large canted bay window to left, with a 4-light mullioned window flanked by single lights. To right, a door with overlight, flanked to left by a small window. Nave has buttresses on each side, and 3 traceried 2-light pointed-arch windows. West end has heavy shouldered coped gable with a Perpendicular-style 3-light pointed-arch window, with mullions in the form of buttresses, in a deep splayed reveal with hoodmould and stops. Below, projecting entrance bay with gabled flanking buttresses topped with square pedestals with crenellated moulded copings. Segmental pointed arch with panelled double doors and traceried fanlight, under a concave swept gable. Beyond, on either side, a single ogee lancet with hoodmould. To north, a small square tower with a single blind lancet on each side at the top. The corners are carried up to form square pinnacles with moulded flat caps. At the north-west corner, a stair enclosure with shouldered coped gable, string course and coped parapet. 2 single lancets with hoodmoulds to west and north. North gable has, above, a tall single lancet. South transept has coped gables and 3 gabled buttresses topped with square pinnacles. Two 3-light pointed arch windows with panel tracery. Plainer north transept has similar windows. Square south-west tower, 3 stages, has gabled diagonal buttresses topped with flat-topped square pinnacles, string course and coped parapet, with a central lancet on each side under a tiny gable. Ground stage has to west a segmental-pointed doorway with hoodmould and impost band and panelled double door with traceried overlight. Above it, 2 small lancets with impost band. To south, a canted projection with hipped roof and moulded cornice. 3-light mullioned window flanked by single lights. Second stage has a narrow single lancet on 3 sides. Bell stage has on each side a splayed recess with moulded segmental pointed head, with 2 single-lancet louvred bell openings divided by a stepped buttress. Setback plain octagonal spire with ball finial. INTERIOR. Chancel has moulded arch with hoodmould and corbels, and round shafts. On either side, a tall pointed opening, the left with organ pipes, the right with a door. Apse has wooden ribs. To east, triple lancet with stained glass, 1913, possibly by Morris & Co. To north, 2 pointed arches with organ pipes. To south, blank arch and window with attenuated stained glass. Nave has arch braced roof with collar and wall shafts on corbels. Iron tie rods with tracery. West end has traceried

wooden gallery with rounded ends, and below it, a glazed wooden screen with a glazed double door at each side. Patterned stained glass throughout. Transepts have moulded arches with a round granite central pier. North transept has a doorway to east. INTERIOR: entrance hall has stained-glass screens and doors. Tower has concrete winder stairs with iron stick balusters. Meeting room has arch braced roof. FITTINGS: traceried panelled octagonal wooden pulpit and stair, traceried reading desk, choir stalls and lectern, all mid C20. Panelled curved benches with shaped ends. MEMORIALS include 3 resited marble tablets, C19.

National Grid Reference

SK5393560689

Grade

II

Building Name

Methodish Church - boundary wall and gates

Number**Street**

Nottingham Road

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/7/92

Description

Boundary wall and gates at Nottingham Road Methodist Church. 1913. Possibly by Brewill and Baily. Rock-faced stone with ashlar dressings. Low wall with chamfered coping and intermediate piers with chamfered caps. Opposite the west door, a pair of square gate piers with ogee-headed recessed panels and billeted flat caps. To right, at the corner, a pair of similar piers. Both have pairs of wrought-iron gates. Higher return wall, to Bath Street, has rubble coping and no intermediate piers. Pair of small square piers with a wrought-iron gate, and to right, a pair of larger piers with billeted caps

National Grid Reference

SK5499661068

Grade

II

Building Name

Church of St Lawrence the Martyr

Number**Street**

Pecks Hill

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/6/93

Description

Parish church. Dated 1909. Random squared stone with ashlar dressings and plain tile roofs with gutters on brackets. Free Gothic style. Nave and chancel, transepts, west porch, south west tower. Chancel has blank sides, and plain graduated triple lancet to east. North transept has 2 single lancets to north, with hoodmoulds, and to west, a blocked arch. South transept has a 4-light flat-headed mullioned window with label mould, and a single smaller window to right. Nave has on either side 2 single lancets flanked by single segmental pointed-arch 3-light windows and beyond, single lancets. South side has, to east, a pointed arched door with flat-headed surround. West end has a graduated triple lancet. Below it, a lean-to porch with a coped gable. Moulded segment-arched double door with to left a 3-light mullioned window with 3 square openings below it. Right return has a single lancet. Square south-west tower, 3 stages, has chamfered north-east corner, impost band, parapet with moulded stepped coping, and corner stack. Pointed-arched double door with hoodmould, and above, a single lancet with label mould. Bell stage has a flat-headed louvred double opening on each side. Parapet has recessed panel with cross, on each side. INTERIOR: nave has principal rafter roof with tie beams, and strutted kingposts under the purlins. Round-arched plaster ceiling above the purlin. Narrower chancel has similar round arch with wooden ribs. Nave has painted brick walls. North side has stained glass window, 1952. South side has pointed doorway to east. At west end, triple lancet above and below, central round-arched opening to baptistery, with inscribed moulded war memorial panels on either side and a stained-glass memorial window and brasses, 1949. Beyond, on either side, segment-headed double doors. Chancel opening has plain ashlar piers, the south one with a pointed arched doorway. East end has stained-glass window, c1909. North side has recess containing organ. South side has chamfered pointed double aumbry and piscina. To west, a recess with wooden lintel and pointed arched door to vestry in transept. FITTINGS include octagonal eggcup font with moulded top, dated 1662. Panelled wooden pulpit, altar rail, stalls and desks with shaped ends, wooden eagle lectern and chairs, early and mid C20.

National Grid Reference

SK5495561068

Grade

II

Building Name

Church of St Lawrence the Martyr - gateway

Number

Street

Peck's Hill

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/6/94

Description

Churchyard gateway 30 metres west of Church of St Lawrence the Martyr. Churchyard gateway. 1909. Random squared stone with ashlar dressings. Pair of wide, splayed piers with stepped moulded coping, flanking 2 semicircular steps and linked by a wrought-iron overthrow with square central lantern.

National Grid Reference

SK5338662132

Grade

II

Building Name

Mill Bank Cottage

Number**Street**

Pheasant Hill

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/1/95

Description

Mill Bank Cottage and adjoining boundary wall. Former mill house, now house, and adjoining boundary wall. Coursed squared stone and ashlar, with rendered rear, ashlar dressings and pantile roofs. 2 coped gable stacks, one stone, one brick. Front openings have projecting stone surrounds. 2 storeys; 3-window range of 12-pane sashes. Central round-arched doorway with keystone and imposts, glazed door and blank fanlight. On either side, a 12-pane sash. To left, a higher 2-storey outbuilding with a single-storey lean-to addition to left. SUBSIDIARY FEATURES: adjoining boundary wall, coursed squared rubble with half-round coping and 2 blocked gates with round-topped ashlar gate piers. Approx 50m long.

National Grid Reference

SK5374460463

Grade

II

Building Name

Church of St Mark

Number**Street**

Portland Street

Town

Mansfield

Date Listed

21/03/1994

Serial Number

924-1/7/97

Description

Church Hall 20 metres north - west of Church of St Mark Church hall. C1907, with mid C20 rear addition. Possibly by Temple Moore. Uncoursed ashlar and brick, with ashlar dressings and steep pitched plain tile roofs. Perpendicular Revival style. 2 storeys; 5-window range. West gable has a traceried 3-light pointed-arch window with hoodmould and stops, and above it, a small flat-headed opening. Below, a full-width single-storey porch with flat roof and coped parapet. Central elliptical-arched doorway with recessed half-glazed double doors. On either side, a 2-light stone mullioned window. South side has projecting single-storey range with 5 gables, 4 of them with a stone mullioned 2-light lancet with label mould. Right gable has a similar window, flanked to right by a segment-headed doorway. Left return has a flat-headed doorway. Above and behind, the main block has 4 large gabled dormers with 2-light casements with leaded glazing. Rear gable has 2 square external stacks, and a single storey flat-roofed addition on piles

National Grid Reference	SK5394263143	Grade	II
Building Name	The Manor House - boundary wall		
Number			
Street	Priory Road and Castle Street		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number			
Description	Boundary walls at The Manor House. C18 and C19. Coursed square rubble and fragments of ashlar. Flat, gabled and moulded stone copings. Castle Street wall has 2 blocked doorways and 3 quatrefoil openings, one blocked. Approx. 60M long. Priory Road wall has incurve to central gateway. Square piers with moulded caps, ball finials, pair of C20 iron gates. Approx. 88M long.		

National Grid Reference	SK5407763537	Grade	II
Building Name	Property and attached outbuildings		
Number	5		
Street	Rose Lane		
Town	Mansfield Woodhouse		
Date Listed	22/10/1986		
Serial Number	5/62		
Description	<p>House. Mid C18. Coursed squared rubble with C20 pantile roof. Ashlar dressings. 2 gable stacks. 2 storeys, 3 bays. L-plan. South front has to left, 2 storey addition with single storey brick addition to south again. South front has C20 rustic porch flanked by single C20 casements. Above, off-centre small leaded casement, flanked by single C20 casements. Outbuilding has to south, a casement. East front has to left, a door and a casement. Above, a casement. East gable has 2 square blocked openings and above, blocked 3 light mullioned casement with moulded mullions and hood mould. North front has central casement with moulded stone surround.</p>		

National Grid Reference	SK5398763434	Grade	II
Building Name	Clerksons Hall		
Number	2		
Street	Station Street		
Town	Mansfield Woodhouse		
Date Listed	28/01/1957		
Serial Number	6/63		
Description	<p>House, now N.C.B. offices. 1631, C18, restored C19 and C20. Coursed squared rubble and dressed stone. Ashlar dressings. Chamfered plinth, first and second floor lintel bands, moulded eaves, projecting quoins. C20 plain tile roof with coped gables with kneelers and finials. 4 ridge, single gable and single side wall stacks. 2 storeys plus garrets. 8 bays wide by 3 bays deep. Irregular cross plan with linked C18 stable range to east. Windows are cross and mullioned casements, with hood moulds and chamfered reveals. South front has central projecting gabled bay with 3 casements. Above, 3 casements, and above again, central casement. Return angles have each a casement. West front has recessed centre with gabled wing at each side. Gable to left has a casement. Recessed bay has a casement and C19 canted hipped porch with 2 casements. Above, 6 casements on different levels. Return angle to north has a casement and to right, a door. Above, a casement. Return angle to south has porch with panelled door, flanked by single leaded casements. Above, 2 C20 flat roofed dormers. East front has off-centre flat roofed single storey additions, C19 and C20, and adjoining C18 outbuildings. East gable has 2 casements, and to its right, a casement. Beyond, a door and 2 casements, all C19. Above, to left, 2 casements, one blocked. To right, a casement and 4 C19 mullioned casements. Above again, to left, a casement. North front has lean-to addition to left. Adjoining North Cottage, C18, coursed squared rubble with gabled pantile roof, single gable and single ridge stacks, 2 storeys, 2 bays, has to north a Yorkshire sash and a door. Above, 2 Yorkshire sashes. Adjoining South Cottage, 3 bays, has 2 ridge stacks. To south, C20 casement. To its right, 2 small casements, and to right again, blocked barn door. Above, to left, a C20 casement. North side has 2 pairs of garage doors and fenestration with Yorkshire sashes. Interior has fully panelled C17 dining room with reeded frieze. Panelled C17 plaster ceiling with strapwork and drop finials. Ceiling with cased beams with foliate plaster and strapwork and moulded corbels. Main dogleg stairs with landings have panelled square newels, bulbous turned balusters, moulded hand rail and scrolled string.</p>		